# SAFETY DATA SHEET

Version 5.10 Revision Date 05/25/2016 Print Date 11/06/2018

### 1. PRODUCT AND COMPANY IDENTIFICATION

1.1 Product identifiers

Product name : Bis(2,2,6,6-tetramethyl-3,5-heptanedionato)lead(II)

Product Number : 750662
Brand : Aldrich
Index-No. : 082-001-00-6

CAS-No. : 21319-43-7

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Synthesis of substances

1.3 Details of the supplier of the safety data sheet

Company : Sigma-Aldrich

3050 Spruce Street SAINT LOUIS MO 63103

**USA** 

Telephone : +1 800-325-5832 Fax : +1 800-325-5052

1.4 Emergency telephone number

Emergency Phone # : +1-703-527-3887 (CHEMTREC)

### 2. HAZARDS IDENTIFICATION

# 2.1 Classification of the substance or mixture

# GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Oxidizing solids (Category 2), H272 Acute toxicity, Oral (Category 4), H302 Acute toxicity, Inhalation (Category 4), H332 Carcinogenicity (Category 1B), H350 Reproductive toxicity (Category 1A), H360

Specific target organ toxicity - repeated exposure (Category 2), H373

Acute aquatic toxicity (Category 1), H400 Chronic aquatic toxicity (Category 1), H410

For the full text of the H-Statements mentioned in this Section, see Section 16.

# 2.2 GHS Label elements, including precautionary statements

Pictogram



Signal word Danger

Hazard statement(s)

H272 May intensify fire; oxidizer.

H302 + H332 Harmful if swallowed or if inhaled

H350 May cause cancer.

H360 May damage fertility or the unborn child.

H373 May cause damage to organs through prolonged or repeated exposure.

H410 Very toxic to aquatic life with long lasting effects.

Aldrich - 750662 Page 1 of 8

Precautionary statement(s)

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and

understood.

P210 Keep away from heat.

P220 Keep/Store away from clothing/ combustible materials.
P221 Take any precaution to avoid mixing with combustibles.
P260 Do not breathe dust/ fume/ gas/ mist/ vapours/ spray.

P264 Wash skin thoroughly after handling.

P270 Do not eat, drink or smoke when using this product. P271 Use only outdoors or in a well-ventilated area.

P273 Avoid release to the environment.

P280 Wear protective gloves/ protective clothing/ eye protection/ face

protection.

P301 + P312 + P330 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.

Rinse mouth.

P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable for

breathing. Call a POISON CENTER/doctor if you feel unwell.

P308 + P313 IF exposed or concerned: Get medical advice/ attention.

P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to

extinguish.

P391 Collect spillage. P405 Store locked up.

P501 Dispose of contents/ container to an approved waste disposal plant.

### 2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - none

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

### 3.1 Substances

Synonyms : Pb(TMHD)

**Hazardous components** 

Component	Classification	Concentration
Lead bis(2,2,6,6-tetramethyl-3,5-heptane-dionate)		
	Ox. Sol. 2; Acute Tox. 4; Carc. 1B; Repr. 1A; STOT RE 2; Aquatic Acute 1; Aquatic Chronic 1; H272, H302 + H332, H350, H360, H373, H410	<= 100 %

For the full text of the H-Statements mentioned in this Section, see Section 16.

### 4. FIRST AID MEASURES

## 4.1 Description of first aid measures

### General advice

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

### If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

# In case of skin contact

Wash off with soap and plenty of water. Consult a physician.

## In case of eye contact

Flush eyes with water as a precaution.

Aldrich - 750662

### If swallowed

Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

### 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

## 4.3 Indication of any immediate medical attention and special treatment needed

No data available

## 5. FIREFIGHTING MEASURES

### 5.1 Extinguishing media

### Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

### 5.2 Special hazards arising from the substance or mixture

No data available

### 5.3 Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

### 5.4 Further information

Use water spray to cool unopened containers.

### 6. ACCIDENTAL RELEASE MEASURES

### 6.1 Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Avoid dust formation. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas. Avoid breathing dust.

For personal protection see section 8.

### 6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

### 6.3 Methods and materials for containment and cleaning up

Sweep up and shovel. Contain spillage, and then collect with an electrically protected vacuum cleaner or by wetbrushing and place in container for disposal according to local regulations (see section 13). Keep in suitable, closed containers for disposal.

### 6.4 Reference to other sections

For disposal see section 13.

# 7. HANDLING AND STORAGE

## 7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid formation of dust and aerosols.

Provide appropriate exhaust ventilation at places where dust is formed. Keep away from sources of ignition - No smoking. Keep away from heat and sources of ignition.

For precautions see section 2.2.

# 7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place.

Recommended storage temperature 2 - 8 °C

# 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1 Control parameters

Components with workplace control parameters

Aldrich - 750662 Page 3 of 8

Component	CAS-No.	Value	Control	Basis	
			parameters		
Lead bis(2,2,6,6-	21319-43-7	TWA	0.050000	USA. NIOSH Recommended	
tetramethyl-3,5-			mg/m3	Exposure Limits	
heptane-dionate)					
	Remarks	See Appendix C			
		TWA	0.05 mg/m3	USA. NIOSH Recommended	
				Exposure Limits	
		See Append	ix C		

### 8.2 Exposure controls

### Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

## Personal protective equipment

### Eye/face protection

Safety glasses with side-shields conforming to EN166 Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

### Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

### **Body Protection**

Complete suit protecting against chemicals, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

### **Respiratory protection**

Where risk assessment shows air-purifying respirators are appropriate use a full-face particle respirator type N100 (US) or type P3 (EN 143) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

### Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

### 9.1 Information on basic physical and chemical properties

a) Appearance Form: solid

b) Odourc) Odour Thresholdd) pHNo data availableNo data available

e) Melting point/freezing

point

Melting point/range: 129 - 133 °C (264 - 271 °F)

f) Initial boiling point and

boiling range

No data available

g) Flash pointh) Evaporation rateNo data availableNo data available

i) Flammability (solid, gas) No data available

Upper/lower flammability or explosive limits

No data available

k) Vapour pressure No data available

Aldrich - 750662 Page 4 of 8

No data available I) Vapour density m) Relative density No data available n) Water solubility No data available Partition coefficient: n-No data available

octanol/water

p) Auto-ignition temperature

No data available

Decomposition temperature

No data available

No data available r) Viscosity No data available s) Explosive properties

Oxidizing properties The substance or mixture is classified as oxidizing with the category 2.

#### 9.2 Other safety information

No data available

### 10. STABILITY AND REACTIVITY

#### 10.1 Reactivity

No data available

#### 10.2 **Chemical stability**

Stable under recommended storage conditions.

#### 10.3 Possibility of hazardous reactions

No data available

#### 10.4 Conditions to avoid

No data available

## 10.5 Incompatible materials

Strong acids

#### 10.6 Hazardous decomposition products

Hazardous decomposition products formed under fire conditions. - Carbon oxides, Lead oxides In the event of fire: see section 5

## 11. TOXICOLOGICAL INFORMATION

## 11.1 Information on toxicological effects

### **Acute toxicity**

No data available

Inhalation: No data available Dermal: No data available

No data available

# Skin corrosion/irritation

No data available

### Serious eye damage/eye irritation

No data available

# Respiratory or skin sensitisation

No data available

# Germ cell mutagenicity

No data available

## Carcinogenicity

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as

Aldrich - 750662 Page 5 of 8 probable, possible or confirmed human carcinogen by IARC.

No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

NTP: Reasonably anticipated to be a human carcinogenThe reference note has been added by TD

based on the background information of the NTP. (Lead bis(2,2,6,6-tetramethyl-3,5-heptane-

dionate))

NTP: Reasonably anticipated to be a human carcinogenThe reference note has been added by TD

based on the background information of the NTP. (Lead bis(2,2,6,6-tetramethyl-3,5-heptane-

dionate))

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a

carcinogen or potential carcinogen by OSHA.

No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

# Reproductive toxicity

May cause congenital malformation in the fetus.

Known human reproductive toxicant

### Specific target organ toxicity - single exposure

No data available

# Specific target organ toxicity - repeated exposure

May cause damage to organs through prolonged or repeated exposure.

### **Aspiration hazard**

No data available

### **Additional Information**

RTECS: Not available

Lead salts have been reported to cross the placenta and to induce embryo- and feto- mortality. They also have teratogenic effect in some animal species. No teratogenic effects have been reported with exposure to organometallic lead compounds. Adverse effects of lead on human reproduction, embryonic and fetal development, and postnatal (e.g., mental) development have been reported. Excessive exposure can affect blood, nervous, and digestive systems. The synthesis of hemoglobin is inhibited and results in anemia. If left untreated, neuromuscular dysfunction, possible paralysis, and encephalopathy can result. Additional symptoms of overexposure include: joint and muscle pain, weakness of the extensor muscles (frequently the hand and wrist), headache, dizziness, abdominal pain, diarrhea, constipation, nausea, vomiting, blue line on the gums, insomnia, and metallic taste. High body levels produce increased cerebrospinal pressure, brain damage, and stupor leading to coma and often death., prolonged or repeated exposure can cause:, anemia

Stomach - Irregularities - Based on Human Evidence

Stomach - Irregularities - Based on Human Evidence

## 12. ECOLOGICAL INFORMATION

### 12.1 Toxicity

No data available

# 12.2 Persistence and degradability

No data available

### 12.3 Bioaccumulative potential

No data available

### 12.4 Mobility in soil

No data available

### 12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

### 12.6 Other adverse effects

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal. Very toxic to aquatic life with long lasting effects.

### 13. DISPOSAL CONSIDERATIONS

## 13.1 Waste treatment methods

### **Product**

Burn in a chemical incinerator equipped with an afterburner and scrubber but exert extra care in igniting as this material is highly flammable. Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material. Dissolve or mix the material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber.

### **Contaminated packaging**

Dispose of as unused product.

### 14. TRANSPORT INFORMATION

DOT (US)

UN number: 2291 Class: 6.1 Packing group: III

Proper shipping name: Lead compounds, soluble, n.o.s. (Lead bis(2,2,6,6-tetramethyl-3,5-heptane-dionate))

Reportable Quantity (RQ):

Poison Inhalation Hazard: No

**IMDG** 

UN number: 2291 Class: 6.1 Packing group: III EMS-No: F-A, S-A

Proper shipping name: LEAD COMPOUND, SOLUBLE, N.O.S. (Lead bis(2,2,6,6-tetramethyl-3,5-heptane-dionate))

Marine pollutant: yes

**IATA** 

UN number: 2291 Class: 6.1 Packing group: III

Proper shipping name: Lead compound, soluble, n.o.s. (Lead bis(2,2,6,6-tetramethyl-3,5-heptane-dionate))

### 15. REGULATORY INFORMATION

## **SARA 302 Components**

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

### **SARA 313 Components**

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

### SARA 311/312 Hazards

Reactivity Hazard, Acute Health Hazard, Chronic Health Hazard

## **Massachusetts Right To Know Components**

No components are subject to the Massachusetts Right to Know Act.

# Pennsylvania Right To Know Components

i chinayivania ragiit to ranow componenta		
Lead bis(2,2,6,6-tetramethyl-3,5-heptane-dionate)	CAS-No. 21319-43-7	Revision Date 2007-07-01
New Jersey Right To Know Components		
Lead bis(2,2,6,6-tetramethyl-3,5-heptane-dionate)	CAS-No. 21319-43-7	Revision Date 2007-07-01
California Prop. 65 Components WARNING! This product contains a chemical known to the State of California to cause cancer. Lead bis(2,2,6,6-tetramethyl-3,5-heptane-dionate)	CAS-No. 21319-43-7	Revision Date 2007-09-28
WARNING! This product contains a chemical known to the State of California to cause cancer. Lead bis(2,2,6,6-tetramethyl-3,5-heptane-dionate)	CAS-No. 21319-43-7	Revision Date 2007-09-28

Aldrich - 750662 Page 7 of 8

### 16. OTHER INFORMATION

### Full text of H-Statements referred to under sections 2 and 3.

Acute Tox. Acute toxicity

Aquatic Acute Acute aquatic toxicity
Aquatic Chronic Chronic aquatic toxicity

Carc. Carcinogenicity

H272 May intensify fire; oxidizer. H302 Harmful if swallowed.

H302 + H332 Harmful if swallowed or if inhaled

H332 Harmful if inhaled. H350 May cause cancer.

H360 May damage fertility or the unborn child.

H373 May cause damage to organs through prolonged or repeated exposure.

H400 Very toxic to aquatic life.

# **HMIS Rating**

Health hazard: 2
Chronic Health Hazard: \*
Flammability: 0
Physical Hazard 3

## **NFPA Rating**

Health hazard: 2
Fire Hazard: 0
Reactivity Hazard: 0

## **Further information**

Copyright 2016 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

## **Preparation Information**

Sigma-Aldrich Corporation Product Safety – Americas Region 1-800-521-8956

Version: 5.10 Revision Date: 05/25/2016 Print Date: 11/06/2018

Aldrich - 750662 Page 8 of 8