# **SAFETY DATA SHEET**

Version 6.1 Revision Date 07/17/2018 Print Date 11/15/2018

### 1. PRODUCT AND COMPANY IDENTIFICATION

1.1 Product identifiers

Product name : Boc-Arg(NO<SB>2</>)-OH

Product Number : 15470 Brand : Aldrich

CAS-No. : 2188-18-3

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Synthesis of substances

1.3 Details of the supplier of the safety data sheet

Company : Sigma-Aldrich Inc.

3050 Spruce Street ST. LOUIS MO 63103 UNITED STATES

Telephone : +1 314 771-5765 Fax : +1 800 325-5052

1.4 Emergency telephone number

Emergency Phone # : (314) 776-6555

### 2. HAZARDS IDENTIFICATION

# 2.1 Classification of the substance or mixture

### GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Specific target organ toxicity - single exposure (Category 3), Central nervous system, H336

For the full text of the H-Statements mentioned in this Section, see Section 16.

# 2.2 GHS Label elements, including precautionary statements

Pictogram

**①** 

Signal word Warning

Hazard statement(s)

H336 May cause drowsiness or dizziness.

Precautionary statement(s)

P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.

P271 Use only outdoors or in a well-ventilated area.

P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable for

breathing. Call a POISON CENTER/doctor if you feel unwell.

P403 + P233 Store in a well-ventilated place. Keep container tightly closed.

P405 Store locked up.

Aldrich- 15470 Page 1 of 8

# 2.3 Hazards not otherwise classified (HNOC) or not covered by GHS

May form explosive peroxides.

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

#### 3.1 Substances

Synonyms :  $\langle I>N</>-Boc-\langle I>N</>-SB>\omega</>-nitro-<math>\langle SC>L</>-arginine$ 

Formula : C<SB>11</>H<SB>21</>N<SB>5</>O<SB>6</>

Molecular weight : 319.31 g/mol CAS-No. : 2188-18-3

# **Hazardous components**

Component	Classification	Concentration
Diisopropyl ether		
	Flam. Liq. 2; STOT SE 3; H225, H336	>= 10 - < 20 %
Ethyl acetate		
	Flam. Liq. 2; Eye Irrit. 2A;	>= 5 - < 10 %
	STOT SE 3; H225, H319,	
	H336	

For the full text of the H-Statements mentioned in this Section, see Section 16.

### 4. FIRST AID MEASURES

### 4.1 Description of first aid measures

# General advice

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

#### If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

### In case of skin contact

Wash off with soap and plenty of water. Consult a physician.

### In case of eye contact

Flush eyes with water as a precaution.

# If swallowed

Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

### 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

# 4.3 Indication of any immediate medical attention and special treatment needed

No data available

# 5. FIREFIGHTING MEASURES

# 5.1 Extinguishing media

# Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

### 5.2 Special hazards arising from the substance or mixture

Carbon oxides, Nitrogen oxides (NOx)

# 5.3 Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

Aldrich-15470 Page 2 of 8

#### 5.4 Further information

No data available

### **6. ACCIDENTAL RELEASE MEASURES**

# 6.1 Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Avoid dust formation. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Avoid breathing dust.

For personal protection see section 8.

### 6.2 Environmental precautions

Do not let product enter drains.

### 6.3 Methods and materials for containment and cleaning up

Pick up and arrange disposal without creating dust. Sweep up and shovel. Keep in suitable, closed containers for disposal.

# 6.4 Reference to other sections

For disposal see section 13.

# 7. HANDLING AND STORAGE

### 7.1 Precautions for safe handling

Avoid formation of dust and aerosols. Further processing of solid materials may result in the formation of combustible dusts. The potential for combustible dust formation should be taken into consideration before additional processing

Provide appropriate exhaust ventilation at places where dust is formed.

For precautions see section 2.2.

# 7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place.

Recommended storage temperature 2 - 8 °C

Store under inert gas.

Storage class (TRGS 510): 13: Non Combustible Solids

### 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

# 8.1 Control parameters

Components with workplace control parameters

Component	CAS-No.	Value	Control parameters	Basis
Diisopropyl ether	108-20-3	TWA	250 ppm	USA. ACGIH Threshold Limit Values (TLV)
	Remarks	Upper Respiratory Tract irritation Eye irritation		
		TWA	250.000000 ppm	USA. ACGIH Threshold Limit Values (TLV)
		Upper Respiratory Tract irritation Eye irritation		
		STEL	310 ppm	USA. ACGIH Threshold Limit Values (TLV)
		Upper Respiratory Tract irritation Eye irritation		
		STEL	310.000000 ppm	USA. ACGIH Threshold Limit Values (TLV)
		Upper Resp Eye irritation	iratory Tract irritati	on

Aldrich-15470 Page 3 of 8

		TWA	500.000000 ppm 2,100.000000 mg/m3	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants	
		The value	e in mg/m3 is approx	imate.	
		TWA	500.000000 ppm 2,100.000000 mg/m3	USA. NIOSH Recommended Exposure Limits	
		PEL	250 ppm 1,050 mg/m3	California permissible exposure limits for chemical contaminants (Title 8, Article 107)	
Ethyl acetate	141-78-6	TWA	400.000000 ppm	USA. ACGIH Threshold Limit Values (TLV)	
		Upper Respiratory Tract irritation Eye irritation			
		TWA	400.000000 ppm 1,400.000000 mg/m3	USA. NIOSH Recommended Exposure Limits	
		TWA	400.000000 ppm 1,400.000000 mg/m3	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants	
		The value	imate.		
		TWA	400 ppm	USA. ACGIH Threshold Limit Values (TLV)	
		Upper Respiratory Tract irritation Eye irritation			
		TWA	400 ppm 1,400 mg/m3	USA. NIOSH Recommended Exposure Limits	
		TWA	400 ppm 1,400 mg/m3	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants	
			The value in mg/m3 is approximate.		
		PEL	400 ppm 1,400 mg/m3	California permissible exposure limits for chemical contaminants (Title 8, Article 107)	

# 8.2 Exposure controls

# Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

# Personal protective equipment

### Eye/face protection

Safety glasses with side-shields conforming to EN166 Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

### **Skin protection**

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Full contact

Material: Nitrile rubber

Minimum layer thickness: 0.11 mm Break through time: 480 min

Material tested:Dermatril® (KCL 740 / Aldrich Z677272, Size M)

Splash contact

Material: Nitrile rubber

Minimum layer thickness: 0.11 mm

Break through time: 480 min

Material tested:Dermatril® (KCL 740 / Aldrich Z677272, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method: EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

# **Body Protection**

Impervious clothing, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

# Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face particle respirator type N100 (US) or type P3 (EN 143) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

### Control of environmental exposure

Do not let product enter drains.

### 9. PHYSICAL AND CHEMICAL PROPERTIES

# 9.1 Information on basic physical and chemical properties

a)	Appearance	Form: solid
b)	Odour	No data available
c)	Odour Threshold	No data available
d)	рН	No data available
e)	Melting point/freezing point	No data available
f)	Initial boiling point and boiling range	No data available
g)	Flash point	No data available
h)	Evaporation rate	No data available
i)	Flammability (solid, gas)	No data available
j)	Upper/lower flammability or explosive limits	No data available
k)	Vapour pressure	No data available
I)	Vapour density	No data available
m)	Relative density	No data available
n)	Water solubility	No data available
o)	Partition coefficient: n-octanol/water	log Pow: 0.889
p)	Auto-ignition temperature	No data available
q)	Decomposition	No data available
	temperature	
r)	Viscosity	No data available
r) s)	•	No data available No data available

Aldrich-15470 Page 5 of 8

### 9.2 Other safety information

No data available

# 10. STABILITY AND REACTIVITY

### 10.1 Reactivity

No data available

#### 10.2 Chemical stability

Stable under recommended storage conditions.

# 10.3 Possibility of hazardous reactions

No data available

#### 10.4 Conditions to avoid

No data available

# 10.5 Incompatible materials

Strong oxidizing agents

# 10.6 Hazardous decomposition products

Hazardous decomposition products formed under fire conditions. - Carbon oxides, Nitrogen oxides (NOx)

Other decomposition products - No data available

In the event of fire: see section 5

#### 11. TOXICOLOGICAL INFORMATION

# 11.1 Information on toxicological effects

#### **Acute toxicity**

No data available

Inhalation: No data available Dermal: No data available

No data available

# Skin corrosion/irritation

No data available

# Serious eye damage/eye irritation

No data available

#### Respiratory or skin sensitisation

No data available

# Germ cell mutagenicity

No data available

#### Carcinogenicity

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as

probable, possible or confirmed human carcinogen by IARC.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a

known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is on OSHA's

list of regulated carcinogens.

# Reproductive toxicity

No data available

No data available

### Specific target organ toxicity - single exposure

No data available

# Specific target organ toxicity - repeated exposure

No data available

### **Aspiration hazard**

No data available

### **Additional Information**

RTECS: Not available

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Kidney - Irregularities - Based on Human Evidence

# 12. ECOLOGICAL INFORMATION

#### 12.1 Toxicity

No data available

# 12.2 Persistence and degradability

No data available

### 12.3 Bioaccumulative potential

No data available

### 12.4 Mobility in soil

No data available(N2-[(1,1-dimethylethoxy)carbonyl]-N5-[imino(nitroamino)methyl]-L-ornithine)

### 12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

#### 12.6 Other adverse effects

No data available

# 13. DISPOSAL CONSIDERATIONS

### 13.1 Waste treatment methods

#### Product

Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material.

# Contaminated packaging

Dispose of as unused product.

# 14. TRANSPORT INFORMATION

### DOT (US)

Not dangerous goods

### **IMDG**

Not dangerous goods

#### **IATA**

Not dangerous goods

# 15. REGULATORY INFORMATION

### SARA 302 Components

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

### **SARA 313 Components**

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

### SARA 311/312 Hazards

Acute Health Hazard, Chronic Health Hazard

CAS-No.	Revision Date
108-20-3	1993-04-24
141-78-6	1993-04-24
CAS-No.	Revision Date
2188-18-3	
108-20-3	1993-04-24
141-78-6	1993-04-24
CAS-No.	Revision Date
2188-18-3	
109 20 2	1002 04 24
108-20-3	1993-04-24
108-20-3 141-78-6	1993-04-24 1993-04-24
141-78-6	1993-04-24
141-78-6 CAS-No. 2188-18-3	1993-04-24 Revision Date
141-78-6 CAS-No.	1993-04-24
	108-20-3 141-78-6 CAS-No. 2188-18-3 108-20-3 141-78-6 CAS-No.

# California Prop. 65 Components

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

### **16. OTHER INFORMATION**

# Full text of H-Statements referred to under sections 2 and 3.

H225 Highly flammable liquid and vapour.
 H319 Causes serious eye irritation.
 H336 May cause drowsiness or dizziness.

# **Further information**

Copyright 2016 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

#### **Preparation Information**

Sigma-Aldrich Corporation Product Safety – Americas Region 1-800-521-8956

Version: 6.1 Revision Date: 07/17/2018 Print Date: 11/15/2018

Aldrich-15470 Page 8 of 8