SAFETY DATA SHEET

Version 4.15 Revision Date 08/14/2018 Print Date 10/19/2018

1. PRODUCT AND COMPANY IDENTIFICATION

1.1 Product identifiers

Product name : Diisopropyl azodicarboxylate

Product Number : 225541 Brand : Aldrich

CAS-No. : 2446-83-5

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Synthesis of substances

1.3 Details of the supplier of the safety data sheet

Company : Sigma-Aldrich

3050 Spruce Street SAINT LOUIS MO 63103

USA

Telephone : +1 800-325-5832 Fax : +1 800-325-5052

1.4 Emergency telephone number

Emergency Phone # : +1-703-527-3887 (CHEMTREC)

2. HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Skin irritation (Category 2), H315 Eye irritation (Category 2A), H319 Carcinogenicity (Category 2), H351

Specific target organ toxicity - single exposure (Category 3), Respiratory system, H335

Specific target organ toxicity - repeated exposure (Category 2), H373

Acute aquatic toxicity (Category 2), H401 Chronic aquatic toxicity (Category 2), H411

For the full text of the H-Statements mentioned in this Section, see Section 16.

2.2 GHS Label elements, including precautionary statements

Pictogram



Signal word Warning

Hazard statement(s)

H315 Causes skin irritation.

H319 Causes serious eye irritation. H335 May cause respiratory irritation. H351 Suspected of causing cancer.

H373 May cause damage to organs through prolonged or repeated exposure.

H411 Toxic to aquatic life with long lasting effects.

Precautionary statement(s)

P201 Obtain special instructions before use.

Aldrich - 225541 Page 1 of 9

| P202 | Do not handle until all safety precautions have been read and understood. |
|--------------------|--|
| P260 | Do not breathe dust/ fume/ gas/ mist/ vapours/ spray. |
| P264 | Wash skin thoroughly after handling. |
| P271 | Use only outdoors or in a well-ventilated area. |
| P273 | Avoid release to the environment. |
| P280 | Wear protective gloves/ protective clothing/ eye protection/ face protection. |
| P302 + P352 | IF ON SKIN: Wash with plenty of soap and water. |
| P304 + P340 + P312 | IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/doctor if you feel unwell. |
| P305 + P351 + P338 | IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. |
| P308 + P313 | IF exposed or concerned: Get medical advice/ attention. |
| P332 + P313 | If skin irritation occurs: Get medical advice/ attention. |
| P337 + P313 | If eye irritation persists: Get medical advice/ attention. |
| P362 | Take off contaminated clothing and wash before reuse. |
| P391 | Collect spillage. |
| P403 + P233 | Store in a well-ventilated place. Keep container tightly closed. |
| P405 | Store locked up. |
| P501 | Dispose of contents/ container to an approved waste disposal plant. |

2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - none

3. COMPOSITION/INFORMATION ON INGREDIENTS

3.2 Mixtures

Synonyms : DIAD

Hazardous components

| Component | | Classification | Concentration | | | | |
|---------------------------------------|-----------------------|--|---------------|--|--|--|--|
| Diisopropyl azodicarboxylate | | | | | | | |
| CAS-No. 2446-83-5 EC-No. 219-502-8 | | Skin Irrit. 2; Eye Irrit. 2A; STOT SE 3; STOT RE 2; Aquatic Acute 2; Aquatic Chronic 2; H315, H319, H335, H373, H411 | 90 - 100 % | | | | |
| Methylene chloride | | | | | | | |
| CAS-No. | 75-09-2 | Skin Irrit. 2; Eye Irrit. 2A; Carc. | 1 - 5 % | | | | |
| EC-No. | 200-838-9 | 2; STOT SE 3; Aquatic Acute | | | | | |
| Index-No. | 602-004-00-3 | 3; H315, H319, H336, H351, | | | | | |
| Registration number | 01-2119480404-41-XXXX | H402 | | | | | |

For the full text of the H-Statements mentioned in this Section, see Section 16.

4. FIRST AID MEASURES

4.1 Description of first aid measures

General advice

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

In case of skin contact

Wash off with soap and plenty of water. Consult a physician.

Aldrich - 225541 Page 2 of 9

In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

If swallowed

Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed

No data available

5. FIREFIGHTING MEASURES

5.1 Extinguishing media

Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

5.2 Special hazards arising from the substance or mixture

No data available

5.3 Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

5.4 Further information

No data available

6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas.

For personal protection see section 8.

6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

6.3 Methods and materials for containment and cleaning up

Soak up with inert absorbent material and dispose of as hazardous waste. Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

For disposal see section 13.

7. HANDLING AND STORAGE

7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid inhalation of vapour or mist.

For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

Recommended storage temperature 2 - 8 °C

Handle and store under inert gas.

Storage class (TRGS 510): 10: Combustible liquids

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

Components with workplace control parameters

Aldrich - 225541 Page 3 of 9

| Component | CAS-No. | Value | Control parameters | Basis | |
|--------------------|---------|--|----------------------|---|--|
| Methylene chloride | 75-09-2 | TWA | 50 ppm | USA. ACGIH Threshold Limit Values (TLV) | |
| | Remarks | Central Nervous System impairment Carboxyhemoglobinemia Substances for which there is a Biological Exposure Index or Indices (see BEI® section) Confirmed animal carcinogen with unknown relevance to humans Substance listed; for more information see OSHA document 1910.1052 Potential Occupational Carcinogen See Appendix A | | | |
| | | | | | |
| | | | | | |
| | | PEL | 25 ppm | OSHA Specifically Regulated Chemicals/Carcinogens | |
| | | 1910.1052 This section applies to all occupational exposures to methylene chloride (MC), Chemical Abstracts Service Registry Number 75-09-2, in general industry, construction and shipyard employment. Methylene chloride (MC) means an organic compound with chemical formula, CH2Cl2. Its Chemical Abstracts Service Registry Number is 75-09-2. Its molecular weight is 84.9 g/mole OSHA specifically regulated carcinogen | | | |
| | | STEL | 125 ppm | OSHA Specifically Regulated Chemicals/Carcinogens | |
| | | 1910.1052 This section applies to all occupational exposures to methylene chloride (MC), Chemical Abstracts Service Registry Number 75-09-2, in general industry, construction and shipyard employment. Methylene chloride (MC) means an organic compound with chemical formula, CH2Cl2. Its Chemical Abstracts Service Registry Number is 75-09-2. Its molecular weight is 84.9 g/mole OSHA specifically regulated carcinogen | | | |
| | | See Table Z | | | |
| | | STEL | 125 ppm 435 mg/m3 | California permissible exposure limits for chemical contaminants (Title 8, Article 107) | |
| | | see section 5202 | | | |
| | | PEL | 25 ppm 87 mg/m3 | California permissible exposure limits for chemical contaminants (Title 8, Article 107) | |
| | | see section : | 5202 | | |

Hazardous components without workplace control parameters

Biological occupational exposure limits

| Component | CAS-No. | Parameters | Value | Biological | Basis | | |
|-----------|---------|--|----------|------------|--------------------|--|--|
| | | | | specimen | | | |
| | - | Dichlorometh | 0.3 mg/l | Urine | ACGIH - Biological | | |
| | | ane | | | Exposure Indices | | |
| | | | | | (BEI) | | |
| | Remarks | End of shift (As soon as possible after exposure ceases) | | | | | |

8.2 Exposure controls

Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

Personal protective equipment

Eye/face protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Aldrich - 225541 Page 4 of 9

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Full contact

Material: Nitrile rubber

Minimum laver thickness: 0.11 mm Break through time: 480 min

Material tested: Dermatril® (KCL 740 / Aldrich Z677272, Size M)

Splash contact

Material: Nitrile rubber

Minimum laver thickness: 0.11 mm Break through time: 480 min

Material tested: Dermatril® (KCL 740 / Aldrich Z677272, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method:

EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

Body Protection

Complete suit protecting against chemicals, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multipurpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

> a) Appearance Form: clear, liquid

> > Colour: orange

b) Odour No data available c) Odour Threshold No data available No data available d) рΗ e) Melting point/freezing

point

3 - 5 °C (37 - 41 °F)

Initial boiling point and

boiling range

75 °C (167 °F) at 0.33 hPa (0.25 mmHg) - lit.

106 °C (223 °F) - closed cup g) Flash point

h) Evaporation rate No data available Flammability (solid, gas) No data available Upper/lower

flammability or explosive limits No data available

k) Vapour pressure No data available No data available Vapour density

m) Relative density 1.027 g/mL at 25 °C (77 °F)

Aldrich - 225541 Page 5 of 9 n) Water solubility insolubleo) Partition coefficient: n- log Pow: 2.0

octanol/water

No data available

p) Auto-ignition temperature

No data available

q) Decomposition temperature

227 °C (441 °F) -

r) Viscosity No data available
 s) Explosive properties No data available
 t) Oxidizing properties No data available

9.2 Other safety information

No data available

10. STABILITY AND REACTIVITY

10.1 Reactivity

No data available

10.2 Chemical stability

Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions

No data available

10.4 Conditions to avoid

Decomposes violently at or above: 100°C

10.5 Incompatible materials

Strong oxidizing agents, Strong bases, Alcohols, Metallic salts

10.6 Hazardous decomposition products

Hazardous decomposition products formed under fire conditions. - Carbon oxides, Nitrogen oxides (NOx), Hydrogen chloride gas

Other decomposition products - No data available

In the event of fire: see section 5

11. TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute toxicity

LC50 Inhalation - Rat - 8 h - 12,000 mg/l

Remarks: (External MSDS)

Inhalation: Irritating to respiratory system.

LD50 Dermal - Rabbit - 2,150 mg/kg

Remarks: (External MSDS)

Skin corrosion/irritation

Serious eye damage/eye irritation Respiratory or skin sensitisation

Germ cell mutagenicity

Ames test

Escherichia coli/Salmonella typhimurium

Result: negative

Carcinogenicity

IARC: 2A - Group 2A: Probably carcinogenic to humans (Methylene chloride)

NTP: RAHC - Reasonably anticipated to be a human carcinogen (Methylene chloride)

OSHA: OSHA specifically regulated carcinogen (Methylene chloride)

Aldrich - 225541 Page 6 of 9

Reproductive toxicity

Specific target organ toxicity - single exposure

May cause respiratory irritation.

Acute oral toxicity - Irritations of mucous membranes in the mouth, pharynx, oesophagus and gastrointestinal tract. Acute inhalation toxicity - mucosal irritations, Cough, Shortness of breath, Possible damages:, damage of respiratory tract

Specific target organ toxicity - repeated exposure

Aspiration hazard

Additional Information

RTECS: Not available

The following applies to azo dyes in general: azo dyes containing a carcinogenic aryl amine component are suspected of possessing a carcinogenic potential. It is therefore recommended that the substance be handled as if it possessed the properties of the basic amine.

Other dangerous properties can not be excluded.

Handle in accordance with good industrial hygiene and safety practice.

Stomach - Irregularities - Based on Human Evidence

Stomach - Irregularities - Based on Human Evidence (Methylene chloride)

12. ECOLOGICAL INFORMATION

12.1 Toxicity

Toxicity to fish LC50 - Cyprinus carpio (Carp) - 13.4 mg/l - 96 h

Remarks: (External MSDS)

Toxicity to daphnia and

EC50 - Daphnia magna (Water flea) - 42 mg/l - 48 h Remarks: (External MSDS)

other aquatic

invertebrates

Toxicity to algae

IC50 - Pseudokirchneriella subcapitata (green algae) - 6.8 mg/l - 72 h

Remarks: (External MSDS)

12.2 Persistence and degradability

Biodegradability Result: 15 % - Not readily biodegradable.

(OECD Test Guideline 301B) Remarks: (External MSDS)

12.3 Bioaccumulative potential

12.4 Mobility in soil

12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

12.6 Other adverse effects

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

Toxic to aquatic life with long lasting effects.

Discharge into the environment must be avoided.

13. DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Product

Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material. Dissolve or mix the material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber.

Contaminated packaging

Dispose of as unused product.

14. TRANSPORT INFORMATION

DOT (US)

Aldrich - 225541 Page 7 of 9

Not dangerous goods

IMDG

UN number: 3082 Class: 9 Packing group: III EMS-No: F-A, S-F

Proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Diisopropyl

azodicarboxylate) Marine pollutant:yes

IATA

UN number: 3082 Class: 9 Packing group: III

Proper shipping name: Environmentally hazardous substance, liquid, n.o.s. (Diisopropyl azodicarboxylate)

Further information

EHS-Mark required (ADR 2.2.9.1.10, IMDG code 2.10.3) for single packagings and combination packagings containing inner packagings with Dangerous Goods > 5L for liquids or > 5kg for solids.

15. REGULATORY INFORMATION

SARA 302 Components

This material does not contain any components with a section 302 EHS TPQ.

SARA 313 Components

The following components are subject to reporting levels established by SARA Title III, Section 313:

Dichloromethane CAS-No. Revision Date 75-09-2 2007-07-01

SARA 311/312 Hazards

Acute Health Hazard, Chronic Health Hazard

Massachusetts Right To Know Components

Dichloromethane CAS-No. Revision Date 75-09-2 2007-07-01

75-05-2 2007-07-01

Pennsylvania Right To Know Components

CAS-No. Revision Date

Diisopropyl azodicarboxylate 2446-83-5

Dichloromethane 75-09-2 2007-07-01

California Prop. 65 Components

, which is/are known to the State of California to cause cancer. CAS-No. Revision Date For more information go to www.P65Warnings.ca.gov. 75-09-2 2007-09-28

Dichloromethane

16. OTHER INFORMATION

Full text of H-Statements referred to under sections 2 and 3.

Aquatic Acute Acute aquatic toxicity
Aquatic Chronic Chronic aquatic toxicity

Carc. Carcinogenicity
Eye Irrit. Eye irritation

H315 Causes skin irritation.
 H319 Causes serious eye irritation.
 H335 May cause respiratory irritation.
 H336 May cause drowsiness or dizziness.
 H351 Suspected of causing cancer.

H373 May cause damage to organs through prolonged or repeated exposure.

H401 Toxic to aquatic life. H402 Harmful to aquatic life.

H411 Toxic to aquatic life with long lasting effects.

Skin Irrit. Skin irritation

STOT RE Specific target organ toxicity - repeated exposure STOT SE Specific target organ toxicity - single exposure

Aldrich - 225541 Page 8 of 9

Further information

Copyright 2016 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Preparation Information

Sigma-Aldrich Corporation Product Safety – Americas Region 1-800-521-8956

Version: 4.15 Revision Date: 08/14/2018 Print Date: 10/19/2018

Aldrich - 225541 Page 9 of 9