# SIGMA-ALDRICH

sigma-aldrich.com

SAFETY DATA SHEET

Version 3.13 Revision Date 05/27/2016 Print Date 11/10/2018

## 1. PRODUCT AND COMPANY IDENTIFICATION

1.1	Product identifiers Product name	:	(3-Glycidyloxypropyl)trimethoxysilane
	Product Number Brand	:	440167 Aldrich
	CAS-No.	:	2530-83-8
1.2	Relevant identified uses of	f th	e substance or mixture and uses advised against
	Identified uses	:	Laboratory chemicals, Synthesis of substances
1.3	Details of the supplier of the	ne s	safety data sheet

Company	:	Sigma-Aldrich 3050 Spruce Street SAINT LOUIS MO 63103 USA
Telephone Fax	:	+1 800-325-5832 +1 800-325-5052

## 1.4 Emergency telephone number

Emergency Phone # : +1-703-527-3887 (CHEMTREC)

## 2. HAZARDS IDENTIFICATION

## 2.1 Classification of the substance or mixture

**GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)** Serious eye damage (Category 1), H318 Acute aquatic toxicity (Category 3), H402

For the full text of the H-Statements mentioned in this Section, see Section 16.

#### 2.2 GHS Label elements, including precautionary statements

Pictogram

~
5 10
- C/

Signal word	Danger
Hazard statement(s) H318 H402	Causes serious eye damage. Harmful to aquatic life.
Precautionary statement(s) P273 P280 P305 + P351 + P338 + P310	Avoid release to the environment. Wear eye protection/ face protection. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately
P501	call a POISON CENTER/doctor. Dispose of contents/ container to an approved waste disposal plant.

## 2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - none

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

## 3.1 Substances

Formula	:	C <sub>9</sub> H <sub>20</sub> O <sub>5</sub> Si
Molecular weight	:	236.34 g/mol
CAS-No.	:	2530-83-8
EC-No.	:	219-784-2

## Hazardous components

Component	Classification	Concentration
[3-(2,3-Epoxypropoxy)propyl]trimethoxysilane		
	Eye Dam. 1; Aquatic Acute 3;	<= 100 %
	H318, H402	
For the full text of the H Statements mentioned in this S	action and Section 16	

For the full text of the H-Statements mentioned in this Section, see Section 16.

## 4. FIRST AID MEASURES

## 4.1 Description of first aid measures

## General advice

Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.

#### If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

#### In case of skin contact

Wash off with soap and plenty of water. Consult a physician.

#### In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

#### If swallowed

Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

## 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

#### **4.3 Indication of any immediate medical attention and special treatment needed** No data available

## **5. FIREFIGHTING MEASURES**

## 5.1 Extinguishing media

## Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

5.2 Special hazards arising from the substance or mixture No data available

#### **5.3** Advice for firefighters Wear self-contained breathing apparatus for firefighting if necessary.

5.4 Further information

No data available

## 6. ACCIDENTAL RELEASE MEASURES

## 6.1 Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas.

For personal protection see section 8.

## 6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

Aldrich - 440167

## 6.3 Methods and materials for containment and cleaning up

Soak up with inert absorbent material and dispose of as hazardous waste. Keep in suitable, closed containers for disposal.

6.4 **Reference to other sections** For disposal see section 13.

## 7. HANDLING AND STORAGE

- 7.1 **Precautions for safe handling** Avoid inhalation of vapour or mist. For precautions see section 2.2.
- Conditions for safe storage, including any incompatibilities
   Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.
   Storage class (TRGS 510): Combustible liquids

#### **7.3** Specific end use(s) Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### 8.1 Control parameters

Components with workplace control parameters Contains no substances with occupational exposure limit values.

## 8.2 Exposure controls

#### Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

## Personal protective equipment

#### Eye/face protection

Tightly fitting safety goggles. Faceshield (8-inch minimum). Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

#### **Skin protection**

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Full contact Material: butyl-rubber Minimum layer thickness: 0.3 mm Break through time: 480 min Material tested:Butoject® (KCL 897 / Aldrich Z677647, Size M)

Splash contact Material: Nature latex/chloroprene Minimum layer thickness: 0.6 mm Break through time: 240 min Material tested:Lapren® (KCL 706 / Aldrich Z677558, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method: EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

#### **Body Protection**

Complete suit protecting against chemicals, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

#### **Respiratory protection**

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multipurpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

#### Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

## 9.1 Information on basic physical and chemical properties

a)	Appearance	Form: liquid Colour: colourless
b)	Odour	aromatic
c)	Odour Threshold	No data available
d)	рН	No data available
e)	Melting point/freezing point	No data available
f)	Initial boiling point and boiling range	120 °C (248 °F) at 3 hPa (2 mmHg) - lit.
g)	Flash point	122 °C (252 °F) - Cleveland open cup
h)	Evaporation rate	No data available
i)	Flammability (solid, gas)	No data available
j)	Upper/lower flammability or explosive limits	Lower explosion limit: 0.43 %(V)
k)	Vapour pressure	No data available
I)	Vapour density	No data available
m)	Relative density	1.07 g/cm3 at 25 °C (77 °F)
n)	Water solubility	No data available
o)	Partition coefficient: n- octanol/water	log Pow: -0.853
p)	Auto-ignition temperature	No data available
q)	Decomposition temperature	No data available
r)	Viscosity	No data available
s)	Explosive properties	No data available
t)	Oxidizing properties	No data available
Other safety information No data available		

## **10. STABILITY AND REACTIVITY**

#### 10.1 Reactivity

9.2

No data available

#### 10.2 Chemical stability

Stable under recommended storage conditions.

#### **10.3 Possibility of hazardous reactions** No data available

- **10.4 Conditions to avoid** No data available
- **10.5** Incompatible materials Oxidizing agents

## **10.6 Hazardous decomposition products**

Hazardous decomposition products - Carbon oxides, silicon oxides, Methanol is given off during processing and by reaction with water. Other decomposition products - No data available

In the event of fire: see section 5

## **11. TOXICOLOGICAL INFORMATION**

#### 11.1 Information on toxicological effects

#### Acute toxicity

LD50 Oral - Rat - 8,030 mg/kg

LD50 Dermal - Rabbit - 4,248 mg/kg

No data available

Skin corrosion/irritation Serious eye damage/eye irritation Eyes - Rabbit Result: Risk of serious damage to eyes.

## Respiratory or skin sensitisation

No data available

Germ cell mutagenicity No data available

#### Carcinogenicity

- IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
- ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.
- NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.
- OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

## **Reproductive toxicity**

No data available

No data available

Specific target organ toxicity - single exposure No data available

Specific target organ toxicity - repeated exposure No data available

Aspiration hazard No data available

## Additional Information

RTECS: VV4025000

Material may form a siloxane polymer on the skin, eyes, or in the lungs. In the event of direct contact of the liquid with these tissues, seek medical attention., To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

#### 12. ECOLOGICAL INFORMATION

## 12.1 Toxicity

	Toxicity to fish	LC50 - Cyprinus carpio (Carp) - 55 mg/l - 96 h		
		LC0 - Cyprinus carpio (Carp) - 30 mg/l - 96 h		
	Toxicity to daphnia and other aquatic invertebrates	EC50 - Daphnia magna (Water flea) - 473 mg/l - 48 h		
	Toxicity to algae	EC50 - Desmodesmus subspicatus (green algae) - 255 mg/l - 72 h		
12.2	Persistence and degrad Biodegradability	lability Result: - Readily biodegradable		
12.3	Bioaccumulative potent No data available	tial		
12.4	<b>Mobility in soil</b> No data available			
12.5	Results of PBT and vPvB assessment PBT/vPvB assessment not available as chemical safety assessment not required/not conducted			
12.6	<b>Other adverse effects</b> Harmful to aquatic life. An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.			
	No data available			
13 D	SPOSAL CONSIDERATIO	ONS		
13.1				
	Product Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material.			
	Contaminated packaging Dispose of as unused product.			
14. TI	RANSPORT INFORMATIC	DN		
	DOT (US) Not dangerous goods			
	IMDG Not dangerous goods			
	IATA Not dangerous goods			
15. REGULATORY INFORMATION				
SARA 302 Components No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.				

# SARA 313 Components

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

#### ivininins) reporting levels

SARA 311/312 Hazards Acute Health Hazard

# Massachusetts Right To Know Components

No components are subject to the Massachusetts Right to Know Act.

## Pennsylvania Right To Know Components

	CAS-No.	Revision Date
[3-(2,3-Epoxypropoxy)propyl]trimethoxysilane	2530-83-8	
New Jersey Right To Know Components		
	CAS-No.	Revision Date
[3-(2,3-Epoxypropoxy)propyl]trimethoxysilane	2530-83-8	

## California Prop. 65 Components

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

## **16. OTHER INFORMATION**

#### Full text of H-Statements referred to under sections 2 and 3.

Aquatic Acute Eye Dam. H318 H402	Acute aquatic toxicity Serious eye damage Causes serious eye damage. Harmful to aquatic life.
HMIS Rating Health hazard: Chronic Health Haz Flammability: Physical Hazard	2 ard: 1 0
<b>NFPA Rating</b> Health hazard: Fire Hazard: Reactivity Hazard:	2 1 0

#### Further information

Copyright 2016 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

#### **Preparation Information**

Sigma-Aldrich Corporation Product Safety – Americas Region 1-800-521-8956

Version: 3.13

Revision Date: 05/27/2016

Print Date: 11/10/2018