# SIGMA-ALDRICH

sigma-aldrich.com

SAFETY DATA SHEET

Version 5.6 Revision Date 07/09/2014 Print Date 11/21/2018

#### 1. PRODUCT AND COMPANY IDENTIFICATION 1.1 **Product identifiers** Product name (±)-4-Methyloctanoic acid : Product Number W357502 Brand Aldrich CAS-No. 54947-74-9 : 1.2 Relevant identified uses of the substance or mixture and uses advised against Identified uses : Laboratory chemicals, Manufacture of substances Details of the supplier of the safety data sheet 1.3 Company Sigma-Aldrich 3050 Spruce Street SAINT LOUIS MO 63103 USA +1 800-325-5832 Telephone +1 800-325-5052 Fax 1.4 **Emergency telephone number** Emergency Phone # : +1-703-527-3887 (CHEMTREC)

## 2. HAZARDS IDENTIFICATION

## 2.1 Classification of the substance or mixture

### GHS Classification in accordance with 29 CFR 1910 (OSHA HCS) Skin corrosion (Category 1B), H314

Serious eye damage (Category 1), H318

For the full text of the H-Statements mentioned in this Section, see Section 16.

## 2.2 GHS Label elements, including precautionary statements

Pictogram

/	
J.	Z
1	1

Signal word	Danger
Hazard statement(s) H314	Causes severe skin burns and eye damage.
Precautionary statement(s) P264	Wash skin thoroughly after handling.
P280	Wear protective gloves/ protective clothing/ eye protection/ face protection.
P301 + P330 + P331	IF SWALLOWED: rinse mouth. Do NOT induce vomiting.
P303 + P361 + P353	IF ON SKIN (or hair): Remove/ Take off immediately all contaminated clothing. Rinse skin with water/ shower.
P304 + P340	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER or doctor/ physician.

Aldrich - W357502

P321	Specific treatment (see supplemental first aid instructions on this label).
P363	Wash contaminated clothing before reuse.
P405	Store locked up.
P501	Dispose of contents/ container to an approved waste disposal plant.

## 2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - none

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

### 3.1 Substances

Formula	:	С <sub>9</sub> Н <sub>18</sub> О <sub>2</sub>
Molecular Weight	:	158.24 g/mol
CAS-No.	:	54947-74-9
EC-No.	:	259-404-2

No ingredients are hazardous according to OSHA criteria. No components need to be disclosed according to the applicable regulations. For the full text of the H-Statements mentioned in this Section, see Section 16.

## 4. FIRST AID MEASURES

## 4.1 Description of first aid measures

### **General advice**

Consult a physician. Show this safety data sheet to the doctor in attendance.

### If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

## In case of skin contact

Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. Consult a physician.

### In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.Continue rinsing eyes during transport to hospital.

### If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

### 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

**4.3** Indication of any immediate medical attention and special treatment needed no data available

## **5. FIREFIGHTING MEASURES**

### 5.1 Extinguishing media

## Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

5.2 Special hazards arising from the substance or mixture Carbon oxides

## **5.3** Advice for firefighters Wear self contained breathing apparatus for fire fighting if necessary.

5.4 Further information no data available

## 6. ACCIDENTAL RELEASE MEASURES

## 6.1 Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas.

For personal protection see section 8.

## 6.2 Environmental precautions

Do not let product enter drains.

- 6.3 Methods and materials for containment and cleaning up Soak up with inert absorbent material and dispose of as hazardous waste. Keep in suitable, closed containers for disposal.
- 6.4 **Reference to other sections** For disposal see section 13.

## 7. HANDLING AND STORAGE

- 7.1 Precautions for safe handling Avoid inhalation of vapour or mist. Normal measures for preventive fire protection. For precautions see section 2.2.
- **7.2** Conditions for safe storage, including any incompatibilities Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

## 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1 Control parameters

## Components with workplace control parameters

Contains no substances with occupational exposure limit values.

### 8.2 Exposure controls

### Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

### Personal protective equipment

### Eye/face protection

Tightly fitting safety goggles. Faceshield (8-inch minimum). Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

### Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Full contact Material: butyl-rubber Minimum layer thickness: 0.3 mm Break through time: 480 min Material tested:Butoject® (KCL 897 / Aldrich Z677647, Size M)

Splash contact Material: Nature latex/chloroprene Minimum layer thickness: 0.6 mm Break through time: 60 min Material tested:Lapren® (KCL 706 / Aldrich Z677558, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method: EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

### **Body Protection**

Complete suit protecting against chemicals, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

### **Respiratory protection**

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multipurpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

## Control of environmental exposure

Do not let product enter drains.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

## 9.1 Information on basic physical and chemical properties

a)	Appearance	Form: liquid Colour: colourless
b)	Odour	no data available
c)	Odour Threshold	no data available
d)	рН	no data available
e)	Melting point/freezing point	no data available
f)	Initial boiling point and boiling range	149 °C (300 °F) at 29 hPa (22 mmHg) - lit.
g)	Flash point	113 °C (235 °F) - closed cup
h)	Evapouration rate	no data available
i)	Flammability (solid, gas)	no data available
j)	Upper/lower flammability or explosive limits	no data available
k)	Vapour pressure	no data available
I)	Vapour density	no data available
m)	Relative density	0.91 g/cm3 at 25 °C (77 °F)
n)	Water solubility	no data available
0)	Partition coefficient: n- octanol/water	no data available
p)	Auto-ignition temperature	no data available
q)	Decomposition temperature	no data available
r)	Viscosity	no data available
s)	Explosive properties	no data available
t)	Oxidizing properties	no data available
	<b>ner safety information</b> data available	

## \_\_\_\_\_

## **10. STABILITY AND REACTIVITY**

## 10.1 Reactivity

no data available

9.2

- **10.2 Chemical stability** Stable under recommended storage conditions.
- **10.3 Possibility of hazardous reactions** no data available
- **10.4 Conditions to avoid** no data available
- **10.5** Incompatible materials Strong oxidizing agentsStrong oxidizing agents, Strong bases
- **10.6 Hazardous decomposition products** Other decomposition products - no data available In the event of fire: see section 5

## **11. TOXICOLOGICAL INFORMATION**

## 11.1 Information on toxicological effects

## Acute toxicity

no data available

Inhalation: no data available

Dermal: no data available

no data available

**Skin corrosion/irritation** no data available

Serious eye damage/eye irritation no data available

#### **Respiratory or skin sensitisation** no data available

### Germ cell mutagenicity

no data available

### Carcinogenicity

- IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
- ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.
- NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.
- OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

### **Reproductive toxicity**

no data available

no data available

# Specific target organ toxicity - single exposure no data available

Specific target organ toxicity - repeated exposure no data available

Aspiration hazard no data available

## Additional Information

**RTECS:** Not available

Material is extremely destructive to tissue of the mucous membranes and upper respiratory tract, eyes, and skin., spasm, inflammation and edema of the larynx, spasm, inflammation and edema of the bronchi, pneumonitis, pulmonary edema, burning sensation, Cough, wheezing, laryngitis, Shortness of breath, Headache, Nausea Material is extremely destructive to tissue of the mucous membranes and upper respiratory tract, eyes, and skin., spasm, inflammation and edema of the larynx, spasm, inflammation and edema of the bronchi, pneumonitis, pulmonary edema, burning sensation, Cough, wheezing, laryngitis, Shortness of breath, Headache, Nausea

## **12. ECOLOGICAL INFORMATION**

### 12.1 Toxicity

no data available

- 12.2 Persistence and degradability no data available
- **12.3 Bioaccumulative potential** no data available
- 12.4 Mobility in soil no data available
- 12.5 Results of PBT and vPvB assessment PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

### 12.6 Other adverse effects

no data available

## **13. DISPOSAL CONSIDERATIONS**

### 13.1 Waste treatment methods

### Product

Offer surplus and non-recyclable solutions to a licensed disposal company.

## Contaminated packaging

Dispose of as unused product.

## 14. TRANSPORT INFORMATION

## DOT (US)

UN number: 3265 Class: 8 Packing group: III Proper shipping name: Corrosive liquid, acidic, organic, n.o.s. ((±)-4-Methyloctanoic acid) Marine pollutant: No Poison Inhalation Hazard: No

### IMDG

UN number: 3265 Class: 8 Packing group: III EMS-No: F-A, S-B Proper shipping name: CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S. ((±)-4-Methyloctanoic acid) Marine pollutant: No

## ΙΑΤΑ

UN number: 3265 Class: 8 Packing group: III Proper shipping name: Corrosive liquid, acidic, organic, n.o.s. ((±)-4-Methyloctanoic acid)

## 15. REGULATORY INFORMATION

### SARA 302 Components

SARA 302: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

### SARA 313 Components

SARA 313: This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

## SARA 311/312 Hazards

No SARA Hazards

### Massachusetts Right To Know Components

No components are subject to the Massachusetts Right to Know Act.

Pennsylvania Right To Know Components		
(±)-4-Methyloctanoic acid	CAS-No. 54947-74-9	Revision Date
New Jersey Right To Know Components		Davisian Data
(±)-4-Methyloctanoic acid	CAS-No. 54947-74-9	Revision Date

### California Prop. 65 Components

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

## **16. OTHER INFORMATION**

### Full text of H-Statements referred to under sections 2 and 3.

H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.

### **HMIS Rating**

Health hazard:	0	
Chronic Health Hazard:		
Flammability:	1	
Physical Hazard	0	
NFPA Rating		
NFPA Rating Health hazard:	0	
0	0 1	

### Further information

Copyright 2014 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

### **Preparation Information**

Sigma-Aldrich Corporation Product Safety – Americas Region 1-800-521-8956

Version: 5.6

Revision Date: 07/09/2014

Print Date: 11/21/2018