# SIGMA-ALDRICH

sigma-aldrich.com

SAFETY DATA SHEET

Version 3.8 Revision Date 05/11/2016 Print Date 11/09/2018

1. PR	RODUCT AND COMPANY	IDENTIFICATION		
1.1	Product identifiers Product name	<sup>:</sup> 3-Ethylaniline		
	Product Number Brand	: 175498 : Aldrich		
	CAS-No.	: 587-02-0		
1.2 Relevant identified uses of the substance or mixture and uses ad		s of the substance or mixture and uses advised against		
	Identified uses	: Laboratory chemicals, Synthesis of substances		
1.3	Details of the supplier of the safety data sheet			
	Company	: Sigma-Aldrich 3050 Spruce Street SAINT LOUIS MO 63103 USA		
	Telephone Fax	: +1 800-325-5832 : +1 800-325-5052		
1.4	Emergency telephone	number		
	Emergency Phone #	: +1-703-527-3887 (CHEMTREC)		
2. HA	ZARDS IDENTIFICATIO	1		
2.1	Classification of the su	bstance or mixture		

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS) Flammable liquids (Category 4), H227

For the full text of the H-Statements mentioned in this Section, see Section 16.

## 2.2 GHS Label elements, including precautionary statements

Pictogram	none
Signal word	Warning
Hazard statement(s) H227	Combustible liquid.
Precautionary statement(s) P210 P280 P370 + P378	Keep away from heat/sparks/open flames/hot surfaces. No smoking. Wear protective gloves/ eye protection/ face protection. In case of fire: Use dry sand, dry chemical or alcohol-resistant foam for extinction.
P403 + P235 P501	Store in a well-ventilated place. Keep cool. Dispose of contents/ container to an approved waste disposal plant.

## 2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - none

## **3. COMPOSITION/INFORMATION ON INGREDIENTS**

3.1	Substances		
	Formula	:	C <sub>8</sub> H <sub>11</sub> N

Molecular weight	:	121.18 g/mol
CAS-No.	:	587-02-0
EC-No.	:	209-594-8

#### Hazardous components

Component	Classification	Concentration
3-Ethylaniline		
	Flam. Liq. 4; H227	<= 100 %
For the full text of the H-Statements mentioned in this Section, see Section 16.		

## **4. FIRST AID MEASURES**

#### 4.1 **Description of first aid measures**

### General advice

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

#### If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

#### In case of skin contact

Wash off with soap and plenty of water. Consult a physician.

## In case of eye contact

Flush eyes with water as a precaution.

#### If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

#### 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

#### 4.3 Indication of any immediate medical attention and special treatment needed No data available

## **5. FIREFIGHTING MEASURES**

#### 5.1 Extinguishing media

### Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

5.2 Special hazards arising from the substance or mixture No data available

#### 5.3 Advice for firefighters Wear self-contained breathing apparatus for firefighting if necessary.

#### 5.4 **Further information**

Use water spray to cool unopened containers.

## 6. ACCIDENTAL RELEASE MEASURES

#### 6.1 Personal precautions, protective equipment and emergency procedures

Avoid breathing vapours, mist or gas. Remove all sources of ignition. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas. For personal protection see section 8.

#### 6.2 **Environmental precautions**

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

#### 6.3 Methods and materials for containment and cleaning up Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container for disposal according to local regulations (see section 13). Keep in suitable, closed containers for disposal.

#### **Reference to other sections** 6.4

For disposal see section 13.

Aldrich - 175498

## 7. HANDLING AND STORAGE

## 7.1 Precautions for safe handling

Avoid inhalation of vapour or mist. Keep away from sources of ignition - No smoking.Take measures to prevent the build up of electrostatic charge. For precautions see section 2.2.

**7.2** Conditions for safe storage, including any incompatibilities Keep container tightly closed in a dry and well-ventilated place. Storage class (TRGS 510): Combustible liquids

## 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1 Control parameters

### Components with workplace control parameters

Component	CAS-No.	Value	Control	Basis
			parameters	
3-Ethylaniline	587-02-0	TWA	5.000000 ppm	USA. Occupational Exposure Limits
			19.00000	(OSHA) - Table Z-1 Limits for Air
			mg/m3	Contaminants
	Remarks	Skin designation		
		The value in mg/m3 is approximate.		
		Potential Occupational Carcinogen		
		See Appendix A		

## 8.2 Exposure controls

### Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

## Personal protective equipment

## **Eye/face protection**

Safety glasses with side-shields conforming to EN166 Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

## Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Full contact Material: Fluorinated rubber Minimum layer thickness: 0.7 mm Break through time: 480 min Material tested:Vitoject® (KCL 890 / Aldrich Z677698, Size M)

Splash contact Material: Fluorinated rubber Minimum layer thickness: 0.7 mm Break through time: 480 min Material tested:Vitoject® (KCL 890 / Aldrich Z677698, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method: EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

### **Body Protection**

Impervious clothing, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

## **Respiratory protection**

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multipurpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

## Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

## 9.1 Information on basic physical and chemical properties

a)	Appearance	Form: clear, liquid Colour: dark brown			
b)	Odour	No data available			
c)	Odour Threshold	No data available			
d)	рН	No data available			
e)	Melting point/freezing point	Melting point/range: 8 °C (46 °F) - lit.			
f)	Initial boiling point and boiling range	212 °C (414 °F) - lit.			
g)	Flash point	85 °C (185 °F) - closed cup			
h)	Evaporation rate	No data available			
i)	Flammability (solid, gas)	No data available			
j)	Upper/lower flammability or explosive limits	No data available			
k)	Vapour pressure	No data available			
I)	Vapour density	No data available			
m)	Relative density	0.975 g/mL at 25 °C (77 °F)			
n)	Water solubility	No data available			
0)	Partition coefficient: n- octanol/water	No data available			
p)	Auto-ignition temperature	No data available			
q)	Decomposition temperature	No data available			
r)	Viscosity	No data available			
s)	Explosive properties	No data available			
t)	Oxidizing properties	No data available			
	Other safety information				

# No data available

## **10. STABILITY AND REACTIVITY**

## 10.1 Reactivity

No data available

9.2

- **10.2 Chemical stability** Stable under recommended storage conditions.
- **10.3 Possibility of hazardous reactions** No data available
- **10.4 Conditions to avoid** Heat, flames and sparks.
- **10.5** Incompatible materials Acid chlorides, Acid anhydrides, Chloroformates, Strong oxidizing agents
- 10.6 Hazardous decomposition products Hazardous decomposition products formed under fire conditions. - Carbon oxides, Nitrogen oxides (NOx) Other decomposition products - No data available In the event of fire: see section 5

## **11. TOXICOLOGICAL INFORMATION**

## 11.1 Information on toxicological effects

## Acute toxicity

LD50 Oral - Bird (wild) - 316 mg/kg

Inhalation: No data available

Dermal: No data available

No data available

Skin corrosion/irritation

No data available

#### Serious eye damage/eye irritation No data available

**Respiratory or skin sensitisation** Prolonged or repeated exposure may cause allergic reactions in certain sensitive individuals.

## Germ cell mutagenicity

No data available

## Carcinogenicity

- IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
- ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.
- NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.
- OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

### Reproductive toxicity

No data available

No data available

Specific target organ toxicity - single exposure No data available

Specific target organ toxicity - repeated exposure No data available

Aspiration hazard No data available

Additional Information RTECS: BX9770000 Absorption into the body leads to the formation of methemoglobin which in sufficient concentration causes cyanosis. Onset may be delayed 2 to 4 hours or longer., To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

## **12. ECOLOGICAL INFORMATION**

### 12.1 Toxicity

No data available

- **12.2 Persistence and degradability** No data available
- 12.3 Bioaccumulative potential No data available
- 12.4 Mobility in soil No data available

### 12.5 Results of PBT and vPvB assessment PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

### 12.6 Other adverse effects

No data available

## **13. DISPOSAL CONSIDERATIONS**

## 13.1 Waste treatment methods

### Product

This combustible material may be burned in a chemical incinerator equipped with an afterburner and scrubber. Offer surplus and non-recyclable solutions to a licensed disposal company.

## Contaminated packaging

Dispose of as unused product.

## 14. TRANSPORT INFORMATION

## DOT (US)

NA-Number: 1993 Class: NONE Packing group: III Proper shipping name: Combustible liquid, n.o.s. (3-Ethylaniline) Reportable Quantity (RQ):

Poison Inhalation Hazard: No

IMDG Not dangerous goods

## IATA

Not dangerous goods

## **15. REGULATORY INFORMATION**

### SARA 302 Components

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

## SARA 313 Components

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

## SARA 311/312 Hazards

Fire Hazard

## Massachusetts Right To Know Components

No components are subject to the Massachusetts Right to Know Act.

## Pennsylvania Right To Know Components

CAS-No.

Revision Date

3-Ethylaniline	587-02-0	
New Jersey Right To Know Components	CAS-No.	Revision Date
3-Ethylaniline	587-02-0	Itevision Date
California Prop. 65 Components		

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

## **16. OTHER INFORMATION**

## Full text of H-Statements referred to under sections 2 and 3.

Flam. Liq. H227	Flammable liquids Combustible liquid.
HMIS Rating Health hazard: Chronic Health Haza Flammability: Physical Hazard	0 ard: 2 0
<b>NFPA Rating</b> Health hazard: Fire Hazard: Reactivity Hazard:	0 2 0

## **Further information**

Copyright 2016 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

## **Preparation Information**

Sigma-Aldrich Corporation Product Safety – Americas Region 1-800-521-8956

Version: 3.8

Revision Date: 05/11/2016

Print Date: 11/09/2018