SAFETY DATA SHEET

Version 3.10 Revision Date 02/08/2017 Print Date 11/10/2018

1. PRODUCT AND COMPANY IDENTIFICATION

1.1 Product identifiers

Product name : Silicon dioxide

Product Number : 84878

Brand : Sigma-Aldrich

CAS-No. : 60676-86-0

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Synthesis of substances

1.3 Details of the supplier of the safety data sheet

Company : Sigma-Aldrich

3050 Spruce Street SAINT LOUIS MO 63103

USA

Telephone : +1 800-325-5832 Fax : +1 800-325-5052

1.4 Emergency telephone number

Emergency Phone # : +1-703-527-3887 (CHEMTREC)

2. HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Not a hazardous substance or mixture.

2.2 GHS Label elements, including precautionary statements

Not a hazardous substance or mixture.

2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - none

3. COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

Synonyms : Silica

Quartz Sand Cristobalite

Formula : O₂Si

 Molecular weight
 : 60.08 g/mol

 CAS-No.
 : 60676-86-0

 EC-No.
 : 238-878-4

Hazardous components

Component	Classification	Concentration		
Silicon dioxide				
		90 - 100 %		

Sigma-Aldrich - 84878 Page 1 of 8

4. FIRST AID MEASURES

4.1 Description of first aid measures

If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration.

In case of skin contact

Wash off with soap and plenty of water.

In case of eye contact

Flush eyes with water as a precaution.

If swallowed

Never give anything by mouth to an unconscious person. Rinse mouth with water.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed

No data available

5. FIREFIGHTING MEASURES

5.1 Extinguishing media

Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

5.2 Special hazards arising from the substance or mixture

No data available

5.3 Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

5.4 Further information

No data available

6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Avoid dust formation. Avoid breathing vapours, mist or gas.

For personal protection see section 8.

6.2 Environmental precautions

No special environmental precautions required.

6.3 Methods and materials for containment and cleaning up

Sweep up and shovel. Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

For disposal see section 13.

7. HANDLING AND STORAGE

7.1 Precautions for safe handling

Further processing of solid materials may result in the formation of combustible dusts. The potential for combustible dust formation should be taken into consideration before additional processing occurs.

Provide appropriate exhaust ventilation at places where dust is formed.

For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place.

Keep in a dry place.

Sigma-Aldrich - 84878 Page 2 of 8

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

Components with workplace control parameters

Component	CAS-No.	Value	Control	Basis	
Component	OAO-NO.	value	parameters	Dasis	
Silicon dioxide	60676-86-0	TWA	20.000000Millio	USA. Occupational Exposure Limits	
Silicon dioxide	0-00-0	IVVA			
			n particles per	(OSHA) - Table Z-3 Mineral Dusts	
	<u> </u>		cubic foot		
	Remarks	Based on impinger samples counted by light-field techniques.			
		mppcf X 35.3 = million particles per cubic meter = particles per c.c. See table Z-3			
		TWA	20.00000Millio	USA. Occupational Exposure Limits	
			n particles per	(OSHA) - Table Z-3 Mineral Dusts	
			cubic foot		
		Based on impinger samples counted by light-field techniques. mppcf X 35.3 = million particles per cubic meter = particles per c			
		TWA		USA. Occupational Exposure Limits	
			3 / %SiO2	(OSHA) - Table Z-3 Mineral Dusts	
		TWA	20.000000Millio	USA. Occupational Exposure Limits	
			n particles per	(OSHA) - Table Z-3 Mineral Dusts	
			cubic foot	(Con int) Table 2 o Milliotal Basis	
		Based on im		unted by light-field techniques.	
			s per cubic meter = particles per c.c		
		TWA	80.000000mg/m		
		1 1 1 1 1 1	3 / %SiO2		
		TIALA	0.050000	(OSHA) - Table Z-3 Mineral Dusts	
		TWA		USA. NIOSH Recommended	
		D ((') O	mg/m3	Exposure Limits	
		Potential Occupational Carcinogen See Appendix A			
		TWA	0.050000	USA. NIOSH Recommended	
			mg/m3	Exposure Limits	
			Potential Occupational Carcinogen See Appendix A		
		TWA	6.000000	USA. NIOSH Recommended	
			mg/m3	Exposure Limits	
		TWA	6.000000	USA. NIOSH Recommended	
			mg/m3	Exposure Limits	
		TWA	20Million	USA. Occupational Exposure Limits	
			particles per	(OSHA) - Table Z-3 Mineral Dusts	
			cubic foot		
		Based on im	<u> </u>	unted by light-field techniques	
		Based on impinger samples counted by light-field tech mppcf X 35.3 = million particles per cubic meter = part			
		TWA	80mg/m3 /	USA. Occupational Exposure Limits	
			%SiO2	(OSHA) - Table Z-3 Mineral Dusts	
	+	TWA	0.05 mg/m3	USA. NIOSH Recommended	
		1 1 1 1 1 1	0.00 mg/ms		
		Exposure Limits			
l		Potential Occupational Carcinogen			
		See Appendix A			

Sigma-Aldrich - 84878 Page 3 of 8

TWA	6 mg/m3	USA. NIOSH Recommended Exposure Limits
PEL	0.1 mg/m3	California permissible exposure limits for chemical contaminants (Title 8, Article 107)

8.2 Exposure controls

Appropriate engineering controls

General industrial hygiene practice.

Personal protective equipment

Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Full contact

Material: Nitrile rubber

Minimum layer thickness: 0.11 mm Break through time: 480 min

Material tested:Dermatril® (KCL 740 / Aldrich Z677272, Size M)

Splash contact

Material: Nitrile rubber

Minimum layer thickness: 0.11 mm Break through time: 480 min

Material tested: Dermatril® (KCL 740 / Aldrich Z677272, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method: EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

Body Protection

Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place., The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Respiratory protection

Respiratory protection is not required. Where protection from nuisance levels of dusts are desired, use type N95 (US) or type P1 (EN 143) dust masks. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Control of environmental exposure

No special environmental precautions required.

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

a) Appearance Form: powder
b) Odour No data available
c) Odour Threshold No data available
d) pH No data available

e) Melting point/freezing

point

Melting point/range: 1,610 °C (2,930 °F)

f) Initial boiling point and No data available

Sigma-Aldrich - 84878 Page 4 of 8

boiling range

g) Flash point Not applicable
h) Evaporation rate No data available
i) Flammability (solid, gas) No data available
j) Upper/lower No data available
flammability or

flammability or explosive limits

k) Vapour pressure No data availablel) Vapour density No data available

m) Relative density 2.6 g/mL at 25 °C (77 °F)

n) Water solubility No data available
 o) Partition coefficient: n- No data available octanol/water

octanoi/water

p) Auto-ignition No data available temperature

q) Decomposition temperature

No data available

r) Viscosity No data availables) Explosive properties No data availablet) Oxidizing properties No data available

9.2 Other safety information

No data available

10. STABILITY AND REACTIVITY

10.1 Reactivity

No data available

10.2 Chemical stability

Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions

No data available

10.4 Conditions to avoid

No data available

10.5 Incompatible materials

Strong oxidizing agents

10.6 Hazardous decomposition products

Other decomposition products - No data available

Hazardous decomposition products formed under fire conditions. - silicon oxides

In the event of fire: see section 5

11. TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute toxicity

No data available

Inhalation: No data available Dermal: No data available

No data available

Skin corrosion/irritation

No data available

Sigma-Aldrich - 84878 Page 5 of 8

Serious eye damage/eye irritation

No data available

Respiratory or skin sensitisation

No data available

Germ cell mutagenicity

No data available

Carcinogenicity

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as

probable, possible or confirmed human carcinogen by IARC.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a

known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a

carcinogen or potential carcinogen by OSHA.

Reproductive toxicity

No data available

No data available

Specific target organ toxicity - single exposure

No data available

Specific target organ toxicity - repeated exposure

No data available

Aspiration hazard

No data available

Additional Information

RTECS: VV7330000

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

12. ECOLOGICAL INFORMATION

12.1 Toxicity

No data available

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

12.6 Other adverse effects

No data available

13. DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Product

Offer surplus and non-recyclable solutions to a licensed disposal company.

Contaminated packaging

Dispose of as unused product.

Sigma-Aldrich - 84878 Page 6 of 8

14. TRANSPORT INFORMATION

DOT (US)

Not dangerous goods

IMDG

Not dangerous goods

IATA

Not dangerous goods

15. REGULATORY INFORMATION

SARA 302 Components

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313 Components

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

SARA 311/312 Hazards

No SARA Hazards

Massachusetts Right To Know Components

Silicon dioxide	CAS-No. 60676-86-0	Revision Date 1993-04-24
Pennsylvania Right To Know Components		
	CAS-No.	Revision Date
Silicon dioxide	60676-86-0	1993-04-24
New Jersey Right To Know Components		
	CAS-No.	Revision Date
Silicon dioxide	60676-86-0	1993-04-24
California Prop. 65 Components		
WARNING! This product contains a chemical known to the	CAS-No.	Revision Date
State of California to cause cancer.	60676-86-0	2007-09-28
Silicon dioxide		

16. OTHER INFORMATION

HMIS Rating

Health hazard: 0
Chronic Health Hazard:
Flammability: 0
Physical Hazard 0

NFPA Rating

Health hazard: 0
Fire Hazard: 0
Reactivity Hazard: 0

Further information

Copyright 2016 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Sigma-Aldrich - 84878 Page 7 of 8

Preparation Information Sigma-Aldrich Corporation Product Safety – Americas Region 1-800-521-8956

Version: 3.10 Revision Date: 02/08/2017 Print Date: 11/10/2018

Sigma-Aldrich - 84878 Page 8 of 8