SAFETY DATA SHEET

Version 4.11 Revision Date 05/24/2016 Print Date 11/10/2018

1. PRODUCT AND COMPANY IDENTIFICATION

1.1 Product identifiers

Product name : Sodium cacodylate trihydrate

Product Number : C0250 Brand : Sigma Index-No. : 033-002-00-5

CAS-No. : 6131-99-3

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Synthesis of substances

1.3 Details of the supplier of the safety data sheet

Company : Sigma-Aldrich

3050 Spruce Street SAINT LOUIS MO 63103

USA

Telephone : +1 800-325-5832 Fax : +1 800-325-5052

1.4 Emergency telephone number

Emergency Phone # : +1-703-527-3887 (CHEMTREC)

2. HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Acute toxicity, Oral (Category 3), H301 Acute toxicity, Inhalation (Category 3), H331 Carcinogenicity (Category 2), H351 Acute aquatic toxicity (Category 1), H400 Chronic aquatic toxicity (Category 1), H410

For the full text of the H-Statements mentioned in this Section, see Section 16.

2.2 GHS Label elements, including precautionary statements

Pictogram



Signal word Danger

Hazard statement(s)

H301 + H331 Toxic if swallowed or if inhaled H351 Suspected of causing cancer.

H410 Very toxic to aquatic life with long lasting effects.

Precautionary statement(s)

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and

understood.

P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.

Sigma - C0250 Page 1 of 9

P264 Wash skin thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.
P271 Use only outdoors or in a well-ventilated area.

P273 Avoid release to the environment.

P280 Wear protective gloves/ protective clothing/ eye protection/ face

protection.

P301 + P310 + P330 IF SWALLOWED: Immediately call a POISON CENTER/doctor. Rinse

mouth.

P304 + P340 + P311 IF INHALED: Remove person to fresh air and keep comfortable for

breathing. Call a POISON CENTER/doctor.

P308 + P313 IF exposed or concerned: Get medical advice/ attention.

P391 Collect spillage.

P403 + P233 Store in a well-ventilated place. Keep container tightly closed.

P405 Store locked up.

P501 Dispose of contents/ container to an approved waste disposal plant.

2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - none

3. COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

Synonyms : Dimethylarsonic acid sodium salt

Dimethylarsinic acid sodium salt Cacodylic acid sodium salt trihydrate

Formula : $C_2H_6AsNaO_2 \cdot 3H_2O$

Molecular weight : 214.03 g/mol CAS-No. : 6131-99-3 EC-No. : 204-708-2 Index-No. : 033-002-00-5

Hazardous components

Component	Classification	Concentration			
Sodium dimethylarsinate trihydrate					
	Acute Tox. 3; Carc. 2; Aquatic Acute 1; Aquatic Chronic 1;	<= 100 %			
	H301 + H331, H351, H410				

For the full text of the H-Statements mentioned in this Section, see Section 16.

4. FIRST AID MEASURES

4.1 Description of first aid measures

General advice

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

In case of skin contact

Wash off with soap and plenty of water. Take victim immediately to hospital. Consult a physician.

In case of eye contact

Flush eyes with water as a precaution.

If swallowed

Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed

No data available

Sigma - C0250 Page 2 of 9

5. FIREFIGHTING MEASURES

5.1 Extinguishing media

Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

5.2 Special hazards arising from the substance or mixture

No data available

5.3 Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

5.4 Further information

No data available

6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Wear respiratory protection. Avoid dust formation. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas. Avoid breathing dust.

For personal protection see section 8.

6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

6.3 Methods and materials for containment and cleaning up

Pick up and arrange disposal without creating dust. Sweep up and shovel. Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

For disposal see section 13.

7. HANDLING AND STORAGE

7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid formation of dust and aerosols.

Provide appropriate exhaust ventilation at places where dust is formed.

For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place.

Moisture sensitive.

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

Components with workplace control parameters

Component	CAS-No.	Value	Control parameters	Basis
Sodium dimethylarsinate trihydrate	6131-99-3	TWA	0.500000 mg/m3	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants
	Remarks	Substance listed; for more information see OSHA document 1910.1018		
		TWA	0.010000 mg/m3	USA. ACGIH Threshold Limit Values (TLV)
		Lung cancer Substances for which there is a Biological Exposure Index or Indices (see BEI® section)		

Sigma - C0250 Page 3 of 9

	Confirmed human carcinogen				
varies	1001000				
PEL	0.010000 mg/m3	OSHA Specifically Regulated Chemicals/Carcinogens			
1910.101	1910.1018				
arsenic exposures treatment	This section applies to all occupational exposures to inorganic arsenic except that this section does not apply to employee exposures in agriculture or resulting from pesticide application, the treatment of wood with preservatives or the utilization of arsenically preserved wood. OSHA specifically regulated carcinogen				
С	0.002000 mg/m3	USA. NIOSH Recommended Exposure Limits			
OSHA co all inorgan See Appe	Potential Occupational Carcinogen OSHA considers 'Inorganic Arsenic' to mean copper acetoarsenite & all inorganic compounds containing arsenic except ARSINE. See Appendix A 15 minute ceiling value				
	Substance listed; for more information see OSHA document 1910.1018				
TWA	0.5 mg/m3	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants			
TWA	0.01 mg/m3	USA. ACGIH Threshold Limit Values (TLV)			
Substance (see BEI	Lung cancer Substances for which there is a Biological Exposure Index or Indices (see BEI® section) Confirmed human carcinogen				
PEL	0.01 mg/m3	OSHA Specifically Regulated Chemicals/Carcinogens			
1910.101	8	Chemicals/Carcinogens			
This secti	This section applies to all occupational exposures to inorganic arsenic except that this section does not apply to employee exposures in agriculture or resulting from pesticide application, the treatment of wood with preservatives or the utilization of arsenically preserved wood. OSHA specifically regulated carcinogen				
exposure: treatment preserved					
С	0.002 mg/m3	USA. NIOSH Recommended Exposure Limits			
OSHA co all inorgan See Appe	Potential Occupational Carcinogen OSHA considers 'Inorganic Arsenic' to mean copper acetoarsenite & all inorganic compounds containing arsenic except ARSINE. See Appendix A 15 minute ceiling value				
PEL	0.01 mg/m3	California permissible exposure limits for chemical contaminants (Title 8, Article 107)			
	see Section 5214				
PEL	0.2 mg/m3	California permissible exposure limits for chemical contaminants (Title 8, Article 107)			

8.2 **Exposure controls**

Appropriate engineering controls

Avoid contact with skin, eyes and clothing. Wash hands before breaks and immediately after handling the product.

Sigma - C0250 Page 4 of 9

Personal protective equipment

Eye/face protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Full contact

Material: Nitrile rubber

Minimum layer thickness: 0.11 mm Break through time: 480 min

Material tested:Dermatril® (KCL 740 / Aldrich Z677272, Size M)

Splash contact

Material: Nitrile rubber

Minimum layer thickness: 0.11 mm Break through time: 480 min

Material tested:Dermatril® (KCL 740 / Aldrich Z677272, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method:

EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

Body Protection

Complete suit protecting against chemicals, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face particle respirator type N99 (US) or type P2 (EN 143) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Where risk assessment shows air-purifying respirators are appropriate use a full-face particle respirator type N100 (US) or type P3 (EN 143) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

a) Appearance Form: crystalline

Colour: white

b) Odourc) Odour Thresholdd) pHNo data available8.7 at 50 g/l

e) Melting point/freezing

point

Melting point/range: 77 - 80 °C (171 - 176 °F)

f) Initial boiling point and

boiling range

No data available

g) Flash point No data available

Sigma - C0250 Page 5 of 9

h) Evaporation rate No data available
 i) Flammability (solid, gas) No data available
 j) Upper/lower No data available flammability or explosive limits

k) Vapour pressure No data availablel) Vapour density No data availablem) Relative density No data available

n) Water solubility ca.100 g/l at 20 °C (68 °F)

 o) Partition coefficient: noctanol/water No data available

p) Auto-ignition temperature

No data available

q) Decomposition temperature No data available

r) Viscosity No data available
 s) Explosive properties No data available
 t) Oxidizing properties No data available

9.2 Other safety information

No data available

10. STABILITY AND REACTIVITY

10.1 Reactivity

No data available

10.2 Chemical stability

Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions

No data available

10.4 Conditions to avoid

Avoid moisture.

10.5 Incompatible materials

Strong oxidizing agents, Strong bases

10.6 Hazardous decomposition products

Hazardous decomposition products formed under fire conditions. - Carbon oxides, Sodium oxides, Arsenic oxides Other decomposition products - No data available

In the event of fire: see section 5

11. TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute toxicity

No data available

Inhalation: No data available Dermal: No data available

No data available

Skin corrosion/irritation

Skin - Rabbit

Result: No skin irritation

Sigma - C0250 Page 6 of 9

Serious eye damage/eye irritation

No data available

Respiratory or skin sensitisation

No data available

Germ cell mutagenicity

No data available

Carcinogenicity

Suspected human carcinogens

IARC: 2B - Group 2B: Possibly carcinogenic to humans (Sodium dimethylarsinate trihydrate)

NTP: Known to be human carcinogen (Sodium dimethylarsinate trihydrate)

OSHA: OSHA specifically regulated carcinogen (Sodium dimethylarsinate trihydrate)

Reproductive toxicity

No data available

Reproductive toxicity - Hamster - female - Intravenous

Effects on Fertility: Post-implantation mortality (e.g., dead and/or resorbed implants per total number of implants).

No data available

Specific target organ toxicity - single exposure

No data available

Specific target organ toxicity - repeated exposure

No data available

Aspiration hazard

No data available

Additional Information

RTECS: CH7890000

Drowsiness, Tremors, Convulsions, To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Stomach - Irregularities - Based on Human Evidence

Stomach - Irregularities - Based on Human Evidence

12. ECOLOGICAL INFORMATION

12.1 Toxicity

Toxicity to daphnia and EC50 - Daphnia magna (Water flea) - 53.5 mg/l - 48 h other aquatic

invertebrates

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

12.6 Other adverse effects

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal. Very toxic to aquatic life with long lasting effects.

Sigma - C0250 Page 7 of 9

13. DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Product

Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material. Dissolve or mix the material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber.

Contaminated packaging

Dispose of as unused product.

14. TRANSPORT INFORMATION

DOT (US)

UN number: 1688 Class: 6.1 Packing group: II

Proper shipping name: Sodium cacodylate

Reportable Quantity (RQ): 1 lbs

Poison Inhalation Hazard: No

IMDG

UN number: 1688 Class: 6.1 Packing group: II EMS-No: F-A, S-A

Proper shipping name: SODIUM CACODYLATE

Marine pollutant:yes

IATA

UN number: 1688 Class: 6.1 Packing group: II

Proper shipping name: Sodium cacodylate

15. REGULATORY INFORMATION

SARA 302 Components

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313 Components

The following components are subject to reporting levels established by SARA Title III, Section 313:

CAS-No. Revision Date 6131-99-3 1993-04-24

Sodium dimethylarsinate trihydrate

SARA 311/312 Hazards

Acute Health Hazard, Chronic Health Hazard

Massachusetts Right To Know Components

CAS-No. Revision Date Sodium dimethylarsinate trihydrate 6131-99-3 1993-04-24

Pennsylvania Right To Know Components

Sodium dimethylarsinate trihydrate CAS-No. Revision Date 6131-99-3 1993-04-24

New Jersey Right To Know Components

Sodium dimethylarsinate trihydrate CAS-No. Revision Date 6131-99-3 1993-04-24

California Prop. 65 Components

WARNING! This product contains a chemical known to the State of California to cause cancer. CAS-No. Revision Date 2007-09-28

Sodium dimethylarsinate trihydrate

16. OTHER INFORMATION

Full text of H-Statements referred to under sections 2 and 3.

Sigma - C0250 Page 8 of 9

Acute Tox. Acute toxicity

Aquatic Acute Acute aquatic toxicity
Aquatic Chronic Chronic aquatic toxicity

Carc. Carcinogenicity
H301 Toxic if swallowed.

H301 + H331 Toxic if swallowed or if inhaled

H331 Toxic if inhaled.

H351 Suspected of causing cancer.

HMIS Rating

Health hazard: 2
Chronic Health Hazard: *
Flammability: 0
Physical Hazard 0

NFPA Rating

Health hazard: 2
Fire Hazard: 0
Reactivity Hazard: 0

Further information

Copyright 2016 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Preparation Information

Sigma-Aldrich Corporation Product Safety – Americas Region 1-800-521-8956

Version: 4.11 Revision Date: 05/24/2016 Print Date: 11/10/2018

Sigma - C0250 Page 9 of 9