## SIGMA-ALDRICH

sigma-aldrich.com

SAFETY DATA SHEET

Version 4.5 Revision Date 06/02/2016 Print Date 10/19/2018

## 1. PRODUCT AND COMPANY IDENTIFICATION

1.1	Product identifiers Product name	:	Cobalt naphthenate
	Product Number Brand	:	544574 Aldrich
	CAS-No.	:	61789-51-3
1.2	1.2 Relevant identified uses of the substance or mixture and uses advised a		e substance or mixture and uses advised against
	Identified uses	:	Laboratory chemicals, Synthesis of substances

#### 1.3 Details of the supplier of the safety data sheet

Company	:	Sigma-Aldrich 3050 Spruce Street SAINT LOUIS MO 63103 USA
Telephone Fax	:	+1 800-325-5832 +1 800-325-5052

#### 1.4 Emergency telephone number

Emergency Phone #	:	+1-703-527-3887 (CHEMTREC)
-------------------	---	----------------------------

#### 2. HAZARDS IDENTIFICATION

#### 2.1 Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS) Flammable liquids (Category 3), H226 Respiratory sensitisation (Category 1), H334 Skin sensitisation (Category 1), H317 Carcinogenicity (Category 2), H351 Aspiration hazard (Category 1), H304

For the full text of the H-Statements mentioned in this Section, see Section 16.

#### 2.2 GHS Label elements, including precautionary statements

Pictogram



Signal word	Danger
Hazard statement(s)	
H226	Flammable liquid and vapour.
H304	May be fatal if swallowed and enters airways.
H317	May cause an allergic skin reaction.
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H351	Suspected of causing cancer.
Precautionary statement(s)	
P201	Obtain special instructions before use.
P202	Do not handle until all safety precautions have been read and understood.

P210 P233	Keep away from heat/sparks/open flames/hot surfaces. No smoking. Keep container tightly closed.
P240	Ground/bond container and receiving equipment.
P241	Use explosion-proof electrical/ ventilating/ lighting/ equipment.
P242	Use only non-sparking tools.
P243	Take precautionary measures against static discharge.
P261	Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.
P272	Contaminated work clothing should not be allowed out of the workplace.
P280	Wear protective gloves/ protective clothing/ eye protection/ face protection.
P285	In case of inadequate ventilation wear respiratory protection.
P301 + P310	IF SWALLOWED: Immediately call a POISON CENTER/doctor.
P303 + P361 + P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
P304 + P341	IF INHALED: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing.
P308 + P313	IF exposed or concerned: Get medical advice/ attention.
P331	Do NOT induce vomiting.
P333 + P313	If skin irritation or rash occurs: Get medical advice/ attention.
P363	Wash contaminated clothing before reuse.
P370 + P378	In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.
P403 + P235	Store in a well-ventilated place. Keep cool.
P405	Store locked up.
P501	Dispose of contents/ container to an approved waste disposal plant.

#### 2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - none

#### 3. COMPOSITION/INFORMATION ON INGREDIENTS

#### 3.2 Mixtures

Component		Classification	Concentration
Naphthenic acids, c	obalt salts		
CAS-No. EC-No.	61789-51-3 263-064-0	Flam. Liq. 4; Resp. Sens. 1; Skin Sens. 1; H227, H317, H334	>= 50 - < 70 %
			•
Aliphatic hydrocarb	ons (stoddard type)		
Aliphatic hydrocarbo CAS-No.	ons (stoddard type) 8052-41-3	Asp. Tox. 1; H304	>= 30 - < 50 %
		Asp. Tox. 1; H304	>= 30 - < 50 %

For the full text of the H-Statements mentioned in this Section, see Section 16.

#### 4. FIRST AID MEASURES

#### 4.1 Description of first aid measures

#### **General advice**

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

#### If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

#### In case of skin contact

Wash off with soap and plenty of water. Consult a physician.

#### In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

#### If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

#### 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

#### **4.3 Indication of any immediate medical attention and special treatment needed** No data available

#### **5. FIREFIGHTING MEASURES**

#### 5.1 Extinguishing media

#### **Suitable extinguishing media** Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

- 5.2 Special hazards arising from the substance or mixture No data available
- 5.3 Advice for firefighters Wear self-contained breathing apparatus for firefighting if necessary.

## 5.4 Further information

Use water spray to cool unopened containers.

#### 6. ACCIDENTAL RELEASE MEASURES

#### 6.1 Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas. For personal protection see section 8.

#### 6.2 Environmental precautions Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

**6.3** Methods and materials for containment and cleaning up Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container for disposal according to local regulations (see section 13).

#### **6.4 Reference to other sections** For disposal see section 13.

#### 7. HANDLING AND STORAGE

# 7.1 Precautions for safe handling Avoid contact with skin and eyes. Avoid inhalation of vapour or mist. Keep away from sources of ignition - No smoking. Take measures to prevent the build up of electrostatic charge. For precautions see section 2.2.

#### 7.2 Conditions for safe storage, including any incompatibilities Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

#### 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

#### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### 8.1 Control parameters

#### Components with workplace control parameters

Component	CAS-No.	Value	Control	Basis				
			parameters					
Naphthenic acids, cobalt salts	61789-51-3	TWA	0.020000 mg/m3	USA. ACGIH Threshold Limit Values (TLV)				
	Remarks	Pulmonary function						
		Asthma						
		Myocardial e	ffects					
		Substances for which there is a Biological Exposure Index or Indices						
		(see BEI® se		-				
		Confirmed a	nimal carcinogen v	vith unknown relevance to humans				
		varies						
Aliphatic	8052-41-3	TWA	100.000000	USA. ACGIH Threshold Limit Values				
hydrocarbons			ppm	(TLV)				
(stoddard type)								
			ous System impair	rment				
		Nausea						
		Eye damage						
		Kidney dama						
		Skin damage						
		TWA	100 ppm	USA. ACGIH Threshold Limit Values (TLV)				
		Central Nerv	ous System impair	rment				
		Nausea						
		Eye damage						
		Kidney dama						
		Skin damage						
		TWA	350.000000	USA. NIOSH Recommended				
			mg/m3	Exposure Limits				
		A refined petroleum solvent with a flash point of 102-17						
		point of 309-396F, and containing > 65% C10 or higher						
		hydrocarbon						
		С	1,800.000000 mg/m3	USA. NIOSH Recommended Exposure Limits				
		A refined petroleum solvent with a flash point of 102-110F, boil						
		point of 309-396F, and containing > 65% C10 or higher						
		hydrocarbon						
		inute ceiling value						
		TWA	500.000000	USA. Occupational Exposure Limits				
			ppm	(OSHA) - Table Z-1 Limits for Air				
			2,900.000000	Contaminants				
			mg/m3					
		The value in	mg/m3 is approxir	nate.				
		PEL	100 ppm	California permissible exposure				
			525 mg/m3	limits for chemical contaminants				
				(Title 8, Article 107)				

#### 8.2 Exposure controls

#### Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

#### Personal protective equipment

#### Eye/face protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

#### **Skin protection**

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

#### **Body Protection**

Complete suit protecting against chemicals, Flame retardant antistatic protective clothing., The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

#### **Respiratory protection**

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multipurpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

#### Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

#### 9. PHYSICAL AND CHEMICAL PROPERTIES

#### 9.1 Information on basic physical and chemical properties

a)	Appearance	Form: liquid Colour: dark, purple
b)	Odour	No data available
c)	Odour Threshold	No data available
d)	рН	No data available
e)	Melting point/freezing point	No data available
f)	Initial boiling point and boiling range	> 300 °C (> 572 °F) - Solvent
g)	Flash point	48.9 °C (120.0 °F) - Tag closed cup
h)	Evaporation rate	No data available
i)	Flammability (solid, gas)	No data available
j)	Upper/lower flammability or explosive limits	Upper explosion limit: 6 %(V) Lower explosion limit: 1 %(V)
k)	Vapour pressure	No data available
I)	Vapour density	No data available
m)	Relative density	0.921 g/mL at 25 °C (77 °F)
n)	Water solubility	negligible
o)	Partition coefficient: n- octanol/water	No data available
p)	Auto-ignition temperature	No data available
q)	Decomposition temperature	No data available
r)	Viscosity	No data available
s)	Explosive properties	No data available
t)	Oxidizing properties	No data available
	<b>her safety information</b> data available	

#### **10. STABILITY AND REACTIVITY**

## 10.1 Reactivity

No data available

9.2

- **10.2 Chemical stability** Stable under recommended storage conditions.
- **10.3 Possibility of hazardous reactions** No data available
- **10.4 Conditions to avoid** Heat, flames and sparks.
- **10.5** Incompatible materials Strong oxidizing agents
- Hazardous decomposition products
   Hazardous decomposition products formed under fire conditions. Nature of decomposition products not known.
   Other decomposition products No data available
   In the event of fire: see section 5

#### **11. TOXICOLOGICAL INFORMATION**

#### 11.1 Information on toxicological effects

Acute toxicity

LD50 Oral - Rat - 3,900 mg/kg

No data available

Inhalation: No data available

Dermal: No data available

No data available

**Skin corrosion/irritation** No data available

#### Serious eye damage/eye irritation No data available

**Respiratory or skin sensitisation** No data available

Germ cell mutagenicity

No data available

#### Carcinogenicity

IARC: 2B - Group 2B: Possibly carcinogenic to humans (Naphthenic acids, cobalt salts)
---

- NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.
- OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

#### **Reproductive toxicity**

No data available No data available

Specific target organ toxicity - single exposure

No data available

Specific target organ toxicity - repeated exposure No data available

Aspiration hazard No data available

Additional Information RTECS: Not available

Stomach - Irregularities - Based on Human Evidence

Stomach - Irregularities - Based on Human Evidence (Naphthenic acids, cobalt salts)

#### **12. ECOLOGICAL INFORMATION**

- 12.1 Toxicity No data available
- 12.2 Persistence and degradability No data available
- 12.3 Bioaccumulative potential No data available
- 12.4 Mobility in soil No data available
- 12.5 Results of PBT and vPvB assessment PBT/vPvB assessment not available as chemical safety assessment not required/not conducted
- 12.6 Other adverse effects No data available

#### 13. DISPOSAL CONSIDERATIONS

#### 13.1 Waste treatment methods

#### Product

Burn in a chemical incinerator equipped with an afterburner and scrubber but exert extra care in igniting as this material is highly flammable. Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material.

#### Contaminated packaging

Dispose of as unused product.

#### 14. TRANSPORT INFORMATION

### DOT (US)

UN number: 1993 Class: 3 Packing group: III Proper shipping name: Flammable liquids, n.o.s. (Aliphatic hydrocarbons (stoddard type)) Reportable Quantity (RQ):

Poison Inhalation Hazard: No

#### IMDG

UN number: 1993 Class: 3 Packing group: III EMS-No: F-E, S-E Proper shipping name: FLAMMABLE LIQUID, N.O.S. (Aliphatic hydrocarbons (stoddard type))

#### ΙΑΤΑ

UN number: 1993 Class: 3 Packing group: III Proper shipping name: Flammable liquid, n.o.s. (Aliphatic hydrocarbons (stoddard type))

#### 15. REGULATORY INFORMATION

#### SARA 302 Components

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

#### SARA 313 Components

The following components are subject to reporting levels established by SARA Title III, Section 313:				
	CAS-No.	Revision Date		
Naphthenic acids, cobalt salts	61789-51-3	2007-03-01		
SARA 311/312 Hazards Fire Hazard, Acute Health Hazard, Chronic Health Hazard				

#### Massachusetts Right To Know Components

	CAS-No.	Revision Date
Aliphatic hydrocarbons (stoddard type)	8052-41-3	1993-04-24

#### Pennsylvania Right To Know Components

	CAS-No.	Revision Date
Naphthenic acids, cobalt salts	61789-51-3	2007-03-01
Aliphatic hydrocarbons (stoddard type)	8052-41-3	1993-04-24
New Jersey Right To Know Components		
	CAS-No.	Revision Date
Naphthenic acids, cobalt salts	61789-51-3	2007-03-01
Aliphatic hydrocarbons (stoddard type)	8052-41-3	1993-04-24

#### California Prop. 65 Components

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

#### **16. OTHER INFORMATION**

#### Full text of H-Statements referred to under sections 2 and 3.

Asp. Tox.	Aspiration hazard
Flam. Liq.	Flammable liquids
H226	Flammable liquid and vapour.
H227	Combustible liquid.
H304	May be fatal if swallowed and enters airways.
H317	May cause an allergic skin reaction.
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H351	Suspected of causing cancer.
Resp. Sens.	Respiratory sensitisation
Skin Sens.	Skin sensitisation

#### **HMIS Rating**

Health hazard:	2
Chronic Health Hazard:	
Flammability:	2
Physical Hazard	0
NFPA Rating	
Health hazard:	
Fire Hazard:	

Fire Hazard:	2
Reactivity Hazard:	0

#### Further information

Copyright 2016 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

#### **Preparation Information**

Sigma-Aldrich Corporation Product Safety – Americas Region 1-800-521-8956

Version: 4.5

Revision Date: 06/02/2016

Print Date: 10/19/2018