SIGMA-ALDRICH

sigma-aldrich.com

SAFETY DATA SHEET

Version 5.9 Revision Date 09/27/2017 Print Date 10/19/2018

1. PRODUCT AND COMPANY IDENTIFICATION

1.1	Product identifiers Product name	:	<i>p</i> -Toluenesulfonic acid monohydrate
	Product Number Brand Index-No.	:	402885 Sigma-Aldrich 016-030-00-2
	CAS-No.	:	6192-52-5
1.2 Relevant identified uses of the substance or mixture and uses advised ag			substance or mixture and uses advised against
	Identified uses	:	Laboratory chemicals, Synthesis of substances
1.3 Details of the supplier of the safety data sheet			fety data sheet
	Company	:	Sigma-Aldrich 3050 Spruce Street SAINT LOUIS MO 63103

		SAINT LOUIS MO 63 USA	1(
Telephone Fax	-	+1 800-325-5832 +1 800-325-5052	

1.4 Emergency telephone number

Emergency Phone # : +1-703-527-3887 (CHEMTREC)

2. HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Corrosive to metals (Category 1), H290 Skin corrosion (Category 1B), H314 Serious eye damage (Category 1), H318 Specific target organ toxicity - single exposure (Category 3), Respiratory system, H335

For the full text of the H-Statements mentioned in this Section, see Section 16.

2.2 GHS Label elements, including precautionary statements

Pictogram

Signal word



Danger

Hazard statement(s) H290 H314 H335	May be corrosive to metals. Causes severe skin burns and eye damage. May cause respiratory irritation.
Precautionary statement(s)	Keep only in original container.
P234	Do not breathe dust or mist.
P260	Wash skin thoroughly after handling.
P264	Use only outdoors or in a well-ventilated area.
P271	Wear protective gloves/ protective clothing/ eye protection/ face
P280	protection.

P301 + P330 + P331	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P303 + P361 + P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
P304 + P340 + P310	IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/doctor.
P305 + P351 + P338 + P310	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor.
P363	Wash contaminated clothing before reuse.
P390	Absorb spillage to prevent material damage.
P403 + P233	Store in a well-ventilated place. Keep container tightly closed.
P405	Store locked up.
P406	Store in corrosive resistant stainless steel container with a resistant inner liner.
P501	Dispose of contents/ container to an approved waste disposal plant.

2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - none

3. COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

: ptol	uenesulfonic acid
: C ₇ I	H ₈ O ₃ S · H ₂ O
: 190).22 g/mol
: 619	2-52-5
: 203	8-180-0
: 016	6-030-00-2
	: C ₇ I : 190 : 619 : 203

Hazardous components

Component	Classification	Concentration
p-Toluensulphonic acid monohyd	Irate	
	Met. Corr. 1; Skin Corr. 1B;	90 - 100 %
	Eye Irrit. 2A; STOT SE 3;	
	H290, H314, H335	
Sulfuric acid		
	Met. Corr. 1; Skin Corr. 1A;	1 - 5 %
	Eye Dam. 1; H290, H314	
or the full text of the H-Statements m	entioned in this Section, see Section 16.	

4. FIRST AID MEASURES

4.1 Description of first aid measures

General advice

Consult a physician. Show this safety data sheet to the doctor in attendance.

If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

In case of skin contact

Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. Consult a physician.

In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.Continue rinsing eyes during transport to hospital.

If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed No data available

5. FIREFIGHTING MEASURES

5.1 Extinguishing media

Suitable extinguishing media Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

- 5.2 Special hazards arising from the substance or mixture No data available
- **5.3** Advice for firefighters Wear self-contained breathing apparatus for firefighting if necessary.
- 5.4 Further information No data available

6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Wear respiratory protection. Avoid dust formation. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas. Avoid breathing dust. For personal protection see section 8.

6.2 Environmental precautions

Do not let product enter drains.

6.3 Methods and materials for containment and cleaning up Pick up and arrange disposal without creating dust. Sweep up and shovel. Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

For disposal see section 13.

7. HANDLING AND STORAGE

7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid formation of dust and aerosols. Further processing of solid materials may result in the formation of combustible dusts. The potential for combustible dust formation should be taken into consideration before additional processing occurs.

Provide appropriate exhaust ventilation at places where dust is formed. For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place.

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

Components with workplace control parameters

Component	CAS-No.	Value	Control parameters	Basis
Sulfuric acid	7664-93-9	TWA	0.2 mg/m3	USA. ACGIH Threshold Limit Values (TLV)
		TWA	1 mg/m3	USA. OSHA - TABLE Z-1 Limits for Air Contaminants - 1910.1000
		TWA	1 mg/m3	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants

Hazardous components without workplace control parameters

8.2 Exposure controls

Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

Personal protective equipment

Eye/face protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Full contact Material: Nitrile rubber Minimum layer thickness: 0.11 mm Break through time: 480 min Material tested:Dermatril® (KCL 740 / Aldrich Z677272, Size M)

Splash contact Material: Nitrile rubber Minimum layer thickness: 0.11 mm Break through time: 480 min Material tested:Dermatril® (KCL 740 / Aldrich Z677272, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method: EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

Body Protection

Complete suit protecting against chemicals, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face particle respirator type N100 (US) or type P3 (EN 143) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Control of environmental exposure

Do not let product enter drains.

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

a)	Appearance	Form: solid
b)	Odour	No data available
c)	Odour Threshold	No data available

d)	рН	No data available
e)	Melting point/freezing point	Melting point/range: 103 - 106 °C (217 - 223 °F) - lit.
f)	Initial boiling point and boiling range	No data available
g)	Flash point	No data available
h)	Evaporation rate	No data available
i)	Flammability (solid, gas)	No data available
j)	Upper/lower flammability or explosive limits	No data available
k)	Vapour pressure	No data available
I)	Vapour density	No data available
m)	Relative density	No data available
n)	Water solubility	No data available
o)	Partition coefficient: n- octanol/water	No data available
p)	Auto-ignition temperature	No data available
q)	Decomposition temperature	No data available
r)	Viscosity	No data available
s)	Explosive properties	No data available
t)	Oxidizing properties	No data available
	r safety information	

No data available

10. STABILITY AND REACTIVITY

10.1 Reactivity

9.2

No data available

- **10.2 Chemical stability** Stable under recommended storage conditions.
- **10.3** Possibility of hazardous reactions No data available
- **10.4 Conditions to avoid** No data available
- **10.5** Incompatible materials Strong oxidizing agents, Strong bases
- Hazardous decomposition products
 Hazardous decomposition products formed under fire conditions. Carbon oxides, Sulphur oxides
 Other decomposition products No data available
 In the event of fire: see section 5

11. TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute toxicity No data available

Inhalation: No data available

Dermal: No data available

No data available

Skin corrosion/irritation No data available

Serious eye damage/eye irritation No data available

Respiratory or skin sensitisation No data available

Germ cell mutagenicity No data available

Carcinogenicity

- IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
- NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.
- OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Reproductive toxicity

No data available

No data available

Specific target organ toxicity - single exposure May cause respiratory irritation.

Specific target organ toxicity - repeated exposure No data available

Aspiration hazard

No data available

Additional Information

RTECS: Not available

burning sensation, Cough, wheezing, laryngitis, Shortness of breath, spasm, inflammation and edema of the larynx, spasm, inflammation and edema of the bronchi, pneumonitis, pulmonary edema, Material is extremely destructive to tissue of the mucous membranes and upper respiratory tract, eyes, and skin. To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Stomach - Irregularities - Based on Human Evidence Stomach - Irregularities - Based on Human Evidence (Sulfuric acid)

12. ECOLOGICAL INFORMATION

12.1 Toxicity

No data available

- 12.2 Persistence and degradability No data available
- **12.3 Bioaccumulative potential** No data available
- 12.4 Mobility in soil No data available

12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

12.6 Other adverse effects

No data available

13. DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Product

Contact a licensed professional waste disposal service to dispose of this material. Offer surplus and non-recyclable solutions to a licensed disposal company.

Contaminated packaging

Dispose of as unused product.

14. TRANSPORT INFORMATION

DOT (US)

UN number: 2585 Class: 8 Packing group: III Proper shipping name: Aryl sulfonic acids, solid Reportable Quantity (RQ): Poison Inhalation Hazard: No

IMDG

UN number: 2585 Class: 8 Packing group: III EMS-No: F-A, S-B Proper shipping name: ARYLSULPHONIC ACIDS, SOLID

ΙΑΤΑ

UN number: 2585 Class: 8 Packing group: III Proper shipping name: Arylsulphonic acids, solid

15. REGULATORY INFORMATION

SARA 302 Components				
The following components are subject to reporting levels established by SARA Title III, Section 302:				
	CAS-No.	Revision Date		
Sulfuric acid	7664-93-9	2007-07-01		
SARA 313 Components				
The following components are subject to reporting levels established	d by SARA Title III, S	ection 313:		
	CAS-No.	Revision Date		
Sulfuric acid	7664-93-9	2007-07-01		
SARA 311/312 Hazards				
Acute Health Hazard, Chronic Health Hazard				
Massachusetts Right To Know Components				
	CAS-No.	Revision Date		
p-Toluensulphonic acid monohydrate	6192-52-5	1993-04-24		
Sulfuric acid	7664-93-9	2007-07-01		
Pennsylvania Right To Know Components				
	CAS-No.	Revision Date		
p-Toluensulphonic acid monohydrate	6192-52-5	1993-04-24		
Sulfuric acid	7664-93-9	2007-07-01		
New Jersey Right To Know Components				
	CAS-No.	Revision Date		
p-Toluensulphonic acid monohydrate	6192-52-5	1993-04-24		
Sulfuric acid	7664-93-9	2007-07-01		
California Prop. 65 Components				
WARNING! This product contains a chemical known to the	CAS-No.	Revision Date		
State of California to cause cancer.	7664-93-9	2007-09-28		
Sulfuric acid				

16. OTHER INFORMATION

Full text of H-Statements referred to under sections 2 and 3.

Eye Dam.	Serious eye damage
Eye Irrit.	Eye irritation
H290	May be corrosive to metals.
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.
H335	May cause respiratory irritation.
Met. Corr.	Corrosive to metals
Skin Corr.	Skin corrosion
STOT SE	Specific target organ toxicity - single exposure

HMIS Rating

Health hazard:	3		
Chronic Health Hazard:	*		
Flammability:	0		
Physical Hazard	2		
NFPA Rating			

Health hazard:	3
Fire Hazard:	0
Reactivity Hazard:	0

Further information

Copyright 2016 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Preparation Information

Sigma-Aldrich Corporation Product Safety – Americas Region 1-800-521-8956

Version: 5.9

Revision Date: 09/27/2017

Print Date: 10/19/2018