# **SIGMA-ALDRICH**

sigma-aldrich.com

SAFETY DATA SHEET

Version 4.4 Revision Date 08/16/2017 Print Date 10/19/2018

#### **1. PRODUCT AND COMPANY IDENTIFICATION** 1.1 Product identifiers

| 1.1 | Product identifiers<br>Product name   | <sup>:</sup> Tri-C8-10-alkylmethylammonium chloride                  |  |
|-----|---|--|--|
|     | Product Number<br>Brand   | : 91042<br>: Aldrich   |  |
|     | CAS-No.   | : 63393-96-4   |  |
| 1.2 | Relevant identified uses of the substance or mixture and uses advised against |  |  |
|     | Identified uses   | : Laboratory chemicals, Synthesis of substances                      |  |
| 1.3 | Details of the supplier of the safety data sheet                              |  |  |
|     | Company   | : Sigma-Aldrich<br>3050 Spruce Street<br>SAINT LOUIS MO 63103<br>USA |  |
|     | Telephone<br>Fax  | : +1 800-325-5832<br>: +1 800-325-5052                               |  |
| 1.4 | Emergency telephone nu  | mber   |  |
|     | Emergency Phone #   | : +1-703-527-3887 (CHEMTREC)   |  |

# 2. HAZARDS IDENTIFICATION

#### 2.1 Classification of the substance or mixture

# GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Flammable liquids (Category 4), H227 Acute toxicity, Oral (Category 4), H302 Skin corrosion (Category 1C), H314 Serious eye damage (Category 1), H318 Acute aquatic toxicity (Category 1), H400 Chronic aquatic toxicity (Category 1), H410

For the full text of the H-Statements mentioned in this Section, see Section 16.

#### 2.2 GHS Label elements, including precautionary statements

Pictogram



| Signal word                | Danger   |
|----------------------------|--|
| Hazard statement(s)        |  |
| H227                       | Combustible liquid.  |
| H302                       | Harmful if swallowed.  |
| H314                       | Causes severe skin burns and eye damage.                         |
| H410                       | Very toxic to aquatic life with long lasting effects.            |
| Precautionary statement(s) |  |
| P210                       | Keep away from heat/sparks/open flames/hot surfaces. No smoking. |
| P264                       | Wash skin thoroughly after handling.                             |
| P270                       | Do not eat, drink or smoke when using this product.              |
| P273                       | Avoid release to the environment.                                |

| P280                      | Wear protective gloves/ protective clothing/ eye protection/ face protection.   |
|---------------------------|---|
| P301 + P312 + P330        | IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.<br>Rinse mouth.   |
| P301 + P330 + P331        | IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.  |
| P303 + P361 + P353        | IF ON SKIN (or hair): Take off immediately all contaminated clothing.<br>Rinse skin with water/shower.  |
| P304 + P340 + P310        | IF INHALED: Remove person to fresh air and keep comfortable for<br>breathing. Immediately call a POISON CENTER/doctor.  |
| P305 + P351 + P338 + P310 | IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor. |
| P363                      | Wash contaminated clothing before reuse.  |
| P370 + P378               | In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.  |
| P391                      | Collect spillage.   |
| P403 + P235               | Store in a well-ventilated place. Keep cool.  |
| P405                      | Store locked up.  |
| P501                      | Dispose of contents/ container to an approved waste disposal plant.   |

# 2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - none

# **3. COMPOSITION/INFORMATION ON INGREDIENTS**

# 3.1 Substances

| Synonyms         | : Aliquat® 336 replacement product<br>Aliquat® 128<br>Trioctylmethylammonium chloride<br>Methyltrioctylammonium chloride |
|------------------|--|
| Molecular weight | : 404.16 g/mol   |
| CAS-No.          | : 63393-96-4   |
| EC-No.           | : 264-120-7  |
|                  |  |

# Hazardous components

| Component                       | Classification  | Concentration |
|---------------------------------|---|---------------|
| Trioctylmethylammonium chloride |   |               |
|                                 | Flam. Liq. 4; Acute Tox. 4;<br>Skin Corr. 1C; Eye Dam. 1;<br>Aquatic Acute 1; Aquatic<br>Chronic 1; H227, H302, H314,<br>H318, H410 | 90 - 100 %    |

For the full text of the H-Statements mentioned in this Section, see Section 16.

# 4. FIRST AID MEASURES

# 4.1 Description of first aid measures

# General advice

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

# If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

# In case of skin contact

Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. Consult a physician.

# In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician. Continue rinsing eyes during transport to hospital.

#### If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

#### 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

#### 4.3 Indication of any immediate medical attention and special treatment needed No data available

# **5. FIREFIGHTING MEASURES**

#### 5.1 Extinguishing media

#### **Suitable extinguishing media** Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Unsuitable extinguishing media

Do NOT use water jet.

5.2 Special hazards arising from the substance or mixture No data available

#### 5.3 Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

#### 5.4 Further information

Use water spray to cool unopened containers.

# 6. ACCIDENTAL RELEASE MEASURES

#### 6.1 Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas. For personal protection see section 8.

#### 6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

#### 6.3 Methods and materials for containment and cleaning up

Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Keep in suitable, closed containers for disposal.

#### 6.4 Reference to other sections

For disposal see section 13.

# 7. HANDLING AND STORAGE

# 7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid inhalation of vapour or mist. Keep away from sources of ignition - No smoking. Take measures to prevent the build up of electrostatic charge. For precautions see section 2.2.

#### 7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

Hygroscopic.

#### 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### 8.1 Control parameters

#### Components with workplace control parameters

Contains no substances with occupational exposure limit values. Hazardous components without workplace control parameters

#### 8.2 Exposure controls

#### Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

# Personal protective equipment

#### Eye/face protection

Tightly fitting safety goggles. Faceshield (8-inch minimum). Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

#### Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Full contact Material: Nitrile rubber Minimum layer thickness: 0.11 mm Break through time: 480 min Material tested:Dermatril® (KCL 740 / Aldrich Z677272, Size M)

Splash contact Material: Nitrile rubber Minimum layer thickness: 0.11 mm Break through time: 480 min Material tested:Dermatril® (KCL 740 / Aldrich Z677272, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method: EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

#### **Body Protection**

Complete suit protecting against chemicals, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

#### **Respiratory protection**

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multipurpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

#### Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

#### 9.1 Information on basic physical and chemical properties

| a) | Appearance      | Form: viscous<br>Colour: amber |
|----|-----------------|--------------------------------|
| b) | Odour           | No data available              |
| c) | Odour Threshold | No data available              |

| d)   | рН   | No data available  |
|------|--|--|
| e)   | Melting point/freezing<br>point                    | Melting point/freezing point: -5.20.4 °C (22.6 - 31.3 °F) at ca.1,013 hPa (760 mmHg) - OECD Test Guideline 102 |
| f)   | Initial boiling point and boiling range            | > 158.5 °C (> 317.3 °F) - Decomposes on heating.   |
| g)   | Flash point  | 77 °C (171 °F) - closed cup  |
| h)   | Evaporation rate                                   | No data available  |
| i)   | Flammability (solid, gas)                          | No data available  |
| j)   | Upper/lower<br>flammability or<br>explosive limits | No data available  |
| k)   | Vapour pressure                                    | 0.0001 hPa (0.0001 mmHg) at 20 °C (68 °F) - OECD Test Guideline 104  |
| I)   | Vapour density                                     | No data available  |
| m)   | Relative density                                   | 0.88 g/mL at 20 °C (68 °F) -   |
| n)   | Water solubility                                   | 1.023 g/l at 20 °C (68 °F) - OECD Test Guideline 105 - soluble   |
| o)   | Partition coefficient: n-<br>octanol/water         | No data available  |
| p)   | Auto-ignition<br>temperature                       | 250 °C (482 °F) at 1,013 hPa (760 mmHg)  |
| q)   | Decomposition<br>temperature                       | No data available  |
| r)   | Viscosity  | No data available  |
| s)   | Explosive properties                               | No data available  |
| t)   | Oxidizing properties                               | No data available  |
| Othe | r safety information                               |  |
|      | Surface tension                                    | 27 mN/m at 20 °C (68 °F)   |
| CTAD |  |  |

# **10. STABILITY AND REACTIVITY**

10.1 Reactivity No data available

9.2

- **10.2 Chemical stability** Stable under recommended storage conditions.
- **10.3 Possibility of hazardous reactions** No data available
- **10.4 Conditions to avoid** Heat, flames and sparks.
- **10.5** Incompatible materials Strong oxidizing agents

#### 10.6 Hazardous decomposition products Hazardous decomposition products formed under fire conditions. - Carbon oxides, Nitrogen oxides (NOx), Hydrogen chloride gas Other decomposition products - No data available

In the event of fire: see section 5

# 11. TOXICOLOGICAL INFORMATION

#### 11.1 Information on toxicological effects

#### Acute toxicity

LD50 Oral - Rat - male and female - 200 - 2,000 mg/kg (OECD Test Guideline 401)

Inhalation: No data available

Dermal: No data available

No data available

#### Skin corrosion/irritation

Skin - Rabbit Result: Causes burns. - 4 h (OECD Test Guideline 404)

#### Serious eye damage/eye irritation No data available

Respiratory or skin sensitisation No data available

#### Germ cell mutagenicity

No data available

#### Carcinogenicity

- IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
- NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.
- OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

# Reproductive toxicity

No data available

No data available

#### Specific target organ toxicity - single exposure No data available

#### Specific target organ toxicity - repeated exposure No data available

Aspiration hazard No data available

# **Additional Information**

**RTECS:** Not available

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

burning sensation, Cough, wheezing, laryngitis, Shortness of breath, Headache, Nausea, Vomiting, narcosis, To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

# 12. ECOLOGICAL INFORMATION

#### 12.1 Toxicity

| Toxicity to fish  | static test LC50 - Danio rerio (zebra fish) - 0.094 mg/l  - 96 h                                 |
|---|--|
| Toxicity to daphnia and<br>other aquatic<br>invertebrates | Immobilization EC50 - Daphnia magna (Water flea) - 0.16 mg/l - 48 h<br>(OECD Test Guideline 202) |
| Toxicity to algae   | Growth inhibition EC50 - Desmodesmus subspicatus (Scenedesmus                                    |

subspicatus) - 0.29 mg/l - 72 h (OECD Test Guideline 201)

Toxicity to bacteria

Respiration inhibition EC50 - Sludge Treatment - 18 mg/l - 3 h (OECD Test Guideline 209)

#### **12.2 Persistence and degradability** No data available

**12.3 Bioaccumulative potential** No data available

# 12.4 Mobility in soil

No data available

#### 12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

#### 12.6 Other adverse effects

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal. Very toxic to aquatic life with long lasting effects.

No data available

# **13. DISPOSAL CONSIDERATIONS**

#### 13.1 Waste treatment methods

#### Product

Offer surplus and non-recyclable solutions to a licensed disposal company. This combustible material may be burned in a chemical incinerator equipped with an afterburner and scrubber. Contact a licensed professional waste disposal service to dispose of this material.

# **Contaminated packaging**

Dispose of as unused product.

# 14. TRANSPORT INFORMATION

#### DOT (US)

UN number: 2810 Class: 6.1 Packing group: III Proper shipping name: Toxic, liquids, organic, n.o.s. (Trioctylmethylammonium chloride) Reportable Quantity (RQ): Poison Inhalation Hazard: No

#### IMDG

UN number: 2810 Class: 6.1 Packing group: III EMS-No: F-A, S-A Proper shipping name: TOXIC LIQUID, ORGANIC, N.O.S. (Trioctylmethylammonium chloride) Marine pollutant:yes

#### ΙΑΤΑ

UN number: 2810 Class: 6.1 Packing group: III Proper shipping name: Toxic liquid, organic, n.o.s. (Trioctylmethylammonium chloride)

# **15. REGULATORY INFORMATION**

#### SARA 302 Components

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

#### SARA 313 Components

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

# SARA 311/312 Hazards

Fire Hazard, Acute Health Hazard

#### Massachusetts Right To Know Components

No components are subject to the Massachusetts Right to Know Act.

#### Pennsylvania Right To Know Components

| Trioctylmethylammonium chloride  | CAS-No.<br>63393-96-4 | Revision Date |
|--|-----------------------|---------------|
| Trioctylmethylammonium chloride  | CAS-No.<br>63393-96-4 | Revision Date |
| New Jersey Right To Know Components<br>Trioctylmethylammonium chloride | CAS-No.<br>63393-96-4 | Revision Date |

#### California Prop. 65 Components

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

# **16. OTHER INFORMATION**

#### Full text of H-Statements referred to under sections 2 and 3.

| Acute Tox.<br>Aquatic Acute<br>Aquatic Chronic<br>Eye Dam.<br>Flam. Liq.<br>H227 | Acute toxicity<br>Acute aquatic toxicity<br>Chronic aquatic toxicity<br>Serious eye damage<br>Flammable liquids<br>Combustible liquid. |
|--|--|
| H227<br>H302   | Harmful if swallowed.  |
|  | •  |
| H314   | Causes severe skin burns and eye damage.   |
| H318   | Causes serious eye damage.   |
| H400   | Very toxic to aquatic life.  |

#### **HMIS Rating**

| Health hazard:         | 1 |
|------------------------|---|
| Chronic Health Hazard: | * |
| Flammability:          | 2 |
| Physical Hazard        | 0 |
| NFPA Rating            |   |

# Health hazard:2Fire Hazard:2Reactivity Hazard:0

#### Further information

Copyright 2016 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

#### **Preparation Information**

Sigma-Aldrich Corporation Product Safety – Americas Region 1-800-521-8956

Version: 4.4

Revision Date: 08/16/2017

Print Date: 10/19/2018