SAFETY DATA SHEET

Version 5.6 Revision Date 06/02/2016 Print Date 11/14/2018

1. PRODUCT AND COMPANY IDENTIFICATION

1.1 Product identifiers

Product name : Fentin chloride

Product Number : 45492

Brand : Sigma-Aldrich Index-No. : 050-011-00-X

CAS-No. : 639-58-7

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Synthesis of substances

1.3 Details of the supplier of the safety data sheet

Company : Sigma-Aldrich

3050 Spruce Street SAINT LOUIS MO 63103

USA

Telephone : +1 800-325-5832 Fax : +1 800-325-5052

1.4 Emergency telephone number

Emergency Phone # : +1-703-527-3887 (CHEMTREC)

2. HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Acute toxicity, Oral (Category 3), H301 Acute toxicity, Inhalation (Category 3), H331 Acute toxicity, Dermal (Category 3), H311

Skin irritation (Category 2), H315 Serious eye damage (Category 1), H318 Acute aquatic toxicity (Category 1), H400 Chronic aquatic toxicity (Category 1), H410

For the full text of the H-Statements mentioned in this Section, see Section 16.

2.2 GHS Label elements, including precautionary statements

Pictogram

Signal word Danger

Hazard statement(s)

H301 + H311 + H331 Toxic if swallowed, in contact with skin or if inhaled

H315 Causes skin irritation.

H318 Causes serious eye damage.

H410 Very toxic to aquatic life with long lasting effects.

Precautionary statement(s)

P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.

Sigma-Aldrich - 45492 Page 1 of 10

P264 Wash skin thoroughly after handling. Do not eat, drink or smoke when using this product. P270 Use only outdoors or in a well-ventilated area. P271 Avoid release to the environment. P273 Wear eye protection/ face protection. P280 Wear protective gloves/ protective clothing. P280 P301 + P310 + P330 IF SWALLOWED: Immediately call a POISON CENTER/doctor. Rinse mouth. P302 + P352 + P312 IF ON SKIN: Wash with plenty of soap and water. Call a POISON CENTER or doctor/ physician if you feel unwell. P304 + P340 + P311 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/doctor. IF IN EYES: Rinse cautiously with water for several minutes. Remove P305 + P351 + P338 + P310 contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor. P332 + P313 If skin irritation occurs: Get medical advice/ attention. P362 Take off contaminated clothing and wash before reuse. P391 Collect spillage. P403 + P233 Store in a well-ventilated place. Keep container tightly closed. P405 Store locked up. Dispose of contents/ container to an approved waste disposal plant. P501

2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - none

3. COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

Synonyms : Triphenyltin chloride

Chlorotriphenylstannane

Fentin chloride

Hazardous components

Component	Classification	Concentration
Fentin chloride		
	Acute Tox. 3; Skin Irrit. 2; Eye	<= 100 %
	Dam. 1; Aquatic Acute 1;	
	Aquatic Chronic 1; H301 +	
	H311 + H331, H315, H318,	
	H410	

For the full text of the H-Statements mentioned in this Section, see Section 16.

4. FIRST AID MEASURES

4.1 Description of first aid measures

General advice

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

lt inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

In case of skin contact

Wash off with soap and plenty of water. Take victim immediately to hospital. Consult a physician.

In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician. Continue rinsing eyes during transport to hospital.

Sigma-Aldrich - 45492 Page 2 of 10

If swallowed

Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed

No data available

5. FIREFIGHTING MEASURES

5.1 Extinguishing media

Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

5.2 Special hazards arising from the substance or mixture

No data available

5.3 Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

5.4 Further information

No data available

6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Wear respiratory protection. Avoid dust formation. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas. Avoid breathing dust.

For personal protection see section 8.

6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

6.3 Methods and materials for containment and cleaning up

Pick up and arrange disposal without creating dust. Sweep up and shovel. Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

For disposal see section 13.

7. HANDLING AND STORAGE

7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid formation of dust and aerosols. Further processing of solid materials may result in the formation of combustible dusts. The potential for combustible dust formation should be taken into consideration before additional processing occurs.

Provide appropriate exhaust ventilation at places where dust is formed.

For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place.

Recommended storage temperature 2 - 8 °C

hygroscopic

Storage class (TRGS 510): Non-combustible, acute toxic Cat.3 / toxic hazardous materials or hazardous materials causing chronic effects

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

Sigma-Aldrich - 45492 Page 3 of 10

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

Components with workplace control parameters

Component	CAS-No.	Value	Control	Basis			
			parameters				
Fentin chloride	639-58-7	TWA	0.100000	USA. Occupational Exposure Limits			
			mg/m3	(OSHA) - Table Z-1 Limits for Air			
				Contaminants			
		TWA	0.100000	USA. ACGIH Threshold Limit Values			
			mg/m3	(TLV)			
	Remarks	Central ne	rvous system	[('-')			
	Romano	Immune effects					
			ation				
		Upper Respiratory Tract irritation Headache					
		Eye irritation					
		Nausea	211				
			iahla as a human	carcinogen			
		Not classifiable as a human carcinogen Danger of cutaneous absorption					
		varies	cutaricous absorp	uon			
		STEL	0.200000	USA, ACGIH Threshold Limit Values			
		SIEL					
		Continal	mg/m3	(TLV)			
			rvous system				
		Immune effects					
		Upper Respiratory Tract irritation					
		Headache					
		Eye irritation					
		Nausea					
		Not classifiable as a human carcinogen					
		Danger of cutaneous absorption					
		varies					
		TWA	0.100000	USA. NIOSH Recommended			
			mg/m3	Exposure Limits			
		Also see specific listing for Cyhexatin.					
		Potential for dermal absorption					
		TWA	0.1 mg/m3	USA. Occupational Exposure Limits			
				(OSHA) - Table Z-1 Limits for Air			
				Contaminants			
		TWA	0.1 mg/m3	USA. ACGIH Threshold Limit Values			
				(TLV)			
		Central ne	rvous system	1.			
		Immune effects					
		Upper Respiratory Tract irritation					
		Headache	, ,				
		Eye irritation	on				
		Nausea	-				
		Not classifiable as a human carcinogen					
		Danger of cutaneous absorption					
		varies					
		STEL	0.2 mg/m3	USA. ACGIH Threshold Limit Values			
		"	0.2 1119/1110	(TLV)			
	1	_		\			
		Control no	rvalle evetam	Central nervous system			
		Immune ef	fects	ation			
		Immune ef Upper Res		ation			
		Immune ef Upper Res Headache	fects piratory Tract irrita	ation			
		Immune ef Upper Res Headache Eye irritatio	fects piratory Tract irrita	ation			
		Immune ef Upper Res Headache Eye irritatio Nausea	fects piratory Tract irrita on				
		Immune ef Upper Res Headache Eye irritatio Nausea Not classifi	fects piratory Tract irrita	carcinogen			

Sigma-Aldrich - 45492 Page 4 of 10

varies				
TWA	0.1 mg/m3	USA. NIOSH Recommended Exposure Limits		
	Also see specific listing for Cyhexatin. Potential for dermal absorption			
PEL	0.1 mg/m3	California permissible exposure limits for chemical contaminants (Title 8, Article 107)		
Skin	Skin			
STEL	0.2 mg/m3	California permissible exposure limits for chemical contaminants (Title 8, Article 107)		
Skin				

8.2 Exposure controls

Appropriate engineering controls

Avoid contact with skin, eyes and clothing. Wash hands before breaks and immediately after handling the product.

Personal protective equipment

Eye/face protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Full contact

Material: Nitrile rubber

Minimum layer thickness: 0.11 mm Break through time: 480 min

Material tested:Dermatril® (KCL 740 / Aldrich Z677272, Size M)

Splash contact

Material: Nitrile rubber

Minimum layer thickness: 0.11 mm Break through time: 480 min

Material tested: Dermatril® (KCL 740 / Aldrich Z677272, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method: EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

Body Protection

Complete suit protecting against chemicals, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face particle respirator type N100 (US) or type P3 (EN 143) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

Sigma-Aldrich - 45492 Page 5 of 10

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Form: solid a) Appearance

Colour: beige

Odour No data available b) Odour Threshold No data available c)

No data available d) Hq

Melting point/freezing

Melting point/range: 108 °C (226 °F) - dec.

Initial boiling point and

boiling range

240 °C (464 °F) at 18.0 hPa (13.5 mmHg) - lit.

Flash point No data available h) Evaporation rate No data available i) Flammability (solid, gas) No data available

Upper/lower flammability or explosive limits No data available

k) Vapour pressure No data available Vapour density No data available m) Relative density No data available n) Water solubility No data available No data available Partition coefficient: n-

octanol/water

Auto-ignition temperature

No data available

Decomposition temperature

No data available

No data available r) Viscosity Explosive properties No data available No data available Oxidizing properties

9.2 Other safety information

No data available

10. STABILITY AND REACTIVITY

10.1 Reactivity

No data available

10.2 Chemical stability

Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions

No data available

10.4 **Conditions to avoid**

hygroscopic

10.5 Incompatible materials

Strong oxidizing agents

Sigma-Aldrich - 45492 Page 6 of 10

10.6 Hazardous decomposition products

Hazardous decomposition products formed under fire conditions. - Carbon oxides, Hydrogen chloride gas, Tin/tin oxides

Other decomposition products - No data available

In the event of fire: see section 5

11. TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute toxicity

LD50 Oral - Rat - 118 - 238 mg/kg

LD50 Dermal - Rabbit - > 1,000 mg/kg

No data available

Skin corrosion/irritation

Skin - Rabbit

Result: Severe skin irritation - 24 h

Serious eye damage/eye irritation

Eyes - Rabbit

Result: Severe eye irritation - 24 h

Respiratory or skin sensitisation

No data available

Germ cell mutagenicity

Human lymphocyte SLN

Carcinogenicity

This product is or contains a component that is not classifiable as to its carcinogenicity based on its IARC, ACGIH, NTP, or EPA classification.

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as

probable, possible or confirmed human carcinogen by IARC.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a

known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a

carcinogen or potential carcinogen by OSHA.

Reproductive toxicity

No data available

Reproductive toxicity - Rat - Oral

Paternal Effects: Testes, epididymis, sperm duct. Paternal Effects: Prostate, seminal vessicle, Cowper's gland, accessory glands.

Reproductive toxicity - Rat - Oral

Effects on Fertility: Post-implantation mortality (e.g., dead and/or resorbed implants per total number of implants).

No data available

Developmental Toxicity - Rat - Oral

Effects on Embryo or Fetus: Other effects to embryo.

Specific target organ toxicity - single exposure

No data available

Specific target organ toxicity - repeated exposure

No data available

Sigma-Aldrich - 45492 Page 7 of 10

Aspiration hazard

No data available

Additional Information

RTECS: WH6860000

Muscle cramps/spasms., narcosis, Respiratory disorders

Stomach - Irregularities - Based on Human Evidence Stomach - Irregularities - Based on Human Evidence

12. ECOLOGICAL INFORMATION

12.1 Toxicity

Toxicity to fish LC50 - Oncorhynchus mykiss (rainbow trout) - 37 μ g/l - 96 h

Toxicity to daphnia and

EC50 - Daphnia magna (Water flea) - 0.009 mg/l - 48 h

other aquatic invertebrates

Toxicity to algae Growth inhibition EC50 - Desmodesmus subspicatus (green algae) - 0.088 mg/l

- 72 h

12.2 Persistence and degradability

12.3 Bioaccumulative potential

Bioaccumulation Poecilia reticulata (guppy) - 14 d

- 0.90 µg/l

Bioconcentration factor (BCF): 1,100

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

12.6 Other adverse effects

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal. Very toxic to aquatic life with long lasting effects.

13. DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Product

Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material. Dissolve or mix the material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber.

Contaminated packaging

Dispose of as unused product.

14. TRANSPORT INFORMATION

DOT (US)

UN number: 3146 Class: 6.1 Packing group: III

Proper shipping name: Organotin compounds, solid, n.o.s.

Reportable Quantity (RQ): Marine pollutant:yes

Poison Inhalation Hazard: No

IMDG

UN number: 3146 Class: 6.1 Packing group: III EMS-No: F-A, S-A

Proper shipping name: ORGANOTIN COMPOUND, SOLID, N.O.S. (Fentin chloride)

Marine pollutant: yes Marine pollutant: yes

IATA

Sigma-Aldrich - 45492 Page 8 of 10

UN number: 3146 Class: 6.1 Packing group: III Proper shipping name: Organotin compound, solid, n.o.s. (Fentin chloride)

15. REGULATORY INFORMATION

SARA 302 Components

The following components are subject to reporting levels established by SARA Title III, Section 302:

CAS-No. Revision Date

Fentin chloride 639-58-7 2007-07-01

SARA 313 Components

The following components are subject to reporting levels established by SARA Title III, Section 313:

CAS-No. Revision Date

Fentin chloride 639-58-7 2007-07-01

SARA 311/312 Hazards

Acute Health Hazard, Chronic Health Hazard

Massachusetts Right To Know Components

CAS-No. Revision Date 639-58-7 2007-07-01

Pennsylvania Right To Know Components

Fentin chloride CAS-No. Revision Date 639-58-7 2007-07-01

New Jersey Right To Know Components

CAS-No. Revision Date 639-58-7 2007-07-01

California Prop. 65 Components

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

16. OTHER INFORMATION

Full text of H-Statements referred to under sections 2 and 3.

Acute Tox. Acute toxicity

Aquatic Acute Acute aquatic toxicity
Aquatic Chronic Chronic aquatic toxicity
Eye Dam. Serious eye damage
Toxic if swallowed.

H301 + H311 + Toxic if swallowed, in contact with skin or if inhaled

H331

H311 Toxic in contact with skin. H315 Causes skin irritation.

H318 Causes serious eye damage.

HMIS Rating

Health hazard: 3
Chronic Health Hazard: *
Flammability: 0
Physical Hazard 0

NFPA Rating

Health hazard: 3
Fire Hazard: 0
Reactivity Hazard: 0

Further information

Copyright 2016 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the

Sigma-Aldrich - 45492 Page 9 of 10

product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Preparation Information

Sigma-Aldrich Corporation Product Safety – Americas Region 1-800-521-8956

Version: 5.6 Revision Date: 06/02/2016 Print Date: 11/14/2018

Sigma-Aldrich - 45492 Page 10 of 10