# SIGMA-ALDRICH

sigma-aldrich.com

SAFETY DATA SHEET

Version 3.9 Revision Date 05/01/2015 Print Date 11/10/2018

#### 1. PRODUCT AND COMPANY IDENTIFICATION 1.1 **Product identifiers** Product name Methylphosphonic dichloride Product Number 228052 Brand Aldrich CAS-No. 676-97-1 : Relevant identified uses of the substance or mixture and uses advised against 1.2 : Laboratory chemicals, Manufacture of substances Identified uses Details of the supplier of the safety data sheet 1.3 Company Sigma-Aldrich 3050 Spruce Street SAINT LOUIS MO 63103 USA +1 800-325-5832 Telephone Fax +1 800-325-5052 1.4 **Emergency telephone number**

# Emergency Phone # : +1-703-527-3887 (CHEMTREC)

# 2. HAZARDS IDENTIFICATION

# 2.1 Classification of the substance or mixture

#### GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Acute toxicity, Inhalation (Category 2), H330 Skin corrosion (Category 1B), H314 Serious eye damage (Category 1), H318

For the full text of the H-Statements mentioned in this Section, see Section 16.

#### 2.2 GHS Label elements, including precautionary statements

Pictogram

Signal word



Danger

- <b>J</b>	
Hazard statement(s) H314 H318 H330	Causes severe skin burns and eye damage. Causes serious eye damage. Fatal if inhaled.
Precautionary statement(s) P260 P264 P271 P280	Do not breathe dust/ fume/ gas/ mist/ vapours/ spray. Wash skin thoroughly after handling. Use only outdoors or in a well-ventilated area. Wear protective gloves/ protective clothing/ eye protection/ face protection.
P284 P301 + P330 + P331 P303 + P361 + P353	Wear respiratory protection. IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Remove/ Take off immediately all contaminated

Aldrich - 228052

D204 + D240 + D240	clothing. Rinse skin with water/ shower.
P304 + P340 + P310	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately call a POISON CENTER or
	doctor/ physician.
P305 + P351 + P338 + P310	IF IN EYES: Rinse cautiously with water for several minutes. Remove
	contact lenses, if present and easy to do. Continue rinsing. Immediately
	call a POISON CENTER or doctor/ physician.
P363	Wash contaminated clothing before reuse.
P403 + P233	Store in a well-ventilated place. Keep container tightly closed.
P405	Store locked up.
P501	Dispose of contents/ container to an approved waste disposal plant.

# **2.3** Hazards not otherwise classified (HNOC) or not covered by GHS Reacts violently with water., Contact with water liberates toxic gas.

## **3. COMPOSITION/INFORMATION ON INGREDIENTS**

#### 3.1 Substances

0
nol

## Hazardous components

Component	Classification	Concentration
Methylphosphonic dichloride		
	Acute Tox. 2; Skin Corr. 1B;	<= 100 %
	Eye Dam. 1; H314, H330	

No components need to be disclosed according to the applicable regulations. For the full text of the H-Statements mentioned in this Section, see Section 16.

## 4. FIRST AID MEASURES

# 4.1 Description of first aid measures

#### General advice

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

#### If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

#### In case of skin contact

Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. Take victim immediately to hospital. Consult a physician.

#### In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician. Continue rinsing eyes during transport to hospital.

## If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

## **4.2** Most important symptoms and effects, both acute and delayed The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

**4.3 Indication of any immediate medical attention and special treatment needed** No data available

# **5. FIREFIGHTING MEASURES**

## 5.1 Extinguishing media

Suitable extinguishing media Dry powder **5.2** Special hazards arising from the substance or mixture Carbon oxides, Oxides of phosphorus, Hydrogen chloride gas

# 5.3 Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

5.4 Further information No data available

# 6. ACCIDENTAL RELEASE MEASURES

- 6.1 Personal precautions, protective equipment and emergency procedures Wear respiratory protection. Avoid dust formation. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas. Avoid breathing dust. For personal protection see section 8.
- 6.2 Environmental precautions Prevent further leakage or spillage if safe to do so. Do not let product enter drains.
- 6.3 Methods and materials for containment and cleaning up Pick up and arrange disposal without creating dust. Sweep up and shovel. Do not flush with water. Keep in suitable, closed containers for disposal.
- 6.4 Reference to other sections

For disposal see section 13.

# 7. HANDLING AND STORAGE

## 7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid formation of dust and aerosols. Further processing of solid materials may result in the formation of combustible dusts. The potential for combustible dust formation should be taken into consideration before additional processing occurs.

Provide appropriate exhaust ventilation at places where dust is formed.

For precautions see section 2.2.

# 7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place. Never allow product to get in contact with water during storage.

## Moisture sensitive.

Storage class (TRGS 510): Non-combustible, acute toxic Cat. 1 and 2 / very toxic hazardous materials

# 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

## 8.1 Control parameters

## Components with workplace control parameters

Contains no substances with occupational exposure limit values.

## 8.2 Exposure controls

## Appropriate engineering controls

Avoid contact with skin, eyes and clothing. Wash hands before breaks and immediately after handling the product.

## Personal protective equipment

## Eye/face protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

## **Skin protection**

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

#### Full contact

Material: Nitrile rubber Minimum layer thickness: 0.4 mm Break through time: 480 min Material tested:Camatril® (KCL 730 / Aldrich Z677442, Size M)

Splash contact Material: Nitrile rubber Minimum layer thickness: 0.4 mm Break through time: 480 min Material tested:Camatril® (KCL 730 / Aldrich Z677442, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method: EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

#### **Body Protection**

Complete suit protecting against chemicals, Flame retardant protective clothing, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

#### **Respiratory protection**

Where risk assessment shows air-purifying respirators are appropriate use a full-face particle respirator type N100 (US) or type P3 (EN 143) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

## Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

## 9.1 Information on basic physical and chemical properties

a)	Appearance	Form: crystalline Colour: white
b)	Odour	No data available
c)	Odour Threshold	No data available
d)	рН	No data available
e)	Melting point/freezing point	Melting point/range: 35 - 37 °C (95 - 99 °F)
f)	Initial boiling point and boiling range	163 °C (325 °F) - lit.
g)	Flash point	110 °C (230 °F) - closed cup
h)	Evaporation rate	No data available
i)	Flammability (solid, gas)	No data available
j)	Upper/lower flammability or explosive limits	No data available
k)	Vapour pressure	1,013 hPa (760 mmHg) at 163 °C (325 °F)
I)	Vapour density	No data available
m)	Relative density	1.468 g/cm3 at 25 °C (77 °F)
n)	Water solubility	No data available
o)	Partition coefficient: n- octanol/water	No data available

p)	Auto-ignition temperature	No data available
q)	Decomposition temperature	No data available
r)	Viscosity	No data available
s)	Explosive properties	No data available

t) Oxidizing properties No data available

# 9.2 Other safety information No data available

#### **10. STABILITY AND REACTIVITY**

- 10.1 Reactivity No data available
- **10.2 Chemical stability** Stable under recommended storage conditions.
- **10.3 Possibility of hazardous reactions** Reacts violently with water.
- **10.4** Conditions to avoid Exposure to moisture
- 10.5 Incompatible materials Strong bases, Strong oxidizing agents
- **10.6 Hazardous decomposition products** Other decomposition products - No data available In the event of fire: see section 5

## **11. TOXICOLOGICAL INFORMATION**

## 11.1 Information on toxicological effects

#### Acute toxicity

LC50 Inhalation - Rat - 4 h - 26 ppm Remarks: Behavioral:Excitement. Lungs, Thorax, or Respiration:Dyspnea. Prolonged skin contact may cause skin irritation and/or dermatitis.

Dermal: No data available

No data available

**Skin corrosion/irritation** No data available

Serious eye damage/eye irritation No data available

**Respiratory or skin sensitisation** No data available

Germ cell mutagenicity No data available

Carcinogenicity

- IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
- ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.
- NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

#### **Reproductive toxicity**

No data available

No data available

Specific target organ toxicity - single exposure No data available

Specific target organ toxicity - repeated exposure No data available

Aspiration hazard No data available

# Additional Information

RTECS: TA1840000

Material is extremely destructive to tissue of the mucous membranes and upper respiratory tract, eyes, and skin., Cough, Shortness of breath, Headache, Nausea

## **12. ECOLOGICAL INFORMATION**

#### 12.1 Toxicity

No data available

- 12.2 Persistence and degradability No data available
- **12.3 Bioaccumulative potential** No data available
- 12.4 Mobility in soil No data available

#### 12.5 Results of PBT and vPvB assessment PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

#### 12.6 Other adverse effects

No data available

## **13. DISPOSAL CONSIDERATIONS**

#### 13.1 Waste treatment methods

#### Product

Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material. Dissolve or mix the material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber.

#### **Contaminated packaging**

Dispose of as unused product.

## **14. TRANSPORT INFORMATION**

#### DOT (US)

NA-Number: 9206 Class: 6.1 (8) Packing group: I Proper shipping name: Methyl phosphonic dichloride (Methylphosphonic dichloride) Reportable Quantity (RQ):

Poison Inhalation Hazard: No

## IMDG

UN number: 3390 Class: 6.1 (8) Packing group: I EMS-No: F-A, S-B Proper shipping name: TOXIC BY INHALATION LIQUID, CORROSIVE, N.O.S. (Methylphosphonic dichloride)

## ΙΑΤΑ

UN number: 3390 Class: 6.1 (8) Proper shipping name: Toxic by inhalation liquid, corrosive, n.o.s. (Methylphosphonic dichloride) IATA Passenger: Not permitted for transport IATA Cargo: Not permitted for transport

## **15. REGULATORY INFORMATION**

## SARA 302 Components

The following components are subject to reporting levels esta	ablished by SARA Tit	le III, Section 302:
	CAS-No.	Revision Date
Methylphosphonic dichloride	676-97-1	1993-04-24

#### SARA 313 Components

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

## SARA 311/312 Hazards

Acute Health Hazard

# Massachusetts Right To Know Components

<b>5 •</b> • • •	CAS-No.	Revision Date
Methylphosphonic dichloride	676-97-1	1993-04-24
Pennsylvania Right To Know Components		
	CAS-No.	Revision Date
Methylphosphonic dichloride	676-97-1	1993-04-24
New Jersey Right To Know Components		
	CAS-No.	Revision Date
Methylphosphonic dichloride	676-97-1	1993-04-24

#### California Prop. 65 Components

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

#### **16. OTHER INFORMATION**

## Full text of H-Statements referred to under sections 2 and 3.

Acute Tox. Eye Dam. H314 H318 H330 Skin Corr.	Acute toxicity Serious eye damage Causes severe skin burns and eye damage. Causes serious eye damage. Fatal if inhaled. Skin corrosion
HMIS Rating Health hazard: Chronic Health Hazard Flammability: Physical Hazard	4 ard: 1 0
NFPA Rating	

3

1

0

## Health hazard: Fire Hazard: Reactivity Hazard:

# Further information

Copyright 2015 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the

product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

# **Preparation Information**

Sigma-Aldrich Corporation Product Safety – Americas Region 1-800-521-8956

Version: 3.9

Revision Date: 05/01/2015

Print Date: 11/10/2018