# SIGMA-ALDRICH

sigma-aldrich.com

SAFETY DATA SHEET

Version 5.2 Revision Date 03/06/2015 Print Date 10/28/2018

1. PRODUCT AND COMPANY IDENTIFICATION				
1.1	Product identifiers Product name	:	Keratin, from human epidermis	
	Product Number Brand	:	K0253 Sigma	
	CAS-No.	:	68238-35-7	
1.2	Relevant identified uses	of tł	ne substance or mixture and uses advised against	
	Identified uses	:	Laboratory chemicals, Manufacture of substances	
1.3	Details of the supplier of the safety data sheet			
	Company	:	Sigma-Aldrich 3050 Spruce Street SAINT LOUIS MO 63103 USA	
	Telephone Fax	:	+1 800-325-5832 +1 800-325-5052	
1.4	Emergency telephone number			
	Emergency Phone #	:	+1-703-527-3887 (CHEMTREC)	

# 2. HAZARDS IDENTIFICATION

# 2.1 Classification of the substance or mixture

# GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Skin sensitisation (Category 1), H317

For the full text of the H-Statements mentioned in this Section, see Section 16.

# 2.2 GHS Label elements, including precautionary statements

Pictogram

$\langle \rangle$
<b>\•</b> /
$\sim$

Signal word	Warning
Hazard statement(s) H317	May cause an allergic skin reaction.
Precautionary statement(s)	
P261	Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.
P272	Contaminated work clothing should not be allowed out of the workplace.
P280	Wear protective gloves.
P302 + P352	IF ON SKIN: Wash with plenty of soap and water.
P321	Specific treatment (see supplemental first aid instructions on this label).
P333 + P313	If skin irritation or rash occurs: Get medical advice/ attention.
P363	Wash contaminated clothing before reuse.
P501	Dispose of contents/ container to an approved waste disposal plant.

Sensitising components: 2-Mercaptoethanol May produce an allergic reaction.

# 2.3 Hazards not otherwise classified (HNOC) or not covered by GHS

Human source material., Handle as if capable of transmitting infectious agents. Sodium Azide may react with lead and copper plumbing to form highly explosive metal azides.

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

# 3.2 Mixtures

## Hazardous components

Component		Classification	Concentration
Urea			
CAS-No.	57-13-6		>= 5 - < 10 %
EC-No.	200-315-5		
Registration number	01-2119463277-33-XXXX		
2-Mercaptoethanol			
CAS-No.	60-24-2	Flam. Liq. 4; Acute Tox. 3;	>= 0.1 - < 1 %
EC-No.	200-464-6	Acute Tox. 2; Skin Irrit. 2; Eye	
		Dam. 1; Skin Sens. 1; STOT	
		RE 2; Aquatic Acute 1; Aquatic	
		Chronic 1; H227, H301 +	
		H331, H310, H315, H317,	
		H318, H373, H410	
Sodium azide			
CAS-No.	26628-22-8	Acute Tox. 2; Acute Tox. 1;	>= 0.1 - < 1 %
EC-No.	247-852-1	Aquatic Acute 1; Aquatic	
Index-No.	011-004-00-7	Chronic 1; H300 + H310,	
		H410	

For the full text of the H-Statements mentioned in this Section, see Section 16.

# 4. FIRST AID MEASURES

### 4.1 Description of first aid measures

### General advice

Consult a physician. Show this safety data sheet to the doctor in attendance.

### If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

## In case of skin contact

Wash off with soap and plenty of water. Consult a physician.

## In case of eye contact

Flush eyes with water as a precaution.

### If swallowed

Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

# 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

### **4.3 Indication of any immediate medical attention and special treatment needed** No data available

## **5. FIREFIGHTING MEASURES**

## 5.1 Extinguishing media

## Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

5.2 Special hazards arising from the substance or mixture Carbon oxides, Nitrogen oxides (NOx)

# 5.3 Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

5.4 Further information

No data available

# 6. ACCIDENTAL RELEASE MEASURES

- 6.1 Personal precautions, protective equipment and emergency procedures Use personal protective equipment. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. For personal protection see section 8.
- 6.2 Environmental precautions Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.
- 6.3 Methods and materials for containment and cleaning up Soak up with inert absorbent material and dispose of as hazardous waste. Keep in suitable, closed containers for disposal.
- 6.4 Reference to other sections

For disposal see section 13.

# 7. HANDLING AND STORAGE

### 7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid inhalation of vapour or mist. For precautions see section 2.2.

### 7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

Recommended storage temperature 2 - 8 °C

### 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1 Control parameters

## Components with workplace control parameters

Component	CAS-No.	Value	Control	Basis
			parameters	
Urea	57-13-6	TWA	10.000000	USA. Workplace Environmental
			mg/m3	Exposure Levels (WEEL)

### 8.2 Exposure controls

## Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

## Personal protective equipment

## Eye/face protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

## **Skin protection**

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

### **Body Protection**

Complete suit protecting against chemicals, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

## **Respiratory protection**

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multipurpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

## Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

### 9.1 Information on basic physical and chemical properties

a)	Appearance	Form: liquid
b)	Odour	No data available
c)	Odour Threshold	No data available
d)	рН	No data available
e)	Melting point/freezing point	No data available
f)	Initial boiling point and boiling range	No data available
g)	Flash point	No data available
h)	Evaporation rate	No data available
i)	Flammability (solid, gas)	No data available
j)	Upper/lower flammability or explosive limits	No data available
k)	Vapour pressure	No data available
I)	Vapour density	No data available
m)	Relative density	1 g/cm3
n)	Water solubility	No data available
o)	Partition coefficient: n- octanol/water	No data available
p)	Auto-ignition temperature	No data available
q)	Decomposition temperature	No data available
r)	Viscosity	No data available
s)	Explosive properties	No data available
t)	Oxidizing properties	No data available
Oth	ner safety information	

# No data available

# **10. STABILITY AND REACTIVITY**

# 10.1 Reactivity

No data available

9.2

- **10.2 Chemical stability** Stable under recommended storage conditions.
- **10.3 Possibility of hazardous reactions** No data available
- **10.4 Conditions to avoid** No data available
- **10.5** Incompatible materials Strong oxidizing agents
- **10.6 Hazardous decomposition products** In the event of fire: see section 5

# **11. TOXICOLOGICAL INFORMATION**

### 11.1 Information on toxicological effects

#### Acute toxicity No data available

Inhalation: No data available

Dermal: No data available

No data available

**Skin corrosion/irritation** No data available

Serious eye damage/eye irritation No data available

**Respiratory or skin sensitisation** No data available

# Germ cell mutagenicity

No data available

## Carcinogenicity

- IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
- NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.
- OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

## **Reproductive toxicity**

No data available No data available

Specific target organ toxicity - single exposure No data available

Specific target organ toxicity - repeated exposure No data available

#### Aspiration hazard No data available

## Additional Information

RTECS: Not available

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Liver - Irregularities - Based on Human Evidence (Sodium azide)

### **12. ECOLOGICAL INFORMATION**

- 12.1 Toxicity No data available
- 12.2 Persistence and degradability No data available
- **12.3 Bioaccumulative potential** No data available
- 12.4 Mobility in soil No data available
- 12.5 Results of PBT and vPvB assessment PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

### 12.6 Other adverse effects

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal. Harmful to aquatic life with long lasting effects.

### **13. DISPOSAL CONSIDERATIONS**

### 13.1 Waste treatment methods

### Product

Offer surplus and non-recyclable solutions to a licensed disposal company.

# Contaminated packaging

Dispose of as unused product.

# **14. TRANSPORT INFORMATION**

# DOT (US)

Not dangerous goods

### IMDG

Not dangerous goods

## ΙΑΤΑ

Not dangerous goods

# **15. REGULATORY INFORMATION**

## SARA 302 Components

The following components are subject to reporting	levels established by SARA Title III	Section 302:
	CAS-No.	Revision Date

Sodium azide

# SARA 313 Components

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

26628-22-8

2007-07-01

### SARA 311/312 Hazards No SARA Hazards

# Massachusetts Right To Know Components

Sodium azide	CAS-No. 26628-22-8	Revision Date 2007-07-01
Pennsylvania Right To Know Components		
	CAS-No.	Revision Date
Keratin	68238-35-7	
Urea	57-13-6	
Sodium azide	26628-22-8	2007-07-01
Now Jorsov Pight To Know Components		

# New Jersey Right To Know Components

Keratin Urea

## California Prop. 65 Components

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

CAS-No.

68238-35-7 57-13-6

# **16. OTHER INFORMATION**

### Full text of H-Statements referred to under sections 2 and 3.

Acute Tox. Aquatic Acute Aquatic Chronic Eye Dam. Flam. Liq. H227 H300 + H310 H301 + H331 H310	Acute toxicity Acute aquatic toxicity Chronic aquatic toxicity Serious eye damage Flammable liquids Combustible liquid. Fatal if swallowed or in contact with skin Toxic if swallowed or if inhaled Fatal in contact with skin.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H373	May cause damage to organs (/\$/*_ORG_REP_ORAL/\$/) through prolonged or repeated exposure if swallowed.
H410	Very toxic to aquatic life with long lasting effects.
Skin Irrit.	Skin irritation
Skin Sens.	Skin sensitisation
STOT RE	Specific target organ toxicity - repeated exposure

## **HMIS Rating**

Health hazard: Chronic Health Hazard:	0 *
Flammability:	0
Physical Hazard	0
NFPA Rating	
NFPA Rating Health hazard:	0
•	0 0

## Further information

Copyright 2015 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

# **Preparation Information**

Sigma-Aldrich Corporation Product Safety – Americas Region 1-800-521-8956

Version: 5.2

Revision Date: 03/06/2015

Print Date: 10/28/2018

Revision Date