### MATERIAL SAFETY DATA SHEET

Date Printed: 03/07/2011 Date Updated: 01/31/2006

Version 1.4

# Section 1 - Product and Company Information

Product Name 4-ISOPROPYLPYRIDINE, 95%

Product Number 169242
Brand ALDRICH

Company Sigma-Aldrich Address 3050 Spruce Street

SAINT LOUIS MO 63103 US

Technical Phone: 800-325-5832 Fax: 800-325-5052 Emergency Phone: 314-776-6555

Section 2 - Composition/Information on Ingredient

Substance Name CAS # SARA 313 4-ISOPROPYLPYRIDINE 696-30-0 No

T ISOTROLIEL INIBINE

Formula C8H11N

# Section 3 - Hazards Identification

# EMERGENCY OVERVIEW

Irritant.

Irritating to eyes, respiratory system and skin.

Combustible.

# HMIS RATING

HEALTH: 2

FLAMMABILITY: 2 REACTIVITY: 0

#### NFPA RATING

HEALTH: 2

FLAMMABILITY: 2 REACTIVITY: 0

For additional information on toxicity, please refer to Section 11.

# Section 4 - First Aid Measures

### ORAL EXPOSURE

If swallowed, wash out mouth with water provided person is conscious. Call a physician.

### INHALATION EXPOSURE

If inhaled, remove to fresh air. If not breathing give artificial respiration. If breathing is difficult, give oxygen.

#### DERMAL EXPOSURE

In case of contact, immediately wash skin with soap and copious amounts of water.

#### EYE EXPOSURE

In case of contact, immediately flush eyes with copious amounts of water for at least 15 minutes.

# Section 5 - Fire Fighting Measures

### FLAMMABLE HAZARDS

Flammable Hazards: Yes

#### FLASH POINT

152 °F 67 °C Method: closed cup

### AUTOIGNITION TEMP

N/A

#### FLAMMABILITY

N/A

#### EXTINGUISHING MEDIA

Suitable: For small (incipient) fires, use media such as "alcohol" foam, dry chemical, or carbon dioxide. For large fires, apply water from as far as possible. Use very large quantities (flooding) of water applied as a mist or spray; solid streams of water may be ineffective. Cool all affected containers with flooding quantities of water.

#### FIREFIGHTING

Protective Equipment: Wear self-contained breathing apparatus and protective clothing to prevent contact with skin and eyes. Specific Hazard(s): Emits toxic fumes under fire conditions. Combustible liquid.

### Section 6 - Accidental Release Measures

### PROCEDURE(S) OF PERSONAL PRECAUTION(S)

Wear respirator, chemical safety goggles, rubber boots, and heavy rubber gloves.

### METHODS FOR CLEANING UP

Absorb on sand or vermiculite and place in closed containers for disposal. Ventilate area and wash spill site after material pickup is complete.

# Section 7 - Handling and Storage

### HANDLING

User Exposure: Do not breathe vapor. Avoid contact with eyes, skin, and clothing. Avoid prolonged or repeated exposure.

# STORAGE

Suitable: Keep tightly closed. Keep away from heat and open flame.

# Section 8 - Exposure Controls / PPE

### ENGINEERING CONTROLS

Mechanical exhaust required. Safety shower and eye bath.

### PERSONAL PROTECTIVE EQUIPMENT

Respiratory: Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU). Where risk assessment shows air-purifying respirators are

appropriate use a full-face respirator with multi-purpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Hand: Compatible chemical-resistant gloves.

Eye: Chemical safety goggles.

### GENERAL HYGIENE MEASURES

Wash thoroughly after handling.

Section 9 - Physical/Chemical Properties

| Appearance            | Physical State: Lig | quid                       |
|-----------------------|---------------------|----------------------------|
| Property              | Value               | At Temperature or Pressure |
| Molecular Weight      | 121.18 AMU          |                            |
| рН                    | N/A                 |                            |
| BP/BP Range           | 173 °C              | 760 mmHg                   |
| MP/MP Range           | N/A                 |                            |
| Freezing Point        | N/A                 |                            |
| Vapor Pressure        | N/A                 |                            |
| Vapor Density         | N/A                 |                            |
| Saturated Vapor Conc. | N/A                 |                            |
| SG/Density -          | 0.938 g/cm3         |                            |
| Bulk Density          | N/A                 |                            |
| Odor Threshold        | N/A                 |                            |
| Volatile%             | N/A                 |                            |
| VOC Content           | N/A                 |                            |
| Water Content         | N/A                 |                            |
| Solvent Content       | N/A                 |                            |
| Evaporation Rate      | N/A                 |                            |
| Viscosity             | N/A                 |                            |
| Surface Tension       | N/A                 |                            |
| Partition Coefficient | N/A                 |                            |
| Decomposition Temp.   | N/A                 |                            |
| Flash Point           | 152 °F 67 °C        | Method: closed cup         |
| Explosion Limits      | N/A                 | neemed erobed edp          |
| Flammability          | N/A                 |                            |
| Autoignition Temp     | N/A                 |                            |
| Refractive Index      | 1.498               |                            |
| Optical Rotation      | N/A                 |                            |
| Miscellaneous Data    | N/A                 |                            |
| Solubility            | N/A                 |                            |
| DOTABLITCY            | IV / II             |                            |
| N/A = not available   |                     |                            |

# Section 10 - Stability and Reactivity

### STABILITY

Stable: Stable.

Materials to Avoid: Strong oxidizing agents.

# HAZARDOUS DECOMPOSITION PRODUCTS

Hazardous Decomposition Products: Carbon monoxide, Carbon dioxide, Nitrogen oxides.

### HAZARDOUS POLYMERIZATION

Hazardous Polymerization: Will not occur

# Section 11 - Toxicological Information

#### ROUTE OF EXPOSURE

Skin Contact: Causes skin irritation.

Skin Absorption: May be harmful if absorbed through the skin.

Eye Contact: Causes eye irritation.

Inhalation: Material is irritating to mucous membranes and upper

respiratory tract. May be harmful if inhaled.

Ingestion: May be harmful if swallowed.

# SIGNS AND SYMPTOMS OF EXPOSURE

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Section 12 - Ecological Information

No data available.

Section 13 - Disposal Considerations

APPROPRIATE METHOD OF DISPOSAL OF SUBSTANCE OR PREPARATION

Contact a licensed professional waste disposal service to dispose of this material. This combustible material may be burned in a chemical incinerator equipped with an afterburner and scrubber.

Observe all federal, state, and local environmental regulations.

Section 14 - Transport Information

DOT

Proper Shipping Name: Combustible liquid, n.o.s.

UN#: NA1993

Class: COMBUSTIBLE LIQUID

Packing Group: Packing Group III

Hazard Label: None

PIH: Not PIH

IATA

Non-Hazardous for Air Transport: Non-hazardous for air

transport.

Section 15 - Regulatory Information

# EU ADDITIONAL CLASSIFICATION

Symbol of Danger: Xi

Indication of Danger: Irritant.

R: 36/37/38

Risk Statements: Irritating to eyes, respiratory system and skin.

S: 26-36

Safety Statements: In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Wear

suitable protective clothing.

US CLASSIFICATION AND LABEL TEXT

Indication of Danger: Irritant.

Risk Statements: Irritating to eyes, respiratory system and skin.

Safety Statements: In case of contact with eyes, rinse

immediately with plenty of water and seek medical advice. Wear

suitable protective clothing.

US Statements: Combustible.

UNITED STATES REGULATORY INFORMATION

SARA LISTED: No

CANADA REGULATORY INFORMATION

WHMIS Classification: This product has been classified in accordance with the hazard criteria of the CPR, and the MSDS contains all the information required by the CPR.

DSL: No NDSL: Yes

# Section 16 - Other Information

### DISCLAIMER

For R&D use only. Not for drug, household or other uses.

### WARRANTY

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Inc., shall not be held liable for any damage resulting from handling or from contact with the above product. See reverse side of invoice or packing slip for additional terms and conditions of sale. Copyright 2010 Sigma-Aldrich Co. License granted to make unlimitedpaper copies for internal use only.