# SIGMA-ALDRICH

sigma-aldrich.com

SAFETY DATA SHEET

Version 4.3 Revision Date 07/02/2014 Print Date 10/19/2018

1. PF	1. PRODUCT AND COMPANY IDENTIFICATION			
1.1	Product identifiers Product name	:	Osmium	
	Product Number Brand	:	263257 Aldrich	
	CAS-No.	:	7440-04-2	
1.2	1.2 Relevant identified uses of the substance or mixture and uses advised against			
	Identified uses	:	Laboratory chemicals, Manufacture of substances	
1.3	3 Details of the supplier of the safety data sheet			
	Company	:	Sigma-Aldrich 3050 Spruce Street SAINT LOUIS MO 63103 USA	
	Telephone Fax	:	+1 800-325-5832 +1 800-325-5052	
1.4	Emergency telephone nui	nbe	er	

: +1-703-527-3887 (CHEMTREC)

#### 2. HAZARDS IDENTIFICATION

Emergency Phone #

#### 2.1 Classification of the substance or mixture

#### GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Flammable solids (Category 2), H228 Skin irritation (Category 2), H315 Serious eye damage (Category 1), H318 Specific target organ toxicity - single exposure (Category 3), Respiratory system, H335

For the full text of the H-Statements mentioned in this Section, see Section 16.

#### 2.2 GHS Label elements, including precautionary statements

Pictogram



Signal word	Danger
Hazard statement(s) H228 H315 H318 H335	Flammable solid. Causes skin irritation. Causes serious eye damage. May cause respiratory irritation.
Precautionary statement(s) P210 P240 P241 P261 P264 P271	Keep away from heat/sparks/open flames/hot surfaces No smoking. Ground/bond container and receiving equipment. Use explosion-proof electrical/ ventilating/ lighting/ equipment. Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray. Wash skin thoroughly after handling. Use only outdoors or in a well-ventilated area.

P280	Wear protective gloves/ protective clothing/ eye protection/ face protection.
P302 + P352	IF ON SKIN: Wash with plenty of soap and water.
P304 + P340	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER or doctor/ physician.
P321	Specific treatment (see supplemental first aid instructions on this label).
P332 + P313	If skin irritation occurs: Get medical advice/ attention.
P362	Take off contaminated clothing and wash before reuse.
P370 + P378	In case of fire: Use dry sand, dry chemical or alcohol-resistant foam for extinction.
P403 + P233	Store in a well-ventilated place. Keep container tightly closed.
P405	Store locked up.
P501	Dispose of contents/ container to an approved waste disposal plant.

#### 2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - none

#### 3. COMPOSITION/INFORMATION ON INGREDIENTS

#### 3.1 Substances

Formula	: Os
Molecular Weight	: 190.23 g/mol
CAS-No.	: 7440-04-2
EC-No.	: 231-114-0

#### Hazardous components

Component	Classification	Concentration
Osmium		
	Flam. Sol. 2; Skin Irrit. 2; Eye	-
	Dam. 1; STOT SE 3; H228,	
	H315, H318, H335	

For the full text of the H-Statements mentioned in this Section, see Section 16.

#### 4. FIRST AID MEASURES

#### 4.1 Description of first aid measures

#### General advice

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

#### If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

#### In case of skin contact

Wash off with soap and plenty of water. Consult a physician.

#### In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

#### If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

#### 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

#### **4.3 Indication of any immediate medical attention and special treatment needed** no data available

#### 5. FIREFIGHTING MEASURES

#### 5.1 Extinguishing media

#### Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

5.2 Special hazards arising from the substance or mixture Nature of decomposition products not known.

#### 5.3 Advice for firefighters

Wear self contained breathing apparatus for fire fighting if necessary.

#### **5.4 Further information** Use water spray to cool unopened containers.

#### 6. ACCIDENTAL RELEASE MEASURES

#### 6.1 Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Avoid dust formation. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Avoid breathing dust. For personal protection see section 8.

#### 6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

#### 6.3 Methods and materials for containment and cleaning up

Sweep up and shovel. Contain spillage, and then collect with an electrically protected vacuum cleaner or by wetbrushing and place in container for disposal according to local regulations (see section 13). Keep in suitable, closed containers for disposal. Contain spillage, pick up with an electrically protected vacuum cleaner or by wet-brushing and transfer to a container for disposal according to local regulations (see section 13).

#### 6.4 Reference to other sections

For disposal see section 13.

#### 7. HANDLING AND STORAGE

#### 7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid formation of dust and aerosols. Provide appropriate exhaust ventilation at places where dust is formed.Keep away from sources of ignition - No smoking.Take measures to prevent the build up of electrostatic charge. For precautions see section 2.2.

#### 7.2 Conditions for safe storage, including any incompatibilities

Store in cool place. Keep container tightly closed in a dry and well-ventilated place.

Keep in a dry place.

#### 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

#### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### 8.1 Control parameters

**Components with workplace control parameters** Contains no substances with occupational exposure limit values.

#### 8.2 Exposure controls

#### Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

#### Personal protective equipment

#### Eye/face protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

#### Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Full contact Material: Nitrile rubber Minimum layer thickness: 0.11 mm Break through time: 480 min Material tested:Dermatril® (KCL 740 / Aldrich Z677272, Size M)

Splash contact Material: Nitrile rubber Minimum layer thickness: 0.11 mm Break through time: 480 min Material tested:Dermatril® (KCL 740 / Aldrich Z677272, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method: EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

#### **Body Protection**

Complete suit protecting against chemicals, Flame retardant antistatic protective clothing, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

#### **Respiratory protection**

Where risk assessment shows air-purifying respirators are appropriate use a full-face particle respirator type N100 (US) or type P3 (EN 143) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

#### Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

#### 9. PHYSICAL AND CHEMICAL PROPERTIES

#### 9.1 Information on basic physical and chemical properties

â	a)	Appearance	Form: powder
ł	o)	Odour	no data available
(	c)	Odour Threshold	no data available
(	d)	рН	no data available
(	e)	Melting point/freezing point	Melting point/range: 3,045 °C (5,513 °F) - lit.
f	F)	Initial boiling point and boiling range	5,027 °C (9,081 °F) - lit.
Q	g)	Flash point	no data available
ł	n)	Evapouration rate	no data available
i	)	Flammability (solid, gas)	The substance or mixture is a flammable solid with the category 2.
j	)	Upper/lower flammability or explosive limits	no data available
ł	<)	Vapour pressure	no data available
I	)	Vapour density	no data available
I	m)	Relative density	22.61 g/cm3
י <b>-</b> נ	2632	257	

n)	Water solubility	no data available	
o)	Partition coefficient: n- octanol/water	no data available	
p)	Auto-ignition temperature	no data available	
q)	Decomposition temperature	no data available	
r)	Viscosity	no data available	
s)	Explosive properties	no data available	
t)	Oxidizing properties	no data available	
Other safety information no data available			

#### **10. STABILITY AND REACTIVITY**

#### 10.1 Reactivity

9.2

no data available

- **10.2 Chemical stability** Stable under recommended storage conditions.
- **10.3 Possibility of hazardous reactions** no data available
- **10.4** Conditions to avoid Heat, flames and sparks. Extremes of temperature and direct sunlight.
- **10.5** Incompatible materials Oxygen, Halogens, Phosphorus
- **10.6 Hazardous decomposition products** Other decomposition products - no data available In the event of fire: see section 5

#### **11. TOXICOLOGICAL INFORMATION**

#### 11.1 Information on toxicological effects

#### Acute toxicity no data available

Inhalation: no data available

Dermal: no data available

no data available

# Skin corrosion/irritation

no data available

Serious eye damage/eye irritation no data available

#### Respiratory or skin sensitisation Germ cell mutagenicity no data available

#### Carcinogenicity

- IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
- ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.

- NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.
- OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

#### Reproductive toxicity no data available

no data available

**Specific target organ toxicity - single exposure** Inhalation - May cause respiratory irritation.

# Specific target organ toxicity - repeated exposure no data available

Aspiration hazard no data available

#### Additional Information RTECS: RN1100000

#### **12. ECOLOGICAL INFORMATION**

#### 12.1 Toxicity

no data available

- 12.2 Persistence and degradability no data available
- **12.3 Bioaccumulative potential** no data available
- 12.4 Mobility in soil no data available

#### 12.5 Results of PBT and vPvB assessment PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

#### 12.6 Other adverse effects

no data available

### **13. DISPOSAL CONSIDERATIONS**

#### 13.1 Waste treatment methods

#### Product

Burn in a chemical incinerator equipped with an afterburner and scrubber but exert extra care in igniting as this material is highly flammable. Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material.

#### Contaminated packaging

Dispose of as unused product.

#### **14. TRANSPORT INFORMATION**

#### DOT (US)

UN number: 3089 Class: 4.1 Packing group: II Proper shipping name: Metal powders, flammable, n.o.s. Marine pollutant: No Poison Inhalation Hazard: No

### IMDG

UN number: 3089 Class: 4.1 Packing group: II Proper shipping name: METAL POWDER, FLAMMABLE, N.O.S. Marine pollutant: No

Aldrich - 263257

EMS-No: F-G, S-G

#### ΙΑΤΑ

UN number: 3089 Class: 4.1 Packing group: II Proper shipping name: Metal powder, flammable, n.o.s.

#### **15. REGULATORY INFORMATION**

#### SARA 302 Components

SARA 302: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

#### SARA 313 Components

SARA 313: This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

#### SARA 311/312 Hazards

Fire Hazard, Acute Health Hazard

## Massachusetts Right To Know Components

No components are subject to the Massachusetts Right to Know Act.

#### Pennsylvania Right To Know Components

Osmium	CAS-No. 7440-04-2	Revision Date
New Jersey Right To Know Components		
Osmium	CAS-No. 7440-04-2	Revision Date

#### California Prop. 65 Components

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

#### **16. OTHER INFORMATION**

#### Full text of H-Statements referred to under sections 2 and 3.

Eye Dam.	Serious eye damage
Flam. Sol.	Flammable solids
H228	Flammable solid.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H335	May cause respiratory irritation.
Skin Irrit.	Skin irritation
STOT SE	Specific target organ toxicity - single exposure

3

#### HMIS Rating

Health hazard:	2
Chronic Health Hazard: Flammability: Physical Hazard	0 3
<b>NFPA Rating</b> Health hazard: Fire Hazard:	2 0

noulli nuzuru.	
Fire Hazard:	
Reactivity Hazard:	

#### Further information

Copyright 2014 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

## **Preparation Information** Sigma-Aldrich Corporation Product Safety – Americas Region 1-800-521-8956

Version: 4.3

Revision Date: 07/02/2014

Print Date: 10/19/2018