SAFETY DATA SHEET

Version 3.17 Revision Date 10/03/2017 Print Date 10/19/2018

1. PRODUCT AND COMPANY IDENTIFICATION

1.1 Product identifiers

Product name : Tin(II) sulfate

Product Number : 244635 Brand : Sigma-Aldrich

CAS-No. : 7488-55-3

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Synthesis of substances

1.3 Details of the supplier of the safety data sheet

Company : Sigma-Aldrich

3050 Spruce Street SAINT LOUIS MO 63103

USA

Telephone : +1 800-325-5832 Fax : +1 800-325-5052

1.4 Emergency telephone number

Emergency Phone # : +1-703-527-3887 (CHEMTREC)

2. HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Corrosive to metals (Category 1), H290 Acute toxicity, Inhalation (Category 4), H332

Skin irritation (Category 2), H315
Eye irritation (Category 2A), H319
Skin sensitisation (Category 1), H317
Germ cell mutagenicity (Category 2), H341

Specific target organ toxicity - single exposure (Category 3), Respiratory system, H335 Specific target organ toxicity - repeated exposure (Category 2), Cardio-vascular system, H373

Chronic aquatic toxicity (Category 1), H410

For the full text of the H-Statements mentioned in this Section, see Section 16.

2.2 GHS Label elements, including precautionary statements

Pictogram



Signal word Warning

Hazard statement(s)

H290 May be corrosive to metals. H315 Causes skin irritation.

H317 May cause an allergic skin reaction. H319 Causes serious eye irritation.

H332 Harmful if inhaled.

H335 May cause respiratory irritation.

Sigma-Aldrich - 244635 Page 1 of 9

H341 Suspected of causing genetic defects. May cause damage to organs (Cardio-vascular system) through H373 prolonged or repeated exposure. H410 Very toxic to aquatic life with long lasting effects. Precautionary statement(s) P201 Obtain special instructions before use. P202 Do not handle until all safety precautions have been read and understood. P234 Keep only in original container. P260 Do not breathe dust/ fume/ gas/ mist/ vapours/ spray. P264 Wash skin thoroughly after handling. P271 Use only outdoors or in a well-ventilated area. P272 Contaminated work clothing should not be allowed out of the workplace. P273 Avoid release to the environment. P280 Wear protective gloves/ protective clothing/ eye protection/ face protection. P302 + P352 IF ON SKIN: Wash with plenty of soap and water. P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/doctor if you feel unwell. P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P308 + P313 IF exposed or concerned: Get medical advice/ attention. If skin irritation or rash occurs: Get medical advice/ attention. P333 + P313 P337 + P313 If eve irritation persists: Get medical advice/ attention. P362 Take off contaminated clothing and wash before reuse. P390 Absorb spillage to prevent material damage. P391 Collect spillage. P403 + P233 Store in a well-ventilated place. Keep container tightly closed.

Store in corrosive resistant stainless steel container with a resistant inner

Dispose of contents/ container to an approved waste disposal plant.

2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - none

Store locked up.

3. COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

P405

P406

P501

Synonyms : Stannous sulfate

Formula : O₄SSn

Molecular weight : 214.75 g/mol

CAS-No. : 7488-55-3

EC-No. : 231-302-2

Hazardous components

Component	Classification	Concentration
Tin sulphate		
	Acute Tox. 4; Skin Irrit. 2; Eye	90 - 100 %
	Irrit. 2A; Skin Sens. 1; Muta. 2;	
	STOT SE 3; STOT RE 2;	
	Aquatic Chronic 1; H315,	
	H317, H319, H332, H335,	
	H341, H373, H410	

For the full text of the H-Statements mentioned in this Section, see Section 16.

Sigma-Aldrich - 244635 Page 2 of 9

4. FIRST AID MEASURES

4.1 Description of first aid measures

General advice

Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.

If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

In case of skin contact

Wash off with soap and plenty of water. Consult a physician.

In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

If swallowed

Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed

No data available

5. FIREFIGHTING MEASURES

5.1 Extinguishing media

Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

5.2 Special hazards arising from the substance or mixture

No data available

5.3 Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

5.4 Further information

No data available

6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Wear respiratory protection. Avoid dust formation. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas. Avoid breathing dust.

For personal protection see section 8.

6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

6.3 Methods and materials for containment and cleaning up

Pick up and arrange disposal without creating dust. Sweep up and shovel. Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

For disposal see section 13.

7. HANDLING AND STORAGE

7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid formation of dust and aerosols. Further processing of solid materials may result in the formation of combustible dusts. The potential for combustible dust formation should be taken into consideration before additional processing occurs.

Provide appropriate exhaust ventilation at places where dust is formed.

For precautions see section 2.2.

Sigma-Aldrich - 244635 Page 3 of 9

7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place.

Moisture sensitive. Keep in a dry place.

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

Components with workplace control parameters

Component	CAS-No.	Value	Control parameters	Basis				
Tin sulphate	7488-55-3	TWA	2.000000 mg/m3	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants				
		TWA	2.000000 mg/m3	USA. ACGIH Threshold Limit Values (TLV)				
	Remarks	Eye & Upper Respiratory Tract irritation Headache Pneumoconiosis Nausea varies						
		TWA	2.000000 mg/m3	USA. NIOSH Recommended Exposure Limits				
		TWA	2.000000 mg/m3	USA. ACGIH Threshold Limit Values (TLV)				
		Pneumoconiosis (or Stannosis) varies						
		TWA	2 mg/m3	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants				
		TWA	2 mg/m3	USA. ACGIH Threshold Limit Values (TLV)				
		Pneumoconiosis (or Stannosis) varies						
		TWA	2 mg/m3	USA. NIOSH Recommended Exposure Limits				
		PEL	2 mg/m3	California permissible exposure limits for chemical contaminants (Title 8, Article 107)				
Sulfuric acid	7664-93-9	TWA	0.2 mg/m3	USA. ACGIH Threshold Limit Values (TLV)				
		TWA	1 mg/m3	USA. OSHA - TABLE Z-1 Limits for Air Contaminants - 1910.1000				
		TWA	1 mg/m3	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants				

8.2 Exposure controls

Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

Personal protective equipment

Eye/face protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Sigma-Aldrich - 244635 Page 4 of 9

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Body Protection

Complete suit protecting against chemicals, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face particle respirator type N100 (US) or type P3 (EN 143) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

a) Appearance Form: powder

Colour: white, light yellow

b) Odour odourless

c) Odour Threshold No data availabled) pH No data available

e) Melting point/freezing point

Decomposes before melting.

f) Initial boiling point and

boiling range

Not applicable

g) Flash point Not applicableh) Evaporation rate Not applicable

i) Flammability (solid, gas) The product is not flammable.

j) Upper/lower flammability or explosive limits No data available

k) Vapour pressure No data availablel) Vapour density No data available

m) Relative density 4.15 g/cm3 at 20 $^{\circ}$ C (68 $^{\circ}$ F) n) Water solubility 188 g/l at 20 $^{\circ}$ C (68 $^{\circ}$ F)

o) Partition coefficient: noctanol/water No data available

p) Auto-ignition temperature

No data available

q) Decomposition temperature

378 °C (712 °F) -

r) Viscosity No data available
 s) Explosive properties No data available
 t) Oxidizing properties No data available

9.2 Other safety information

No data available

Sigma-Aldrich - 244635 Page 5 of 9

10. STABILITY AND REACTIVITY

10.1 Reactivity

No data available

10.2 Chemical stability

Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions

No data available

10.4 Conditions to avoid

Avoid moisture.

10.5 Incompatible materials

Strong oxidizing agentsStrong oxidizing agents

10.6 Hazardous decomposition products

Hazardous decomposition products formed under fire conditions. - Sulphur oxides, Tin/tin oxides

Other decomposition products - No data available

In the event of fire: see section 5

11. TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute toxicity

No data available

LD50 Oral - Rat - 2,207 mg/kg

LC50 Inhalation - Rat - 4 h - > 2 mg/l

Dermal: No data available

No data available

Skin corrosion/irritation

No data available

Serious eye damage/eye irritation

No data available

Respiratory or skin sensitisation

Germ cell mutagenicity

In vitro tests showed mutagenic effects

Carcinogenicity

No data available

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as

probable, possible or confirmed human carcinogen by IARC.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a

known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a

carcinogen or potential carcinogen by OSHA.

Reproductive toxicity

Suspected of damaging the unborn child.

No data available

Specific target organ toxicity - single exposure

Inhalation - May cause respiratory irritation.

Specific target organ toxicity - repeated exposure

May cause damage to organs through prolonged or repeated exposure. - Cardio-vascular system

Sigma-Aldrich - 244635 Page 6 of 9

Aspiration hazard

No data available

Additional Information

RTECS: Not available

Stomach - Irregularities - Based on Human Evidence (Sulfuric acid)

12. ECOLOGICAL INFORMATION

12.1 **Toxicity**

Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. Information given is based on data on the components and the ecotoxicology of similar products.

Toxicity to daphnia and LC50 - Daphnia magna (Water flea) - 99.5 mg/l - 48 h

other aquatic (OECD Test Guideline 202)

invertebrates

12.2 Persistence and degradability

The methods for determining biodegradability are not applicable to inorganic substances.

12.3 Bioaccumulative potential

Can accumulate in aquatic organisms.

12.4 Mobility in soil

No data available

Results of PBT and vPvB assessment 12.5

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

12.6 Other adverse effects

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

Very toxic to aquatic life with long lasting effects.

13. DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Product

Contact a licensed professional waste disposal service to dispose of this material. Dissolve or mix the material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber. Offer surplus and non-recyclable solutions to a licensed disposal company.

Contaminated packaging

Dispose of as unused product.

14. TRANSPORT INFORMATION

DOT (US)

UN number: 3260 Class: 8 Packing group: III

Proper shipping name: Corrosive solid, acidic, inorganic, n.o.s. (Tin sulphate, Sulfuric acid)

Reportable Quantity (RQ): Poison Inhalation Hazard: No

IMDG

UN number: 3260 Packing group: III EMS-No: F-A, S-B Class: 8 Proper shipping name: CORROSIVE SOLID, ACIDIC, INORGANIC, N.O.S. (Tin sulphate, Sulfuric acid)

Marine pollutant:yes

ΙΔΤΔ

UN number: 3260 Class: 8 Packing group: III

Proper shipping name: Corrosive solid, acidic, inorganic, n.o.s. (Tin sulphate, Sulfuric acid)

15. REGULATORY INFORMATION

SARA 302 Components

The following components are subject to reporting levels established by SARA Title III, Section 302: CAS-No. **Revision Date**

Sigma-Aldrich - 244635 Page 7 of 9 Sulfuric acid 7664-93-9 2007-07-01

SARA 313 Components

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

040 1

SARA 311/312 Hazards

Acute Health Hazard, Chronic Health Hazard

Massachusetts Right To Know Components

	CAS-No.	Revision Date
Tin sulphate	7488-55-3	1993-04-24
Sulfuric acid	7664-93-9	2007-07-01

Pennsylvania Right To Know Components

omicy warma raight to ranow compensate		
	CAS-No.	Revision Date
Tin sulphate	7488-55-3	1993-04-24
Sulfuric acid	7664-93-9	2007-07-01

New Jersey Right To Know Components

	CAS-No.	Revision Date		
Tin sulphate	7488-55-3	1993-04-24		
Sulfuric acid	7466-33-3	2007-07-01		
Sulfulle acid	1004-33-3	2001-01-01		

California Prop. 65 Components

WARNING! This product contains a chemical known to the	CAS-No.	Revision Date
State of California to cause cancer.	7664-93-9	2007-09-28

Sulfuric acid

16. OTHER INFORMATION

Full text of H-Statements referred to under sections 2 and 3.

Acu	te T	OX.	Acut	e toxi	city			
		\sim 1	\circ					

Aquatic Chronic Chronic aquatic toxicity

Eye Irrit. Eye irritation

H290 May be corrosive to metals. H315 Causes skin irritation.

H317 May cause an allergic skin reaction. H319 Causes serious eye irritation.

H332 Harmful if inhaled.

H335 May cause respiratory irritation.H341 Suspected of causing genetic defects.

H373 May cause damage to organs through prolonged or repeated exposure.

H410 Very toxic to aquatic life with long lasting effects.

Muta. Germ cell mutagenicity

Skin Irrit. Skin irritation
Skin Sens. Skin sensitisation

STOT RE Specific target organ toxicity - repeated exposure STOT SE Specific target organ toxicity - single exposure

HMIS Rating

Health hazard: 2
Chronic Health Hazard: *
Flammability: 0
Physical Hazard 0

NFPA Rating

Health hazard: 2
Fire Hazard: 0
Reactivity Hazard: 0

Sigma-Aldrich - 244635 Page 8 of 9

Further information

Copyright 2016 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Preparation Information

Sigma-Aldrich Corporation Product Safety – Americas Region 1-800-521-8956

Version: 3.17 Revision Date: 10/03/2017 Print Date: 10/19/2018

Sigma-Aldrich - 244635 Page 9 of 9