SAFETY DATA SHEET

Version 3.16 Revision Date 09/29/2017 Print Date 10/19/2018

1. PRODUCT AND COMPANY IDENTIFICATION

1.1 Product identifiers

Product name : Iron(III) chloride

Product Number : 451649 Brand : Aldrich

CAS-No. : 7705-08-0

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Synthesis of substances

1.3 Details of the supplier of the safety data sheet

Company : Sigma-Aldrich

3050 Spruce Street SAINT LOUIS MO 63103

USA

Telephone : +1 800-325-5832 Fax : +1 800-325-5052

1.4 Emergency telephone number

Emergency Phone # : +1-703-527-3887 (CHEMTREC)

2. HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Corrosive to metals (Category 1), H290 Acute toxicity, Oral (Category 4), H302 Skin irritation (Category 2), H315

Serious eye damage (Category 1), H318 Acute aquatic toxicity (Category 2), H401

For the full text of the H-Statements mentioned in this Section, see Section 16.

2.2 GHS Label elements, including precautionary statements

Pictogram



Signal word Danger

Hazard statement(s)

H290 May be corrosive to metals. H302 Harmful if swallowed. H315 Causes skin irritation.

H318 Causes serious eye damage.

H401 Toxic to aquatic life.

Precautionary statement(s)

P234 Keep only in original container.
P264 Wash skin thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P273 Avoid release to the environment.

P280 Wear eye protection/ face protection.

P280 Wear protective gloves.

P301 + P312 + P330 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.

Rinse mouth.

P302 + P352 IF ON SKIN: Wash with plenty of soap and water.

P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing. Immediately

call a POISON CENTER/doctor.

P332 + P313 If skin irritation occurs: Get medical advice/ attention.
P362 Take off contaminated clothing and wash before reuse.

P390 Absorb spillage to prevent material damage.

P406 Store in corrosive resistant stainless steel container with a resistant inner

liner.

P501 Dispose of contents/ container to an approved waste disposal plant.

2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - none

3. COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

Synonyms : Ferric chloride

Formula : Cl₃Fe

Molocular weight : 162.20

Molecular weight : 162.20 g/mol CAS-No. : 7705-08-0 EC-No. : 231-729-4

Hazardous components

Component	Classification	Concentration
Iron trichloride		
	Met. Corr. 1; Acute Tox. 4;	90 - 100 %
	Skin Irrit. 2; Eye Dam. 1;	
	Aquatic Acute 2; H290, H302,	
	H315, H318, H401	

For the full text of the H-Statements mentioned in this Section, see Section 16.

4. FIRST AID MEASURES

4.1 Description of first aid measures

General advice

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

In case of skin contact

Wash off with soap and plenty of water. Consult a physician.

In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

If swallowed

Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed

No data available

Aldrich - 451649 Page 2 of 8

5. FIREFIGHTING MEASURES

5.1 Extinguishing media

Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

5.2 Special hazards arising from the substance or mixture

No data available

5.3 Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

5.4 Further information

No data available

6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Wear respiratory protection. Avoid dust formation. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas. Avoid breathing dust.

For personal protection see section 8.

6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

6.3 Methods and materials for containment and cleaning up

Pick up and arrange disposal without creating dust. Sweep up and shovel. Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

For disposal see section 13.

7. HANDLING AND STORAGE

7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid formation of dust and aerosols. Further processing of solid materials may result in the formation of combustible dusts. The potential for combustible dust formation should be taken into consideration before additional processing occurs.

Provide appropriate exhaust ventilation at places where dust is formed.

For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Store under inert gas. Keep container tightly closed in a dry and well-ventilated place.

Keep in a dry place. Keep in a dry place.

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

Components with workplace control parameters

Component	CAS-No.	Value	Control	Basis	
			parameters		
Iron trichloride	7705-08-0	TWA	1.000000	USA. ACGIH Threshold Limit Values	
			mg/m3	(TLV)	
	Remarks	Upper Respiratory Tract irritation			
		Skin irritation			
		varies			

Aldrich - 451649 Page 3 of 8

TWA	1.000000 mg/m3	USA. NIOSH Recommended Exposure Limits	
TWA	1 mg/m3	USA. ACGIH Threshold Limit Values (TLV)	
	Upper Respiratory Tract irritation Skin irritation varies		
TWA	1 mg/m3	USA. NIOSH Recommended Exposure Limits	
PEL	1 mg/m3	California permissible exposure limits for chemical contaminants (Title 8. Article 107)	

8.2 Exposure controls

Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

Personal protective equipment

Eye/face protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Full contact

Material: Nitrile rubber

Minimum layer thickness: 0.11 mm Break through time: 480 min

Material tested: Dermatril® (KCL 740 / Aldrich Z677272, Size M)

Splash contact

Material: Nitrile rubber

Minimum layer thickness: 0.11 mm Break through time: 480 min

Material tested: Dermatril® (KCL 740 / Aldrich Z677272, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method: EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

Body Protection

Complete suit protecting against chemicals, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face particle respirator type N100 (US) or type P3 (EN 143) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

Aldrich - 451649 Page 4 of 8

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Form: powder a) Appearance b) Odour No data available c) Odour Threshold No data available No data available рН d)

e) Melting point/freezing

point

Initial boiling point and f)

boiling range

No data available

Melting point/range: 304 °C (579 °F)

g) Flash point No data available No data available h) Evaporation rate Flammability (solid, gas) No data available No data available j)

Upper/lower flammability or explosive limits

k) Vapour pressure < 1 hPa (< 1 mmHg) at 20 °C (68 °F) 1 hPa (1 mmHg) at 194 °C (381 °F)

I) Vapour density 5.60 - (Air = 1.0)m) Relative density 2.800 g/cm3 n) Water solubility No data available Partition coefficient: n-No data available

octanol/water

p) Auto-ignition No data available temperature

Decomposition temperature

No data available

No data available r) Viscosity No data available s) Explosive properties Oxidizing properties No data available

9.2 Other safety information

> Relative vapour density 5.60 - (Air = 1.0)

10. STABILITY AND REACTIVITY

10.1 Reactivity

No data available

Chemical stability 10.2

Stable under recommended storage conditions.

Possibility of hazardous reactions 10.3

No data available

10.4 Conditions to avoid

No data available

10.5 Incompatible materials

Strong oxidizing agents, Potassium, Alkali metals, Bases, Exothermic in contact with water, Forms shock-sensitive mixtures with certain other materials.

Aldrich - 451649 Page 5 of 8

10.6 Hazardous decomposition products

Hazardous decomposition products formed under fire conditions. - Hydrogen chloride gas, Iron oxides Other decomposition products - No data available

In the event of fire: see section 5

11. TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute toxicity

LD50 Oral - Mouse - 1,300 mg/kg

Inhalation: No data available

LD50 Dermal - Rabbit - > 2,000 mg/kg

(OECD Test Guideline 402)

No data available

Skin corrosion/irritation

Skin - Rabbit

Result: Irritating to skin.

Serious eye damage/eye irritation

Eyes - Rabbit

Result: Severe eye irritation

Respiratory or skin sensitisation

No data available

Germ cell mutagenicity

No data available

Carcinogenicity

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as

probable, possible or confirmed human carcinogen by IARC.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a

known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a

carcinogen or potential carcinogen by OSHA.

Reproductive toxicity

No data available

No data available

Specific target organ toxicity - single exposure

No data available

Specific target organ toxicity - repeated exposure

No data available

Aspiration hazard

No data available

Additional Information

RTECS: LJ9100000

spasm, inflammation and edema of the larynx, spasm, inflammation and edema of the bronchi, pneumonitis, pulmonary edema, Overdose of iron compounds may have a corrosive effect on the gastrointestinal mucosa and be followed by necrosis, perforation, and stricture formation. Several hours may elapse before symptoms that can include epigastric pain, diarrhea, vomiting, nausea, and hematemesis occur. After apparent recovery a person may experience metabolic acidosis, convulsions, and coma hours or days later. Further complications may develop leading to acute liver necrosis that can result in death due to hepatic coma., To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Aldrich - 451649 Page 6 of 8

12. ECOLOGICAL INFORMATION

12.1 Toxicity

Toxicity to fish LC50 - Pimephales promelas (fathead minnow) - 21.84 mg/l - 96 h

Toxicity to daphnia and EC50 - Daphnia magna (Water flea) - 9.6 mg/l - 48 h

other aquatic invertebrates

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

12.6 Other adverse effects

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal. Toxic to aquatic life.

No data available

13. DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Product

Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material.

Contaminated packaging

Dispose of as unused product.

14. TRANSPORT INFORMATION

DOT (US)

UN number: 1773 Class: 8 Packing group: III

Proper shipping name: Ferric chloride, anhydrous

Reportable Quantity (RQ): 1000 lbs Poison Inhalation Hazard: No

IMDG

UN number: 1773 Class: 8 Packing group: III EMS-No: F-A, S-B

Proper shipping name: FERRIC CHLORIDE, ANHYDROUS

Marine pollutant:yes

IATA

UN number: 1773 Class: 8 Packing group: III

Proper shipping name: Ferric chloride, anhydrous

15. REGULATORY INFORMATION

SARA 302 Components

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313 Components

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

SARA 311/312 Hazards

Acute Health Hazard

Aldrich - 451649 Page 7 of 8

Massachusetts Right To Know Components

CAS-No. **Revision Date** Iron trichloride 7705-08-0 1993-04-24

Pennsylvania Right To Know Components

CAS-No. **Revision Date** 7705-08-0 1993-04-24 Iron trichloride

New Jersey Right To Know Components

CAS-No. **Revision Date** 7705-08-0 1993-04-24 Iron trichloride

California Prop. 65 Components

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

16. OTHER INFORMATION

Full text of H-Statements referred to under sections 2 and 3.

Acute toxicity Acute Tox.

Acute aquatic toxicity Aquatic Acute Serious eye damage Eye Dam. H290 May be corrosive to metals. Harmful if swallowed. H302 Causes skin irritation. H315 Causes serious eye damage. H318

Toxic to aquatic life. H401 Corrosive to metals Met. Corr.

HMIS Rating

Health hazard: 2 Chronic Health Hazard: 0 Flammability: Physical Hazard 0

NFPA Rating

2 Health hazard: Fire Hazard: 0 Reactivity Hazard: 0

Further information

Copyright 2016 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Preparation Information

Sigma-Aldrich Corporation Product Safety - Americas Region 1-800-521-8956

Version: 3.16 Revision Date: 09/29/2017 Print Date: 10/19/2018

Aldrich - 451649 Page 8 of 8