SIGMA-ALDRICH

sigma-aldrich.com

SAFETY DATA SHEET

Version 4.7 Revision Date 06/30/2014 Print Date 10/19/2018

1. PRODUCT AND COMPANY IDENTIFICATION

| 1.1 | Product identifiers Product name | : | Bis(trifluoromethane)sulfonimide lithium salt |
|-----------------------------------------------------------------------------------|------------------------------------------------------|-------------------------------------------------|-------------------------------------------------------------|
| | Product Number Brand Index-No. | : | 544094 Aldrich 616-124-00-9 |
| | CAS-No. | : | 90076-65-6 |
| 1.2 Relevant identified uses of the substance or mixture and uses advised against | | e substance or mixture and uses advised against | |
| | Identified uses | : | Laboratory chemicals, Manufacture of substances |
| 1.3 | 1.3 Details of the supplier of the safety data sheet | | safety data sheet |
| | Company | : | Sigma-Aldrich 3050 Spruce Street SAINT LOUIS MO 63103 |

| | SAINT LOUIS MO USA | 63 |
|------------------|------------------------------------|----|
| Telephone Fax | +1 800-325-5832 +1 800-325-5052 | |

1.4 Emergency telephone number

| Emergency Phone # | : | +1-703-527-3887 (CHEMTREC) |
|-------------------|---|----------------------------|
|-------------------|---|----------------------------|

2. HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS) Acute toxicity, Oral (Category 3), H301 Acute toxicity, Dermal (Category 3), H311 Skin corrosion (Category 1B), H314 Serious eye damage (Category 1), H318 Specific target organ toxicity - repeated exposure (Category 2), H373 Acute aquatic toxicity (Category 3), H402 Chronic aquatic toxicity (Category 3), H412

For the full text of the H-Statements mentioned in this Section, see Section 16.

Danger

2.2 GHS Label elements, including precautionary statements

Pictogram



Signal word

| Hazard statement(s) H301 + H311 H314 H373 H412 | Toxic if swallowed or in contact with skin Causes severe skin burns and eye damage. May cause damage to organs through prolonged or repeated exposure. Harmful to aquatic life with long lasting effects. |
|------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Precautionary statement(s) P260 P264 | Do not breathe dust/ fume/ gas/ mist/ vapours/ spray. Wash skin thoroughly after handling. |

| P270 P273 P280 | Do not eat, drink or smoke when using this product. Avoid release to the environment. Wear protective gloves/ protective clothing/ eye protection/ face protection. |
|----------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| P301 + P310 | IF SWALLOWED: Immediately call a POISON CENTER or doctor/ physician. |
| P301 + P330 + P331 | IF SWALLOWED: rinse mouth. Do NOT induce vomiting. |
| P303 + P361 + P353 | IF ON SKIN (or hair): Remove/ Take off immediately all contaminated clothing. Rinse skin with water/ shower. |
| P304 + P340 | IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. |
| P305 + P351 + P338 | IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. |
| P310 | Immediately call a POISON CENTER or doctor/ physician. |
| P322 | Specific measures (see supplemental first aid instructions on this label). |
| P361 | Remove/Take off immediately all contaminated clothing. |
| P363 | Wash contaminated clothing before reuse. |
| P405 | Store locked up. |
| P501 | Dispose of contents/ container to an approved waste disposal plant. |

2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - none

3. COMPOSITION/INFORMATION ON INGREDIENTS

| 3.1 | Substances Synonyms | : | Bis(trifluoromethylsulfonyl)aminelithium salt Lithium bistrifluoromethanesulfonimidate |
|-----|------------------------|---|-------------------------------------------------------------------------------------------|
| | Formula | : | C ₂ F ₆ LiNO ₄ S ₂ |
| | Molecular Weight | : | 287.09 g/mol |
| | CAS-No. | : | 90076-65-6 |
| | EC-No. | : | 415-300-0 |
| | Index-No. | : | 616-124-00-9 |

Hazardous components

| Component | Classification | Concentration |
|-----------------------------------------------|------------------------------|---------------|
| Bis(trifluoromethane)sulfonimide lithium salt | | |
| | Acute Tox. 3; Skin Corr. 1B; | 90 - 100 % |
| | Eye Dam. 1; STOT RE 2; | |
| | Aquatic Acute 3; Aquatic | |
| | Chronic 3; H301 + H311, | |
| | H314, H373, H412 | |

For the full text of the H-Statements mentioned in this Section, see Section 16.

4. FIRST AID MEASURES

4.1 Description of first aid measures

General advice

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

In case of skin contact

Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. Take victim immediately to hospital. Consult a physician.

In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician. Continue rinsing eyes during transport to hospital.

If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed no data available

5. FIREFIGHTING MEASURES

5.1 Extinguishing media

Suitable extinguishing media Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

5.2 Special hazards arising from the substance or mixture Carbon oxides, nitrogen oxides (NOx), Sulphur oxides, Hydrogen fluoride, Lithium oxides

5.3 Advice for firefighters

Wear self contained breathing apparatus for fire fighting if necessary.

5.4 Further information no data available

6. ACCIDENTAL RELEASE MEASURES

- 6.1 Personal precautions, protective equipment and emergency procedures
 Wear respiratory protection. Avoid dust formation. Avoid breathing vapours, mist or gas. Ensure adequate ventilation.
 Evacuate personnel to safe areas. Avoid breathing dust.
 For personal protection see section 8.
- 6.2 Environmental precautions Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.
- 6.3 Methods and materials for containment and cleaning up Pick up and arrange disposal without creating dust. Sweep up and shovel. Keep in suitable, closed containers for disposal.
- 6.4 Reference to other sections

For disposal see section 13.

7. HANDLING AND STORAGE

7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid formation of dust and aerosols. Further processing of solid materials may result in the formation of combustible dusts. The potential for combustible dust formation should be taken into consideration before additional processing occurs. Provide appropriate exhaust ventilation at places where dust is formed.

For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities Keep container tightly closed in a dry and well-ventilated place.

Handle and store under inert gas. Moisture sensitive. Keep in a dry place.

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

Components with workplace control parameters Contains no substances with occupational exposure limit values.

8.2 Exposure controls

Appropriate engineering controls

Avoid contact with skin, eyes and clothing. Wash hands before breaks and immediately after handling the product.

Personal protective equipment

Eye/face protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Full contact Material: Nitrile rubber Minimum layer thickness: 0.11 mm Break through time: 480 min Material tested:Dermatril® (KCL 740 / Aldrich Z677272, Size M)

Splash contact Material: Nitrile rubber Minimum layer thickness: 0.11 mm Break through time: 480 min Material tested:Dermatril® (KCL 740 / Aldrich Z677272, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method: EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

Body Protection

Complete suit protecting against chemicals, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face particle respirator type N100 (US) or type P3 (EN 143) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

| a) | Appearance | Form: powder Colour: white |
|----|-----------------------------------------|---------------------------------------------------------|
| b) | Odour | no data available |
| c) | Odour Threshold | no data available |
| d) | рН | 7.0 - 9.5 at 10 g/l |
| e) | Melting point/freezing point | Melting point/range: 234 - 238 °C (453 - 460 °F) - lit. |
| f) | Initial boiling point and boiling range | no data available |
| g) | Flash point | no data available |

| h) | Evapouration rate | no data available |
|----|----------------------------------------------------|----------------------------|
| i) | Flammability (solid, gas) | no data available |
| j) | Upper/lower flammability or explosive limits | no data available |
| k) | Vapour pressure | no data available |
| I) | Vapour density | no data available |
| m) | Relative density | no data available |
| n) | Water solubility | ca.10 g/l at 20 °C (68 °F) |
| 0) | Partition coefficient: n- octanol/water | no data available |
| p) | Auto-ignition temperature | no data available |
| q) | Decomposition temperature | no data available |
| r) | Viscosity | no data available |
| s) | Explosive properties | no data available |
| t) | Oxidizing properties | no data available |
| | ner safety information data available | |

10. STABILITY AND REACTIVITY

10.1 Reactivity no data available

9.2

- **10.2 Chemical stability** Stable under recommended storage conditions.
- **10.3** Possibility of hazardous reactions no data available
- **10.4 Conditions to avoid** Avoid moisture.
- **10.5** Incompatible materials Strong oxidizing agents
- **10.6 Hazardous decomposition products** Other decomposition products - no data available In the event of fire: see section 5

11. TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute toxicity no data available

Inhalation: no data available

Dermal: no data available

no data available

Skin corrosion/irritation no data available

Serious eye damage/eye irritation no data available

Respiratory or skin sensitisation

no data available

Germ cell mutagenicity

no data available

Carcinogenicity

- IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
- ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.
- NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.
- OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Reproductive toxicity

no data available

no data available

Specific target organ toxicity - single exposure no data available

Specific target organ toxicity - repeated exposure no data available

Aspiration hazard no data available

Additional Information

RTECS: Not available

Material is extremely destructive to tissue of the mucous membranes and upper respiratory tract, eyes, and skin., Cough, Shortness of breath, Headache, Nausea

12. ECOLOGICAL INFORMATION

12.1 Toxicity

Toxicity to daphnia and EC50 - Daphnia magna (Water flea) - 20 mg/l - 48 h other aquatic invertebrates

- 12.2 Persistence and degradability no data available
- **12.3 Bioaccumulative potential** no data available

12.4 Mobility in soil no data available

12.5 Results of PBT and vPvB assessment PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

12.6 Other adverse effects

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal. Harmful to aquatic life with long lasting effects.

13. DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Product

Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material. Dissolve or mix the material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber.

Contaminated packaging

Dispose of as unused product.

14. TRANSPORT INFORMATION

DOT (US)

UN number: 2923 Class: 8 (6.1) Packing group: II Proper shipping name: Corrosive solids, toxic, n.o.s. (Bis(trifluoromethane)sulfonimide lithium salt) Reportable Quantity (RQ): Marine pollutant: No Poison Inhalation Hazard: No

IMDG

UN number: 2923 Class: 8 (6.1) Packing group: II EMS-No: F-A, S-B Proper shipping name: CORROSIVE SOLID, TOXIC, N.O.S. (Bis(trifluoromethane)sulfonimide lithium salt) Marine pollutant: No

ΙΑΤΑ

UN number: 2923 Class: 8 (6.1) Packing group: II Proper shipping name: Corrosive solid, toxic, n.o.s. (Bis(trifluoromethane)sulfonimide lithium salt)

15. REGULATORY INFORMATION

SARA 302 Components

SARA 302: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313 Components

SARA 313: This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

SARA 311/312 Hazards

Acute Health Hazard

Massachusetts Right To Know Components

No components are subject to the Massachusetts Right to Know Act.

Pennsylvania Right To Know Components

| Bis(trifluoromethane)sulfonimide lithium salt | CAS-No. 90076-65-6 | Revision Date |
|-----------------------------------------------|-----------------------|---------------|
| New Jersey Right To Know Components | CAS-No. | Revision Date |
| Bis(trifluoromethane)sulfonimide lithium salt | 90076-65-6 | Revision Date |

California Prop. 65 Components

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

Devision Dete

16. OTHER INFORMATION

Full text of H-Statements referred to under sections 2 and 3.

| Acute Tox. | Acute toxicity |
|---------------|------------------------|
| Aquatic Acute | Acute aquatic toxicity |

| Aquatic Chronic | Chronic aquatic toxicity |
|-----------------|--------------------------------------------|
| Eye Dam. | Serious eye damage |
| H301 | Toxic if swallowed. |
| H301 + H311 | Toxic if swallowed or in contact with skin |
| H311 | Toxic in contact with skin. |
| H314 | Causes severe skin burns and eye damage. |
| H318 | Causes serious eye damage. |

0

HMIS Rating

| Health hazard: | 3 |
|------------------------|---|
| Chronic Health Hazard: | |
| Flammability: | 0 |
| Physical Hazard | 0 |
| NFPA Rating | |
| Health hazard: | 3 |
| Fire Hazard: | Δ |

Reactivity Hazard:

Further information

Copyright 2014 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Preparation Information

Sigma-Aldrich Corporation Product Safety – Americas Region 1-800-521-8956

Version: 4.7

Revision Date: 06/30/2014

Print Date: 10/19/2018