SAFETY DATA SHEET

Version 3.12 Revision Date 01/05/2015 Print Date 11/10/2018

1. PRODUCT AND COMPANY IDENTIFICATION

1.1 Product identifiers

Product name : (3-Aminopropyl)triethoxysilane

Product Number : A3648

Brand : Sigma-Aldrich Index-No. : 612-108-00-0

CAS-No. : 919-30-2

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Manufacture of substances

1.3 Details of the supplier of the safety data sheet

Company : Sigma-Aldrich

3050 Spruce Street SAINT LOUIS MO 63103

USA

Telephone : +1 800-325-5832 Fax : +1 800-325-5052

1.4 Emergency telephone number

Emergency Phone # : +1-703-527-3887 (CHEMTREC)

2. HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Flammable liquids (Category 4), H227 Acute toxicity, Oral (Category 4), H302 Skin corrosion (Category 1B), H314 Serious eye damage (Category 1), H318 Skin sensitisation (Category 1), H317

For the full text of the H-Statements mentioned in this Section, see Section 16.

2.2 GHS Label elements, including precautionary statements

Pictogram



Signal word Danger

Hazard statement(s)

H227 Combustible liquid. H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.
H317 May cause an allergic skin reaction.

H317 May cause an allergic skin reaction.
H318 Causes serious eye damage.

Precautionary statement(s)

P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.

P264 Wash skin thoroughly after handling.

Sigma-Aldrich - A3648 Page 1 of 9

P270	Do not eat, drink or smoke when using this product.
P272	Contaminated work clothing should not be allowed out of the workplace.
P280	Wear protective gloves/ protective clothing/ eye protection/ face protection.
P301 + P312 + P330	IF SWALLOWED: Call a POISON CENTER or doctor/ physician if you feel unwell. Rinse mouth.
P301 + P330 + P331	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P303 + P361 + P353	IF ON SKIN (or hair): Remove/ Take off immediately all contaminated
1 000 1 1 001 1 1 000	clothing. Rinse skin with water/ shower.
P304 + P340 + P310	IF INHALED: Remove victim to fresh air and keep at rest in a position
	comfortable for breathing. Immediately call a POISON CENTER or
	doctor/ physician.
P305 + P351 + P338 + P310	IF IN EYES: Rinse cautiously with water for several minutes. Remove
	contact lenses, if present and easy to do. Continue rinsing. Immediately
	call a POISON CENTER or doctor/ physician.
P333 + P313	If skin irritation or rash occurs: Get medical advice/ attention.
P363	Wash contaminated clothing before reuse.
P370 + P378	In case of fire: Use dry sand, dry chemical or alcohol-resistant foam for
	extinction.
P403 + P235	Store in a well-ventilated place. Keep cool.
P405	Store locked up.
P501	Dispose of contents/ container to an approved waste disposal plant.

2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - none

3. COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

Synonyms : 3-Triethoxysilylpropylamine

APTES

Hazardous components

Component	Classification	Concentration	
3-Aminopropyltriethoxysilane			
	Flam. Liq. 4; Acute Tox. 4;	<= 100 %	
	Skin Corr. 1B; Eye Dam. 1;		
	Skin Sens. 1; H227, H302,		
	H314, H317, H318		

For the full text of the H-Statements mentioned in this Section, see Section 16.

4. FIRST AID MEASURES

4.1 Description of first aid measures

General advice

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

In case of skin contact

Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. Consult a physician.

In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician. Continue rinsing eyes during transport to hospital.

Sigma-Aldrich - A3648 Page 2 of 9

If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed

No data available

5. FIREFIGHTING MEASURES

5.1 Extinguishing media

Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

5.2 Special hazards arising from the substance or mixture

Carbon oxides, Nitrogen oxides (NOx), silicon oxides

5.3 Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

5.4 Further information

Under fire conditions, material may decompose to form flammable and/or explosive mixtures in air.Use water spray to cool unopened containers.

6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.

For personal protection see section 8.

6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

6.3 Methods and materials for containment and cleaning up

Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container for disposal according to local regulations (see section 13). Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

For disposal see section 13.

7. HANDLING AND STORAGE

7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid inhalation of vapour or mist.

Keep away from sources of ignition - No smoking. Take measures to prevent the build up of electrostatic charge. For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

Store under inert gas. Moisture sensitive.

Storage class (TRGS 510): Combustible, corrosive hazardous materials

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

Components with workplace control parameters

Contains no substances with occupational exposure limit values.

Sigma-Aldrich - A3648 Page 3 of 9

8.2 **Exposure controls**

Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

Personal protective equipment

Eye/face protection

Tightly fitting safety goggles. Faceshield (8-inch minimum). Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Full contact

Material: Nitrile rubber

Minimum layer thickness: 0.11 mm Break through time: 480 min

Material tested:Dermatril® (KCL 740 / Aldrich Z677272, Size M)

Splash contact

Material: Nitrile rubber

Minimum layer thickness: 0.11 mm Break through time: 480 min

Material tested: Dermatril® (KCL 740 / Aldrich Z677272, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method:

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

Body Protection

Complete suit protecting against chemicals. The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multipurpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

a) Appearance Form: liquid, clear Colour: colourless

No data available

c) Odour Threshold No data available No data available d) pH

Melting point/freezing e)

point

b) Odour

No data available

Initial boiling point and

boiling range

217 °C (423 °F) at 1,013 hPa (760 mmHg) - lit.

g) Flash point 93 °C (199 °F) - closed cup

Sigma-Aldrich - A3648 Page 4 of 9 h) Evaporation rate No data availablei) Flammability (solid, gas) No data available

j) Upper/lower Upper explosion limit: 4.5 %(V) flammability or Lower explosion limit: 0.8 %(V)

explosive limits

k) Vapour pressure < 13 hPa (< 10 mmHg) at 100 °C (212 °F) 133 hPa (100 mmHg) at 155 °C (311 °F)

I) Vapour density 7.64 - (Air = 1.0)

m) Relative density 0.946 g/cm3 at 25 °C (77 °F)

n) Water solubility No data available

o) Partition coefficient: n- log Pow: 1.7 at 20 °C (68 °F)

octanol/water

p) Auto-ignition temperature

270 °C (518 °F)

q) Decomposition temperature No data available

r) Viscosity No data availables) Explosive properties No data availablet) Oxidizing properties No data available

9.2 Other safety information

Relative vapour density 7.64 - (Air = 1.0)

10. STABILITY AND REACTIVITY

10.1 Reactivity

No data available

10.2 Chemical stability

May decompose on exposure to moist air or water. Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions

No data available

10.4 Conditions to avoid

Heat, flames and sparks.

10.5 Incompatible materials

Strong oxidizing agents, Acids

10.6 Hazardous decomposition products

Other decomposition products - No data available In the event of fire: see section 5

11. TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute toxicity

LD50 Oral - Rat - male - 1,780 mg/kg

LC50 Inhalation - Rat - male - 6 h - > 5 ppm (OECD Test Guideline 403)

LC50 Inhalation - Rat - female - 6 h - > 16 ppm (OECD Test Guideline 403)

LD50 Dermal - Rabbit - 3.8 g/kg

Sigma-Aldrich - A3648 Page 5 of 9

No data available

Skin corrosion/irritation

Skin - Rabbit

Result: Causes burns. - 1 h (OECD Test Guideline 404)

Serious eye damage/eye irritation

Eyes - Rabbit

(OECD Test Guideline 405) Remarks: Severe eye irritation

Respiratory or skin sensitisation

Buehler Test - Guinea pig

May cause sensitisation by skin contact.

(OECD Test Guideline 406)

Germ cell mutagenicity

Hamster ovarv

Result: negative

Mutagenicity (micronucleus test)

Mouse - male and female

Result: negative

Carcinogenicity

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as

probable, possible or confirmed human carcinogen by IARC.

ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a

carcinogen or potential carcinogen by ACGIH.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a

known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a

carcinogen or potential carcinogen by OSHA.

Reproductive toxicity

No data available

No data available

Specific target organ toxicity - single exposure

No data available

Specific target organ toxicity - repeated exposure

No data available

Aspiration hazard

No data available

Additional Information

Repeated dose toxicity - Rat - male and female - Oral - No observed adverse effect level - 200 mg/kg - Lowest observed adverse effect level - 600 mg/kg

Repeated dose toxicity - Rabbit - male and female - Dermal - No observed adverse effect level - 84 mg/kg RTECS: TX2100000

Material is extremely destructive to tissue of the mucous membranes and upper respiratory tract, eyes, and skin., spasm, inflammation and edema of the bronchi, pneumonitis, pulmonary edema, burning sensation, Cough, wheezing, laryngitis, Shortness of breath, Headache, Nausea, Vomiting

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Liver - Irregularities - Based on Human Evidence

Liver - Irregularities - Based on Human Evidence

Sigma-Aldrich - A3648 Page 6 of 9

12. ECOLOGICAL INFORMATION

12.1 Toxicity

Toxicity to fish semi-static test LC50 - Danio rerio (zebra fish) - > 934 mg/l - 96 h

(OECD Test Guideline 203)

Toxicity to daphnia and

Immobilization EC50 - Daphnia magna (Water flea) - 331 mg/l - 48 h

other aquatic invertebrates

(OECD Test Guideline 202)

Toxicity to algae

static test EC50 - Desmodesmus subspicatus (green algae) - > 1,000 mg/l - 72

h

Toxicity to bacteria EC50 - Pseudomonas putida - 43 mg/l - 5.75 h

12.2 Persistence and degradability

Biodegradability aerobic - Exposure time 28 d

Result: 67 % - Not biodegradable

12.3 Bioaccumulative potential

Bioaccumulation Cyprinus carpio (Carp) - 5 mg/l

Bioconcentration factor (BCF): 3.4

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

12.6 Other adverse effects

No data available

13. DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Product

This combustible material may be burned in a chemical incinerator equipped with an afterburner and scrubber. Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material.

Contaminated packaging

Dispose of as unused product.

14. TRANSPORT INFORMATION

DOT (US)

UN number: 2735 Class: 8 Packing group: II

Proper shipping name: Amines, liquid, corrosive, n.o.s. (3-Aminopropyltriethoxysilane)

Reportable Quantity (RQ):

Poison Inhalation Hazard: No

IMDG

UN number: 2735 Class: 8 Packing group: II EMS-No: F-A, S-B Proper shipping name: AMINES, LIQUID, CORROSIVE, N.O.S. (3-Aminopropyltriethoxysilane)

IATA

UN number: 2735 Class: 8 Packing group: II

Proper shipping name: Amines, liquid, corrosive, n.o.s. (3-Aminopropyltriethoxysilane)

15. REGULATORY INFORMATION

SARA 302 Components

Sigma-Aldrich - A3648 Page 7 of 9

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313 Components

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

SARA 311/312 Hazards

Fire Hazard, Acute Health Hazard, Chronic Health Hazard

Massachusetts Right To Know Components

No components are subject to the Massachusetts Right to Know Act.

Pennsylvania Right To Know Components

CAS-No. Revision Date

3-Aminopropyltriethoxysilane 919-30-2

New Jersey Right To Know Components

CAS-No. Revision Date

3-Aminopropyltriethoxysilane 919-30-2

California Prop. 65 Components

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

16. OTHER INFORMATION

Full text of H-Statements referred to under sections 2 and 3.

Acute Tox. Acute toxicity
Eye Dam. Serious eye damage
Flam. Liq. Flammable liquids
H227 Combustible liquid.
H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H317 May cause an allergic skin reaction. H318 Causes serious eye damage.

Skin Corr. Skin corrosion

HMIS Rating

Health hazard: 3
Chronic Health Hazard: *
Flammability: 2
Physical Hazard 1

NFPA Rating

Health hazard: 3
Fire Hazard: 2
Reactivity Hazard: 0

Further information

Copyright 2014 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Preparation Information

Sigma-Aldrich Corporation Product Safety – Americas Region 1-800-521-8956

Version: 3.12 Revision Date: 01/05/2015 Print Date: 11/10/2018

Sigma-Aldrich - A3648 Page 9 of 9