### Printing date 11/02/2017

Reviewed on 09/29/2017

## **1** Identification

- · Product name
- Trade name: High Surface area Silica nanoparticles, Large, particle size ~900-1000 nm, surface area ~700 m2/g, (KCC-1 L1)
- **Item number:** 14-6100
- CAS Number: 112945-52-5
- Details of the supplier of the safety data sheet
  Manufacturer/Supplier: Strem Chemicals, Inc.
  7 Mulliken Way
  NEWBURYPORT, MA 01950
  USA
  info@strem.com
- Information department: Technical Department • Emergency telephone number:
- *EMERGENCY: CHEMTREC:* + 1 (800) 424-9300 During normal opening times: +1 (978) 499-1600

### 2 Hazard(s) identification

· Classification of the substance or mixture

Acute Tox. 4 H332 Harmful if inhaled.

Eye Irrit. 2A H319 Causes serious eye irritation.

STOT SE 3 H335 May cause respiratory irritation.

- · Label elements
- · GHS label elements
- The substance is classified and labeled according to the Globally Harmonized System (GHS).
- Hazard pictograms



· Signal word Warning


```
Hazard-determining components of labeling:
Silicon(IV) oxide, 99+%, 0.012 micron (fumed colloidal silica)
Hazard statements
H332 Harmful if inhaled.
H319 Causes serious eye irritation.
H335 May cause respiratory irritation.
Precautionary statements
P261 Avoid breathing dust/fume/gas/mist/vapors/spray
P280 Wear eye protection / face protection.
P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present
and easy to do. Continue rinsing.
P403+P233 Store in a well-ventilated place. Keep container tightly closed.
```

(Contd. on page 2)

US

Printing date 11/02/2017

Reviewed on 09/29/2017



· Chemical characterization: Substances

· CAS No. Description

112945-52-5 Silicon(IV) oxide, 99+%, 0.012 micron (fumed colloidal silica)

## **4** First-aid measures

· Description of first aid measures

```
• General information:
```

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

• After inhalation:

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.

- In case of unconsciousness place patient stably in side position for transportation.
- After skin contact: Generally the product does not irritate the skin.
- After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- After swallowing: If symptoms persist consult doctor.
- · Information for doctor:

· Most important symptoms and effects, both acute and delayed No further relevant information available.

· Indication of any immediate medical attention and special treatment needed

No further relevant information available.

## **5** Fire-fighting measures

· Extinguishing media

• Suitable extinguishing agents: Use fire fighting measures that suit the environment.

(Contd. on page 3)

Printing date 11/02/2017

Reviewed on 09/29/2017

Trade name: High Surface area Silica nanoparticles, Large, particle size ~900-1000 nm, surface area ~700 m2/g, (KCC-1 L1)

(Contd. of page 2)

- Special hazards arising from the substance or mixture No further relevant information available. • Advice for firefighters
- Protective equipment: Mouth respiratory protective device.

### **6** Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Not required.
- Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- *Methods and material for containment and cleaning up:* Dispose contaminated material as waste according to item 13.
- *Ensure adequate ventilation.* • *Reference to other sections*
- See Section 7 for information on an
- See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.

#### · Protective Action Criteria for Chemicals

· PAC-1:

18 mg/m3

• PAC-2:

· PAC-3:

100 mg/m3

630 mg/m3

### 7 Handling and storage

- · Handling:
- · Precautions for safe handling
- Thorough dedusting.
- Ensure good ventilation/exhaustion at the workplace.
- Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep receptacle tightly sealed.
- Specific end use(s) No further relevant information available.

### 8 Exposure controls/personal protection

- Additional information about design of technical systems: No further data; see item 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace: Not required.
- Additional information: The lists that were valid during the creation were used as basis.

· Exposure controls

- · Personal protective equipment:
- General protective and hygienic measures: Keep away from foodstuffs, beverages and feed.

(Contd. on page 4)



Reviewed on 09/29/2017

Trade name: High Surface area Silica nanoparticles, Large, particle size ~900-1000 nm, surface area ~700 m2/g, (KCC-1 L1)

(Contd. of page 3)

Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Avoid contact with the eyes. Avoid contact with the eyes and skin.

### · Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

### · Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation · Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection:



Tightly sealed goggles

## **9** Physical

Information on basic physical and General Information		
Appearance:		
Form:	Powder	
Color:	White	
Odor:	Characteristic	
Odor threshold:	Not determined.	
pH-value:	Not applicable.	
Change in condition		
Melting point/Melting range:	1.500 °C (35 °F)	
<b>Boiling point/Boiling range:</b>	Undetermined.	
Flash point:	Not applicable.	
Flammability (solid, gaseous):	Not determined.	
Ignition temperature:		
Decomposition temperature:	Not determined.	
Auto igniting:	Not determined.	



Printing date 11/02/2017

Reviewed on 09/29/2017

Trade name: High Surface area Silica nanoparticles, Large, particle size ~900-1000 nm, surface area ~700 m2/g, (KCC-1 L1)

	(Contd. of page	
Danger of explosion:	Product does not present an explosion hazard.	
Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
Vapor pressure at 20 $^{\circ}C$ (68 $^{\circ}F$ ):	10 hPa (8 mm Hg)	
Density:	Not determined.	
Relative density	Not determined.	
Vapor density	Not applicable.	
Evaporation rate	Not applicable.	
Solubility in / Miscibility with		
Water:	Insoluble.	
Partition coefficient (n-octanol/wate	p <b>r):</b> Not determined.	
Viscosity:		
Dynamic:	Not applicable.	
Kinematic:	Not applicable.	
Solvent content:		
Organic solvents:	0.0 %	
VOC content:	$0.0 \ g/l / 0.00 \ lb/gl$	
Other information	No further relevant information available.	

## **10 Stability and reactivity**

· Reactivity No further relevant information available.

- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

### **11 Toxicological information**

- · Information on toxicological effects
- · Acute toxicity:
- · Primary irritant effect:
- on the skin: No irritant effect.
- on the eye: Irritating effect.
- Sensitization: No sensitizing effects known.
- $\cdot$  Additional toxicological information:

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

Substance is not listed.

#### · NTP (National Toxicology Program)

Substance is not listed.

(Contd. on page 6)

<sup>–</sup> US

Printing date 11/02/2017

CHEMICALS,

Reviewed on 09/29/2017

Trade name: High Surface area Silica nanoparticles, Large, particle size ~900-1000 nm, surface area ~700 m2/g, (KCC-1 L1)

(Contd. of page 5)

· OSHA-Ca (Occupational Safety & Health Administration)

Substance is not listed.

## **12** Ecological information

- · Toxicity
- Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- **vPvB:** Not applicable.
- · Other adverse effects No further relevant information available.

### **13 Disposal considerations**

- · Waste treatment methods
- *Recommendation: Must not be disposed of together with household garbage. Do not allow product to reach sewage system.*

· Uncleaned packagings:

• Recommendation: Disposal must be made according to official regulations.

· UN-Number · DOT, ADN, IMDG, IATA	not regulated	
UN proper shipping name DOT, ADN, IMDG, IATA	not regulated	
• Transport hazard class(es)		
DOT, ADN, IMDG, IATA Class	not regulated	
· Packing group · DOT, IMDG, IATA	not regulated	
Environmental hazards:	Not applicable.	
Special precautions for user	Not applicable.	
Transport in bulk according to Annex MARPOL73/78 and the IBC Code	<b>II of</b> Not applicable.	

Reviewed on 09/29/2017

Trade name: High Surface area Silica nanoparticles, Large, particle size ~900-1000 nm, surface area ~700 m2/g, (KCC-1 L1)

(Contd. of page 6)

· UN ''Model Regulation'':

not regulated

## **15 Regulatory information**

- $\cdot$  Safety, health and environmental regulations/legislation specific for the substance or mixture  $\cdot$  Sara
- · Section 355 (extremely hazardous substances):
- Substance is not listed.
- Section 313 (Specific toxic chemical listings):
- Substance is not listed.
- · TSCA (Toxic Substances Control Act):
- Substance is not listed.
- · Proposition 65
- · Chemicals known to cause cancer:
- Substance is not listed.
- · Chemicals known to cause reproductive toxicity for females:
- Substance is not listed.
- · Chemicals known to cause reproductive toxicity for males:
- Substance is not listed.
- · Chemicals known to cause developmental toxicity:
- Substance is not listed.
- · Carcinogenic categories
- · EPA (Environmental Protection Agency)
- Substance is not listed.
- · TLV (Threshold Limit Value established by ACGIH)
- Substance is not listed.
- · NIOSH-Ca (National Institute for Occupational Safety and Health)
- Substance is not listed.
- · GHS label elements
- The substance is classified and labeled according to the Globally Harmonized System (GHS).
- Hazard pictograms



- · Signal word Warning
- Hazard-determining components of labeling: Silicon(IV) oxide, 99+%, 0.012 micron (fumed colloidal silica)
  Hazard statements H332 Harmful if inhaled. H319 Causes serious eye irritation. H335 May cause respiratory irritation.

(Contd. on page 8)



# Printing date 11/02/2017

US

Printing date 11/02/2017

Reviewed on 09/29/2017

Trade name: High Surface area Silica nanoparticles, Large, particle size ~900-1000 nm, surface area ~700 m2/g, (KCC-1 L1)

	(Contd. of page 7)
· Precautionary s	statements
P261	Avoid breathing dust/fume/gas/mist/vapors/spray
P280	Wear eye protection / face protection.
P305+P351+P	338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present
	and easy to do. Continue rinsing.
P403+P233	Store in a well-ventilated place. Keep container tightly closed.
P405	Store locked up.
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.

· National regulations:

• Water hazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### **16 Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Technical Department.
- · Contact: Technical Director
- · Date of preparation / last revision 11/02/2017 / -

· Abbreviations and acronyms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Acute Tox. 4: Acute toxicity - Category 4 Eye Irrit. 2A: Serious eye damage/eye irritation - Category 2A STOT SE 3: Specific target organ toxicity (single exposure) – Category 3