Printing date 07/30/2016

Reviewed on 07/30/2016

1 Identification

- · Product name
- · Trade name: Zinc arsenide (99.5%-Zn)
- Item number: 30-3050
- CAS Number: 12006-40-5
- EC number:
- 234-486-2 • Index number:
- 033-002-00-5
- Details of the supplier of the safety data sheet • Manufacturer/Supplier:
- Strem Chemicals, Inc. 7 Mulliken Way NEWBURYPORT, MA 01950 USA info@strem.com
- · Information department: Technical Department
- *Emergency telephone number: EMERGENCY: CHEMTREC: + 1 (800) 424-9300 During normal opening times: +1 (978) 499-1600*

2 Hazard(s) identification

· Classification of the substance or mixture

GHS06 Skull and crossbones

Acute Tox. 3 H301 Toxic if swallowed. Acute Tox. 3 H331 Toxic if inhaled.

· Label elements

· GHS label elements

The substance is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms*



· Signal word Danger

 Hazard-determining components of labeling: none
 Hazard statements H301+H331 Toxic if swallowed or if inhaled.
 Precautionary statements
 P280 Wear protective gloves/protective clothing/eye protection/face protection.
 P261 Avoid breathing dust/fume/gas/mist/vapors/spray
 P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.
 P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

(Contd. on page 2)


US


CHEMICALS, INC

Safety Data Sheet according to OSHA HCS

Printing date 07/30/2016

Reviewed on 07/30/2016





- · Chemical characterization: Substances
- · CAS No. Description
- 12006-40-5 none
- · Identification number(s)
- EC number: 234-486-2
- Index number: 033-002-00-5

4 First-aid measures

· Description of first aid measures

• General information:

Immediately remove any clothing soiled by the product.

- Remove breathing apparatus only after contaminated clothing have been completely removed.
- In case of irregular breathing or respiratory arrest provide artificial respiration.
- After inhalation:

Supply fresh air or oxygen; call for doctor.

- In case of unconsciousness place patient stably in side position for transportation.
- \cdot After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing: Do not induce vomiting; immediately call for medical help.
- Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

(Contd. on page 3)

Printing date 07/30/2016

Reviewed on 07/30/2016

Trade name: Zinc arsenide (99.5%-Zn)

(Contd. of page 2)

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents:
- CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures Not required.

• Environmental precautions: Do not allow product to reach sewage system or any water course. Inform respective authorities in case of seepage into water course or sewage system.

- *Methods and material for containment and cleaning up:* Dispose contaminated material as waste according to item 13. Ensure adequate ventilation.
- Reference to other sections
 See Section 7 for information on safe handling.
 See Section 8 for information on personal protection equipment.
 See Section 13 for disposal information.

7 Handling and storage

· Handling:

- **Precautions for safe handling** Thorough dedusting. Ensure good ventilation/exhaustion at the workplace. Open and handle receptacle with care.
- Information about protection against explosions and fires: Keep respiratory protective device available.
- · Conditions for safe storage, including any incompatibilities

· Storage:

- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep receptacle tightly sealed.
- *Specific end use(s) No further relevant information available.*

8 Exposure controls/personal protection

· Additional information about design of technical systems: No further data; see item 7.

· Control parameters

· Components with limit values that require monitoring at the workplace:

12006-40-5 none

PEL Long-term value: 0.01 mg/m³

as As; 29CFR1910.1018

(Contd. on page 4)

US

Printing date 07/30/2016

CHEMICALS, INC.

Reviewed on 07/30/2016

Trade name: Zinc arsenide (99.5%-Zn)

(Contd. of page 3)

	(Contd. of page
REL	Ceiling limit value: 0.002 mg/m ³
	as As; 15min; See Pocket Guide App. A
TLV	$Long-term value: 0.01 mg/m^3$
	as As; BEI
-	redients with biological limit values:
120	06-40-5 none
BEI	$35 \mu g As/L$
	Medium: urine
	Time: end of workweek
	Parameter: Inorganic arsenic plus methylated metabolites
$\cdot Add$	itional information: The lists that were valid during the creation were used as basis.
· Exp	osure controls
	sonal protective equipment:
	eral protective and hygienic measures:
	p away from foodstuffs, beverages and feed.
	nediately remove all soiled and contaminated clothing.
	h hands before breaks and at the end of work.
	e protective clothing separately.
	athing equipment:
	ase of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure u
	iratory protective device that is independent of circulating air. t ection of hands:
• 1 70	ection of nanas.
PH	Protective gloves
	glove material has to be impermeable and resistant to the product/ the substance/ the preparation.
	to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the preparation of the
	nical mixture. ction of the glove material on consideration of the penetration times, rates of diffusion and the degradation
	erial of gloves
	selection of the suitable gloves does not only depend on the material, but also on further marks of quality ar
	es from manufacturer to manufacturer.
	etration time of glove material
The	exact break through time has to be found out by the manufacturer of the protective gloves and has to l erved.
· Eye	protection: Safety glasses
-	
0.771	
9 Phy	vsical and chemical properties
· Info	rmation on basic physical and chemical properties
	eral Information
	earance:
Fe	orm: Chunks

· pH-value:	Not applicable.
• Odor threshold:	Not determined.
· Odor:	Odorless
Color:	Grey
Form:	Chunks

(Contd. on page 5)

US

Printing date 07/30/2016

CHEMICALS, INC.

Reviewed on 07/30/2016

Trade name: Zinc arsenide (99.5%-Zn)

		(Contd. of page
Change in condition		
Melting point/Melting range:	no data °C	
Boiling point/Boiling range:	no data °C	
Flash point:	Not applicable.	
Flammability (solid, gaseous):	Not determined.	
Ignition temperature:		
Decomposition temperature:	Not determined.	
Auto igniting:	Not determined.	
Danger of explosion:	Product does not present an explosion hazard.	
Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
Vapor pressure:	no data hPa	
<i>Density at 20 •C (68 •F):</i>	5.528 g/cm ³ (46.131 lbs/gal)	
Relative density	Not determined.	
Vapor density	Not applicable.	
Evaporation rate	Not applicable.	
Solubility in / Miscibility with		
Water:	Insoluble.	
Partition coefficient (n-octanol/wat	er): Not determined.	
Viscosity:		
Dynamic:	Not applicable.	
Kinematic:	Not applicable.	
Solvent content:		
Organic solvents:	0.0 %	
VOC content:	0.0 g/l / 0.00 lb/gl	
Solids content:	100.0 %	
Other information	No further relevant information available.	

10 Stability and reactivity

• *Reactivity* No further relevant information available.

· Chemical stability

- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- *Incompatible materials:* No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

(Contd. on page 6)

US

Printing date 07/30/2016

Reviewed on 07/30/2016

Trade name: Zinc arsenide (99.5%-Zn)

(Contd. of page 5)

1

K

1100 •		•	e
11 Toxicol	noical	111	ormation
	Sicur		or menerone

- · Information on toxicological effects
- Acute toxicity:
- · Primary irritant effect:
- on the skin: No irritant effect.
- on the eye: No irritating effect.
- Sensitization: No sensitizing effects known.
- · Additional toxicological information:
- · Carcinogenic categories
- · IARC (International Agency for Research on Cancer)

12006-40-5 none

· NTP (National Toxicology Program)

12006-40-5 none

· OSHA-Ca (Occupational Safety & Health Administration)

Substance is listed.

12 Ecological information

- · Toxicity
- Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes: Not known to be hazardous to water.
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · **vPvB:** Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

· Uncleaned packagings:

· Recommendation: Disposal must be made according to official regulations.

· UN-Number		
· DOT, IMDG, IATA	UN1557	
· UN proper shipping name		
· DOT, IATA	Arsenic compounds, solid, n.o.s.	



Printing date 07/30/2016

Reviewed on 07/30/2016

Trade name: Zinc arsenide (99.5%-Zn)

	(Contd. of page
IMDG	ARSENIC COMPOUND, SOLID, N.O.S.
Transport hazard class(es)	
DOT	
8	
Class	6.1 Toxic substances
Label	6.1
IMDG	
8	
Class	6
Label	6.1
IATA	
6	
Class Label	6.1 Toxic substances 6.1
Packing group	012
DOT, IMDG, IATA	II
Environmental hazards:	
Marine pollutant:	No
Special precautions for user	Not applicable.
EMS Number:	F-A,S-A
Stowage Category	A SC70 For more in a behilver "a more to deferm" a side
Segregation Code	SG70 For arsenic sulphides, "separated from" acids
Transport in bulk according to Annex MARPOL73/78 and the IBC Code	II of Not applicable.
	Noi applicable.
Transport/Additional information:	
	0
Quantity limitations	On passenger aircraft/rail: 25 kg On cargo aircraft only: 100 kg
IMDC	
IMDG Limited quantities (LQ)	.5kg
Excepted quantities (EQ)	Code: E4
· ~	Maximum net quantity per inner packaging: 1 g
	Maximum net quantity per outer packaging: 500 g
UN ''Model Regulation'':	UN 1557 ARSENIC COMPOUNDS, SOLID, N.O.S., 6.1, II

(Contd. on page 8)

US



Printing date 07/30/2016

Reviewed on 07/30/2016

Trade name: Zinc arsenide (99.5%-Zn)

(Contd. of page 7)

1 - 1		and a sure	 forma	4
	ερσπ	~~~~		11011
101		www.y		

 \cdot Safety, health and environmental regulations/legislation specific for the substance or mixture \cdot Sara

· Section 355 (extremely hazardous substances):

Substance is not listed.

• Section 313 (Specific toxic chemical listings):

Substance is listed.

• TSCA (Toxic Substances Control Act):

Substance is listed.

· Proposition 65

 \cdot Chemicals known to cause cancer:

Substance is listed.

· Chemicals known to cause reproductive toxicity for females:

Substance is not listed.

· Chemicals known to cause reproductive toxicity for males:

Substance is not listed.

· Chemicals known to cause developmental toxicity:

Substance is not listed.

· Carcinogenic categories

· EPA (Environmental Protection Agency)

12006-40-5 none

· TLV (Threshold Limit Value established by ACGIH)

12006-40-5 none

 \cdot NIOSH-Ca (National Institute for Occupational Safety and Health)

Substance is listed.

· GHS label elements

The substance is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms*



· Signal word Danger

 Hazard-determining components of labeling: none
 Hazard statements H301+H331 Toxic if swallowed or if inhaled.
 Precautionary statements
 P280 Wear protective gloves/protective clothing/eye protection/face protection.
 P261 Avoid breathing dust/fume/gas/mist/vapors/spray
 P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.
 P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

(Contd. on page 9)

A

A1

US

Printing date 07/30/2016

CHEMICALS, INC.

Reviewed on 07/30/2016

 Chemical safety assessment: A Chemical Safety Assessment has not been carried out. If Other information This information is based on our present knowledge. However, this shall not constitute a guarantee for specific product features and shall not establish a legally valid contractual relationship. Department issuing SDS: Technical Department. Contact: Technical Director Date of preparation / last revision 07/30/2016 / - Abbreviations and acronyms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the Internati Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) PBT: Persistent, Bioaccumulative and Toxic VPB: Very Persistent and Very Bioaccumulative NIOSH: National Institute for Occupational Safety OCcupational Safety Health PEL: Permissible Exposure Limit BET: Biological Exposure Limit BET: Biological Exposure Limit 	P403+P233 P501	(Contd. of pag Store in a well-ventilated place. Keep container tightly closed. Dispose of contents/container in accordance with local/regional/national/internatio regulations.
 specific product features and shall not establish a legally valid contractual relationship. Department issuing SDS: Technical Department. Contact: Technical Director Date of preparation / last revision 07/30/2016 / - Abbreviations and acronyms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the Internati Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transport Association ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLY: Threshold Limit Value PEL: Permissible Exposure Limit 	· Chemical safety	wassessment: A Chemical Safety Assessment has not been carried out.
 specific product features and shall not establish a legally valid contractual relationship. Department issuing SDS: Technical Department. Contact: Technical Director Date of preparation / last revision 07/30/2016 / - Abbreviations and acronyms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the Internatic Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transport Association ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFFA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit 	16 Other inform	pation
 Contact: Technical Director Date of preparation / last revision 07/30/2016 / - Abbreviations and acronyms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the Internatic Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit 		
 Date of preparation / last revision 07/30/2016 / - Abbreviations and acronyms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the Internati Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association ACGH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit 	· Department issu	uing SDS: Technical Department.
 Abbreviations and acronyms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the Internatio Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit 	· Contact: Techni	ical Director
 ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the Internatio Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit 		
Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit	• Date of prepara	ttion / last revision 0//30/2016 / -
 IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit 		
DOT: US Department of Transportation IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit	• Abbreviations a ADR: Accord europ	n d acronyms: péen sur le transport des marchandises dangereuses par Route (European Agreement concerning the Internation
IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit	• Abbreviations a ADR: Accord europ Carriage of Danger	a nd acronyms: péen sur le transport des marchandises dangereuses par Route (European Agreement concerning the Internatio ous Goods by Road)
ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit	• Abbreviations a ADR: Accord europ Carriage of Danger IMDG: Internationa	a nd acronyms: péen sur le transport des marchandises dangereuses par Route (European Agreement concerning the Internatio ous Goods by Road) al Maritime Code for Dangerous Goods
CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit	• Abbreviations a ADR: Accord euro Carriage of Danger IMDG: Internationa DOT: US Departme	a nd acronyms: péen sur le transport des marchandises dangereuses par Route (European Agreement concerning the Internatio ous Goods by Road) Il Maritime Code for Dangerous Goods nt of Transportation
NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit	• Abbreviations a ADR: Accord euro Carriage of Danger IMDG: Internationa DOT: US Departme IATA: International	a nd acronyms: péen sur le transport des marchandises dangereuses par Route (European Agreement concerning the Internatio ous Goods by Road) al Maritime Code for Dangerous Goods ant of Transportation Air Transport Association
HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit	• Abbreviations a ADR: Accord euro Carriage of Danger IMDG: Internationa DOT: US Departme IATA: International ACGIH: American (a nd acronyms: péen sur le transport des marchandises dangereuses par Route (European Agreement concerning the Internation ous Goods by Road) al Maritime Code for Dangerous Goods ont of Transportation Air Transport Association Conference of Governmental Industrial Hygienists
VOC: Volatile Organic Compounds (USA, EU) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit	• Abbreviations a ADR: Accord euro Carriage of Danger IMDG: International DOT: US Departme IATA: International ACGIH: American O EINECS: European CAS: Chemical Abso	and acronyms: péen sur le transport des marchandises dangereuses par Route (European Agreement concerning the Internation ous Goods by Road) al Maritime Code for Dangerous Goods nt of Transportation Air Transport Association Conference of Governmental Industrial Hygienists Inventory of Existing Commercial Chemical Substances tracts Service (division of the American Chemical Society)
PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit	• Abbreviations a ADR: Accord euro Carriage of Danger IMDG: Internationa DOT: US Departme IATA: International ACGIH: American (EINECS: European CAS: Chemical Absi NFPA: National Fir	and acronyms: péen sur le transport des marchandises dangereuses par Route (European Agreement concerning the Internation ous Goods by Road) al Maritime Code for Dangerous Goods nt of Transportation Air Transport Association Conference of Governmental Industrial Hygienists Inventory of Existing Commercial Chemical Substances tracts Service (division of the American Chemical Society) re Protection Association (USA)
vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit	• Abbreviations a ADR: Accord euro, Carriage of Danger IMDG: International DOT: US Departme IATA: International ACGIH: American O EINECS: European CAS: Chemical Absi NFPA: National Fir HMIS: Hazardous M	and acronyms: péen sur le transport des marchandises dangereuses par Route (European Agreement concerning the Internation ous Goods by Road) al Maritime Code for Dangerous Goods nt of Transportation Air Transport Association Conference of Governmental Industrial Hygienists Inventory of Existing Commercial Chemical Substances tracts Service (division of the American Chemical Society) re Protection Association (USA) Materials Identification System (USA)
NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit	• Abbreviations a ADR: Accord euro, Carriage of Danger, IMDG: International DOT: US Departme IATA: International ACGIH: American O EINECS: European CAS: Chemical Abst NFPA: National Fir HMIS: Hazardous M VOC: Volatile Orga	and acronyms: péen sur le transport des marchandises dangereuses par Route (European Agreement concerning the Internation ous Goods by Road) al Maritime Code for Dangerous Goods int of Transportation Air Transport Association Conference of Governmental Industrial Hygienists Inventory of Existing Commercial Chemical Substances tracts Service (division of the American Chemical Society) re Protection Association (USA) Materials Identification System (USA) mic Compounds (USA, EU)
OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit	• Abbreviations a ADR: Accord euro Carriage of Danger IMDG: International DOT: US Departme IATA: International ACGIH: American O EINECS: European CAS: Chemical Abst NFPA: National Fir HMIS: Hazardous M VOC: Volatile Orga PBT: Persistent, Bio	and acronyms: péen sur le transport des marchandises dangereuses par Route (European Agreement concerning the Internation ous Goods by Road) al Maritime Code for Dangerous Goods int of Transportation Air Transport Association Conference of Governmental Industrial Hygienists Inventory of Existing Commercial Chemical Substances tracts Service (division of the American Chemical Society) re Protection Association (USA) Materials Identification System (USA) mater Compounds (USA, EU) paccumulative and Toxic
PEL: Permissible Exposure Limit REL: Recommended Exposure Limit	• Abbreviations a ADR: Accord euro Carriage of Danger IMDG: International DOT: US Departme IATA: International ACGIH: American O EINECS: European CAS: Chemical Abst NFPA: National Fir HMIS: Hazardous M VOC: Volatile Orga PBT: Persistent, Bio vPvB: very Persister	nd acronyms: péen sur le transport des marchandises dangereuses par Route (European Agreement concerning the Internation ous Goods by Road) al Maritime Code for Dangerous Goods ant of Transportation Air Transport Association Conference of Governmental Industrial Hygienists Inventory of Existing Commercial Chemical Substances tracts Service (division of the American Chemical Society) re Protection Association (USA) Materials Identification System (USA) inic Compounds (USA, EU) paccumulative and Toxic nt and very Bioaccumulative
REL: Recommended Exposure Limit	Abbreviations a ADR: Accord euro Carriage of Danger IMDG: International DOT: US Departme IATA: International ACGIH: American O EINECS: European CAS: Chemical Absi NFPA: National Fir HMIS: Hazardous M VOC: Volatile Orga PBT: Persistent, Bio vPvB: very Persisten NIOSH: National In	and acronyms: péen sur le transport des marchandises dangereuses par Route (European Agreement concerning the Internation ous Goods by Road) al Maritime Code for Dangerous Goods ant of Transportation Air Transport Association Conference of Governmental Industrial Hygienists Inventory of Existing Commercial Chemical Substances tracts Service (division of the American Chemical Society) re Protection Association (USA) Materials Identification System (USA) inic Compounds (USA, EU) paccumulative and Toxic nt and very Bioaccumulative testitute for Occupational Safety
	Abbreviations a ADR: Accord euro Carriage of Danger IMDG: International DOT: US Departme IATA: International ACGIH: American O EINECS: European CAS: Chemical Abss NFPA: National Fir HMIS: Hazardous M VOC: Volatile Orga PBT: Persistent, Bio vPvB: very Persistent NIOSH: National In OSHA: Occupationd	nd acronyms: péen sur le transport des marchandises dangereuses par Route (European Agreement concerning the Internation ous Goods by Road) al Maritime Code for Dangerous Goods ant of Transportation Air Transport Association Conference of Governmental Industrial Hygienists Inventory of Existing Commercial Chemical Substances tracts Service (division of the American Chemical Society) re Protection Association (USA) Materials Identification System (USA) mic Compounds (USA, EU) paccumulative and Toxic nt and very Bioaccumulative testitute for Occupational Safety al Safety & Health
BEI: Biological Exposure Limit	 Abbreviations a ADR: Accord euro, Carriage of Danger, IMDG: International DOT: US Departme IATA: International ACGIH: American O EINECS: European CAS: Chemical Absu NFPA: National Fir HMIS: Hazardous M VOC: Volatile Orga PBT: Persistent, Bio vPvB: very Persister, NIOSH: National In OSHA: Occupationa TLV: Threshold Lim PEL: Permissible E. 	nd acronyms: péen sur le transport des marchandises dangereuses par Route (European Agreement concerning the Internation ous Goods by Road) al Maritime Code for Dangerous Goods nt of Transportation Air Transport Association Conference of Governmental Industrial Hygienists Inventory of Existing Commercial Chemical Substances tracts Service (division of the American Chemical Society) re Protection Association (USA) Materials Identification System (USA) mic Compounds (USA, EU) paccumulative and Toxic nt and very Bioaccumulative tstitute for Occupational Safety al Safety & Health mit Value xposure Limit
Acute Tox, 3: Acute toxicity, Hazard Category 3	Abbreviations a ADR: Accord euro Carriage of Danger IMDG: International DOT: US Departme IATA: International ACGIH: American O EINECS: European CAS: Chemical Absu NFPA: National Fir HMIS: Hazardous M VOC: Volatile Orga PBT: Persistent, Bio vPvB: very Persistent NIOSH: National In OSHA: Occupational TLV: Threshold Lim PEL: Permissible E. REL: Recommended	nd acronyms: péen sur le transport des marchandises dangereuses par Route (European Agreement concerning the Internation ous Goods by Road) al Maritime Code for Dangerous Goods nt of Transportation Air Transport Association Conference of Governmental Industrial Hygienists Inventory of Existing Commercial Chemical Substances tracts Service (division of the American Chemical Society) re Protection Association (USA) Materials Identification System (USA) mic Compounds (USA, EU) baccumulative and Toxic nt and very Bioaccumulative istitute for Occupational Safety al Safety & Health tit Value xposure Limit l Exposure Limit