

Printing date 07/30/2016

Reviewed on 07/30/2016

1 Identification

- · Product name
- · Trade name: Copper(II) hexafluoroacetylacetonate, anhydrous, elec. gr. (99.99+%-Cu) PURATREM
- Item number: 29-2928
- · CAS Number:
- 14781-45-4 • **EC number:**
- 238-850-1
- Details of the supplier of the safety data sheet • Manufacturer/Supplier:
- Strem Chemicals, Inc. 7 Mulliken Way NEWBURYPORT, MA 01950 USA info@strem.com
- · Information department: Technical Department
- Emergency telephone number: EMERGENCY: CHEMTREC: + 1 (800) 424-9300 During normal opening times: +1 (978) 499-1600

2 Hazard(s) identification

· Classification of the substance or mixture

Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2A H319 Causes serious eye irritation.

STOT SE 3 H335 May cause respiratory irritation.

- · Label elements
- · GHS label elements
- *The substance is classified and labeled according to the Globally Harmonized System (GHS). Hazard pictograms*



· Signal word Warning

Hazard-determining components of labeling: Copper(II) hexafluoroacetylacetonate, anhydrous, elec. gr. (99.99+%-Cu) PURATREM
Hazard statements H315 Causes skin irritation. H319 Causes serious eye irritation. H335 May cause respiratory irritation.
Precautionary statements P231 Handle under inert gas. P222 Do not allow contact with air. P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.


(Contd. on page 2)

US

Printing date 07/30/2016

Reviewed on 07/30/2016

Trade name: Copper(II) hexafluoroacetylacetonate, anhydrous, elec. gr. (99.99+%-Cu) PURATREM



3 Composition/information on ingredients

- Chemical characterization: Substances
 CAS No. Description 14781-45-4 Copper(II) hexafluoroacetylacetonate, anhydrous, elec. gr.
- (99.99+%-Cu) PURATREM • Identification number(s)
- EC number: 238-850-1

4 First-aid measures

- · Description of first aid measures
- · After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- After swallowing: If symptoms persist consult doctor.
- · Information for doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:
- CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- Special hazards arising from the substance or mixture No further relevant information available.

(Contd. on page 3)



US

Printing date 07/30/2016

Reviewed on 07/30/2016

Trade name: Copper(II) hexafluoroacetylacetonate, anhydrous, elec. gr. (99.99+%-Cu) PURATREM

- · Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Not required.
- · Environmental precautions: No special measures required.
- *Methods and material for containment and cleaning up: Dispose contaminated material as waste according to item 13. Ensure adequate ventilation.*
- *Reference to other sections See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.*

7 Handling and storage

· Handling: Handle under inert gas.

- · Precautions for safe handling Open and handle receptacle with care.
- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage: Store contents under inert gas.
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- Store in cool, dry conditions in well sealed receptacles.
- *Specific end use*(*s*) *No further relevant information available.*

8 Exposure controls/personal protection

- Additional information about design of technical systems: No further data; see item 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace: Not required.
- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:
- Keep away from foodstuffs, beverages and feed.
- Immediately remove all soiled and contaminated clothing.
- Wash hands before breaks and at the end of work.
- Avoid contact with the eyes and skin.

• Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

(Contd. on page 4)

US –



(Contd. of page 2)

Printing date 07/30/2016

CHEMICALS.

Reviewed on 07/30/2016

(Contd. of page 3)

Trade name: Copper(II) hexafluoroacetylacetonate, anhydrous, elec. gr. (99.99+%-Cu) PURATREM

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation \cdot *Material of gloves*

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

TC / 1 · 1 · 1 1	1 • 1	
Information on basic physical and General Information	chemical properties	
Appearance:		
Form:	Crystalline	
Color:	Blue	
Odor:	Odorless	
Odor threshold:	Not determined.	
pH-value:	Not applicable.	
Change in condition		
Melting point/Melting range:	none °C	
Boiling point/Boiling range:	>220 °C (decompo °C (>428 °C (decompo °F)	
Flash point:	Not applicable.	
Flammability (solid, gaseous):	Not determined.	
Ignition temperature:		
Decomposition temperature:	Not determined.	
Auto igniting:	Not determined.	
Danger of explosion:	Product does not present an explosion hazard.	
Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
Vapor pressure:	sublimes hPa	
Density:	Not determined.	
Relative density	Not determined.	

US

Printing date 07/30/2016

Reviewed on 07/30/2016

Trade name: Copper(II) hexafluoroacetylacetonate, anhydrous, elec. gr. (99.99+%-Cu) PURATREM

		(Contd. of page
· Vapor density	Not applicable.	
· Evaporation rate	Not applicable.	
· Solubility in / Miscibility with		
Water:	Insoluble.	
· Partition coefficient (n-octanol/	water): Not determined.	
· Viscosity:		
Dynamic:	Not applicable.	
Kinematic:	Not applicable.	
· Solvent content:		
Organic solvents:	0.0 %	
VOC content:	0.0 g/l / 0.00 lb/gl	
Solids content:	100.0 %	
• Other information	No further relevant information available.	

10 Stability and reactivity

- *Reactivity* No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- Acute toxicity:
- · Primary irritant effect:
- \cdot on the skin: Irritant to skin and mucous membranes.
- on the eye: Irritating effect.
- Sensitization: No sensitizing effects known.
- \cdot Additional toxicological information:

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

Substance is not listed.

· NTP (National Toxicology Program)

Substance is not listed.

· OSHA-Ca (Occupational Safety & Health Administration)

Substance is not listed.

12 Ecological information

· Toxicity

- Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.

(Contd. on page 6)

US

Printing date 07/30/2016

Reviewed on 07/30/2016

(Contd. of page 5)

Trade name: Copper(II) hexafluoroacetylacetonate, anhydrous, elec. gr. (99.99+%-Cu) PURATREM

- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes: Not known to be hazardous to water.
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- **vPvB:** Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.

4 Transport information		
· UN-Number · DOT, ADN, IMDG, IATA	not regulated	
· UN proper shipping name · DOT, ADN, IMDG, IATA	not regulated	
· Transport hazard class(es)		
· DOT, ADN, IMDG, IATA · Class	not regulated	
· Packing group · DOT, IMDG, IATA	not regulated	
· Environmental hazards: · Marine pollutant:	No	
Special precautions for user	Not applicable.	
• Transport in bulk according to Annex MARPOL73/78 and the IBC Code	II of Not applicable.	
· UN ''Model Regulation'':	not regulated	

15 Regulatory information

- \cdot Safety, health and environmental regulations/legislation specific for the substance or mixture
- Sara
- Section 355 (extremely hazardous substances):
- Substance is not listed.
- · Section 313 (Specific toxic chemical listings):
- Substance is not listed.

(Contd. on page 7)



US

Printing date 07/30/2016

-10

CHEMICALS, INC.

Reviewed on 07/30/2016

Trade name: Copper(II) hexafluoroacetylacetonate, anhydrous, elec. gr. (99.99+%-Cu) PURATREM

TSCA (Toxic Substances Control Act): Substance is not listed. Proposition 65 Chemicals known to cause cancer: Substance is not listed. Chemicals known to cause reproductive toxicity for females: Substance is not listed. Chemicals known to cause reproductive toxicity for males: Substance is not listed. Chemicals known to cause reproductive toxicity: Substance is not listed. Carcinogenic categories EPA (Environmental Protection Agency) Substance is not listed. TLV (Threshold Limit Value established by ACGIH) Substance is not listed. NIOSH-Ca (National Institute for Occupational Safety and Health) Substance is not listed. GHS label elements The substance is classified and labeled according to the Globally Harmonized System (GHS). Hazard Jetermining components of labeling: Copper(II) hexafluoroacetylacetonate, anhydrous, elec. gr. (99.99+%-Cu) PURATREM Hazard statements H315 Causes skin irritation. H315 Causes skin irritation. H315 Causes respiratory irritation. H325 May cause respiratory irritation. P231 Handle under inert gas. P232 <th></th> <th>(Contd. of page</th>		(Contd. of page
Proposition 65 Chemicals known to cause cancer: Substance is not listed. Chemicals known to cause reproductive toxicity for females: Substance is not listed. Chemicals known to cause reproductive toxicity for males: Substance is not listed. Chemicals known to cause developmental toxicity: Substance is not listed. Carcinogenic categories EPA (Environmental Protection Agency) Substance is not listed. TLV (Threshold Limit Value established by ACGIH) Substance is not listed. NOSH-Ca (National Institute for Occupational Safety and Health) Substance is not listed. GHS label elements The substance is a classified and labeled according to the Globally Harmonized System (GHS). Hazard pictograms GHS label elements Task statements H315 Causes skin irritation. H316 Causes stin irritation. H317 Causes stin irritation. H318 Causes stain irritation. H31	,	·
Chemicals known to cause cancer: Substance is not listed. Chemicals known to cause reproductive toxicity for females: Substance is not listed. Chemicals known to cause reproductive toxicity for males: Substance is not listed. Chemicals known to cause developmental toxicity: Substance is not listed. Carcinogenic categories EPA (Environmental Protection Agency) Substance is not listed. TLV (Threshold Limit Value established by ACGIH) Substance is not listed. MOSH-Ca (National Institute for Occupational Safety and Health) Substance is not listed. MISH-Ca (National Institute for Occupational Safety and Health) Substance is not listed. GHS label elements The substance is classified and labeled according to the Globally Harmonized System (GHS). Hazard pictograms Coppert(I) hexafluorocactylacetonate, anhydrous, elec. gr. (99.99+%-Cu) PURATREM Hasard statements H315 Causes skin irritation. H315 Causes skin irrita		t listed.
Substance is not listed. Chemicals known to cause reproductive toxicity for females: Substance is not listed. Chemicals known to cause reproductive toxicity for males: Substance is not listed. Chemicals known to cause developmental toxicity: Substance is not listed. Carcinogenic categories EPA (Environmental Protection Agency) Substance is not listed. TLV (Threshold Limit Value established by ACGIH) Substance is not listed. MOSH-Ca (National Institute for Occupational Safety and Health) Substance is not listed. GHS label elements The substance is classified and labeled according to the Globally Harmonized System (GHS). Hazard pictograms Gifts label elements The substance is classified and labeled according to the Globally Harmonized System (GHS). Hazard statements Hajs Causes skin irritation. H315 Causes skin irritation. H316 Causes skin irritation. H319 Causes skin irritation. H319 Causes skin irritation. H319 Causes respiratory irritation. H3222 Do not allow contact with air. P331 Handle under inert gas. P231	Proposition 65	
Chemicals known to cause reproductive toxicity for females: Substance is not listed. Chemicals known to cause reproductive toxicity for males: Substance is not listed. Chemicals known to cause developmental toxicity: Substance is not listed. Carcinogenic categories EPA (Environmental Protection Agency) Substance is not listed. TLV (Threshold Limit Value established by ACGIH) Substance is not listed. NIOSH-Ca (National Institute for Occupational Safety and Health) Substance is not listed. GHS label elements The substance is classified and labeled according to the Globally Harmonized System (GHS). Hazard pictograms Giffsor Signal word Warning Hazard determining components of labeling: Copper(II) hexaftworoacetylacetonate, anhydrous, elec. gr. (99.99+%-Cu) PURATREM Hazard statements H315 Causes skin irritation. H315 Causes skin irritation. H335 May cause respiratory irritation. Precautionary statements P331 Handle under inert gas. P322 Do not allow contact with air. P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contac	Chemicals kno	wn to cause cancer:
Substance is not listed. Chemicals known to cause reproductive toxicity for males: Substance is not listed. Chemicals known to cause developmental toxicity: Substance is not listed. Carcinogenic categories EPA (Environmental Protection Agency) Substance is not listed. TLV (Threshold Limit Value established by ACGIH) Substance is not listed. NIOSH-Ca (National Institute for Occupational Safety and Health) Substance is not listed. GHS label elements He substance is classified and labeled according to the Globally Harmonized System (GHS). Hazard pictograms View Gilsor Signal word Warning Hazard determining components of labeling: Copper(II) hexqlurooacetylacetonate, anhydrous, elec. gr. (99.99+%-Cu) PURATREM Hazard statements H315 Causes skin irritation. H315 Causes skin veritation. H335 May cause respiratory irritation. Precautionary statements P331 Handle under inert gas. P322 Do not allow contact with air. P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if pres and easy to do. Continue rinsing.	Substance is no	t listed.
Chemicals known to cause reproductive toxicity for males: Substance is not listed. Chemicals known to cause developmental toxicity: Substance is not listed. Carcinogenic categories EPA (Environmental Protection Agency) Substance is not listed. TLV (Threshold Limit Value established by ACGIH) Substance is not listed. NIOSH-Ca (National Institute for Occupational Safety and Health) Substance is not listed. GHS label elements The substance is classified and labeled according to the Globally Harmonized System (GHS). Hazard pictograms Vortice GHS107 Signal word Warning Hazard-determining components of labeling: Copper(II) hexafluoroacetylacetonate, anhydrous, elec. gr. (99.99+%-Cu) PURATREM Hazard statements H315 Causes skin irritation. H315 Pacause serious eye irritation. H315 Causes serious eye irritation. H315 Causes serious eye irritation. Precautionary statements P231 Handle under inert gas. P232 Do not allow contact with air. P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if press and easy to do. Co	Chemicals kno	wn to cause reproductive toxicity for females:
Substance is not listed. Chemicals known to cause developmental toxicity: Substance is not listed. Carcinogenic categories EPA (Environmental Protection Agency) Substance is not listed. TLV (Threshold Limit Value established by ACGIH) Substance is not listed. NIOSH-Ca (National Institute for Occupational Safety and Health) Substance is not listed. GHS label elements The substance is classified and labeled according to the Globally Harmonized System (GHS). Hazard pictograms Volo GHS107 Signal word Warning Hazard-determining components of labeling: Copper(II) hexafluoroacetylacetonate, anhydrous, elec. gr. (99.99+%-Cu) PURATREM Hazard statements H315 Causes skin irritation. H315 Cause serious eye irritation. H315 May cause respiratory irritation. H315 May cause respiratory irritation. P231 Handle under inert gas. P232 Do not allow contact with air. P305+P351+P338 If in eyees. Rinse cautiously with water for several minutes. Remove contact lenses, if press and easy to do. Continue rinsing. P403+P233 Store in a well-ventilated place. Keep container tightly closed.	Substance is no	t listed.
Substance is not listed. Chemicals known to cause developmental toxicity: Substance is not listed. Carcinogenic categories EPA (Environmental Protection Agency) Substance is not listed. TLV (Threshold Limit Value established by ACGIH) Substance is not listed. NIOSH-Ca (National Institute for Occupational Safety and Health) Substance is not listed. GHS label elements The substance is classified and labeled according to the Globally Harmonized System (GHS). Hazard pictograms Volo GHS107 Signal word Warning Hazard-determining components of labeling: Copper(II) hexafluoroacetylacetonate, anhydrous, elec. gr. (99.99+%-Cu) PURATREM Hazard statements H315 Causes skin irritation. H315 Cause serious eye irritation. H315 May cause respiratory irritation. H315 May cause respiratory irritation. P231 Handle under inert gas. P232 Do not allow contact with air. P305+P351+P338 If in eyees. Rinse cautiously with water for several minutes. Remove contact lenses, if press and easy to do. Continue rinsing. P403+P233 Store in a well-ventilated place. Keep container tightly closed.	Chemicals kno	wn to cause reproductive toxicity for males:
Substance is not listed. Carcinogenic categories EPA (Environmental Protection Agency) Substance is not listed. TLV (Threshold Limit Value established by ACGIH) Substance is not listed. NOSH-Ca (National Institute for Occupational Safety and Health) Substance is not listed. GHS label elements The substance is classified and labeled according to the Globally Harmonized System (GHS). Hazard pictograms Signal word Warning Hazard-determining components of labeling: Copper(II) hexafluoroacetylacetonate, anhydrous, elec. gr. (99.99+%-Cu) PURATREM Hazard statements H319 Causes skin irritation. H319 Causes serious everification. H335 May cause respiratory irritation. P231 Handle under inert gas. P231 P335 Store in a well-ventilated place. Keep container tightly closed. P403+P233 Store in a well-ventilated place. Keep container tightly closed. P422 Store in a well-ventilated place. Keep container tightly closed. P422 Store in a well-ventilated place. Keep container tightly closed. P423 Store in a well-ventilated place. Keep container tightly closed.	Substance is no	t listed.
Carcinogenic categories EPA (Environmental Protection Agency) Substance is not listed. TLV (Threshold Limit Value established by ACGIH) Substance is not listed. MOSH-Ca (National Institute for Occupational Safety and Health) Substance is not listed. GHS label elements The substance is classified and labeled according to the Globally Harmonized System (GHS). Hazard pictograms View GHS07 Signal word Warning Hazard-determining components of labeling: Copper(II) hexafluoroacetylacetonate, anhydrous, elec. gr. (99.99+%-Cu) PURATREM Hazard statements H315 Causes skin irritation. H319 Causes serious eye irritation. H319 Causes serious eye irritation. P222 Do not allow contact with air. P231 Handle under inert gas. P232 Do not allow contact with air. P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if pres- and easy to do. Continue rinsing. P403+P233 Store in a well-ventilated place. Keep container tightly closed. P422 Store contents under inert gas. P501 Dispose of contents/container in accordance with local/regional	Chemicals kno	wn to cause developmental toxicity:
EPA (Environmental Protection Agency) Substance is not listed. TLV (Threshold Limit Value established by ACGIH) Substance is not listed. NIOSH-Ca (National Institute for Occupational Safety and Health) Substance is not listed. GHS tabel elements The substance is classified and labeled according to the Globally Harmonized System (GHS). Hazard pictograms QUE GHS07 Signal word Warning Hazard-determining components of labeling: Copper(II) hexafluoroacetylacetonate, anhydrous, elec. gr. (99.99+%-Cu) PURATREM Hazard statements H315 Causes skin irritation. H315 Causes skin irritation. H315 Causes skin irritation. H319 Causes serious eye irritation. P231 Handle under inert gas. P231 Handle under inert gas. P231 Handle under inert gas. P231 Fin eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if press and easy to do. Continue rinsing. P403+P233 Store in a well-ventilated place. Keep container tightly closed. <td></td> <td></td>		
EPA (Environmental Protection Agency) Substance is not listed. TLV (Threshold Limit Value established by ACGIH) Substance is not listed. NIOSH-Ca (National Institute for Occupational Safety and Health) Substance is not listed. GHS label elements The substance is classified and labeled according to the Globally Harmonized System (GHS). Hazard pictograms GHS07 Signal word Warning Hazard-determining components of labeling: Copper(II) hexafluoroacetylacetonate, anhydrous, elec. gr. (99.99+%-Cu) PURATREM Hazard statements H315 Causes skin irritation. H319 Causes serious eye irritation. H322 Do not allow contact with air. P231 Handle under inert gas. P232 Do not allow contact with air. P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if press and easy to do. Continue rinsing. P403+P233 Store in a well-ventilated place. Keep container tightly closed. P422 Store contents under inert gas. P501 Dispose of contents/container in accordance with local/regional/national/internation regulations.	Carcinogonic	atagorias
Substance is not listed. TLV (Threshold Limit Value established by ACGIH) Substance is not listed. NIOSH-Ca (National Institute for Occupational Safety and Health) Substance is not listed. GHS label elements The substance is classified and labeled according to the Globally Harmonized System (GHS). Hazard pictograms Gips Constance is classified and labeled according to the Globally Harmonized System (GHS). Hazard pictograms Gips Constantion GHS07 Signal word Warning Hazard-determining components of labeling: Copper(II) hexafluoroacetylacetonate, anhydrous, elec. gr. (99,99+%-Cu) PURATREM Hazard statements H315 Causes skin irritation. H319 Causes serious eye irritation. Precautionary statements P231 Handle under inert gas. P232 Do not allow contact with air. P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if pressand easy to do. Continue rinsing. P403+P233 Store in a well-ventilated place. Keep container tightly closed. P422 Store contents/container in accordance with local/regional/national/internation regulations.	-	
Substance is not listed. NIOSH-Ca (National Institute for Occupational Safety and Health) Substance is not listed. GHS label elements The substance is classified and labeled according to the Globally Harmonized System (GHS). Hazard pictograms QUE GHS07 Signal word Warning Hazard-determining components of labeling: Copper(II) hexafluoroacetylacetonate, anhydrous, elec. gr. (99.99+%-Cu) PURATREM Hazard statements H319 Causes skin irritation. H319 Causes serious eye irritation. Precautionary statements P222 Do not allow contact with air. P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if press and easy to do. Continue rinsing. P403+P233 Store in a well-venitlated place. Keep container tightly closed. P422 Store contents under inert gas. P403 Dispose of contents/container in accordance with local/regional/national/internation regulations.		
Substance is not listed. NIOSH-Ca (National Institute for Occupational Safety and Health) Substance is not listed. GHS label elements The substance is classified and labeled according to the Globally Harmonized System (GHS). Hazard pictograms With Substance Institute for Occupational Safety and Health Signal word Warning Hazard-determining components of labeling: Copper(II) hexafluoroacetylacetonate, anhydrous, elec. gr. (99.99+%-Cu) PURATREM Hazard statements H319 Causes skin irritation. H319 Causes serious eye irritation. Precautionary statements P222 Do not allow contact with air. P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if press and easy to do. Continue rinsing. P403+P233 Store in a well-venitlated place. Keep container tightly closed. P422 Store contents under inert gas. P403 Dispose of contents/container in accordance with local/regional/national/internation regulations.	TLV (Threshol	d Limit Value established by ACGIH)
NIOSH-Ca (National Institute for Occupational Safety and Health) Substance is not listed. GHS label elements The substance is classified and labeled according to the Globally Harmonized System (GHS). Hazard pictograms Figure GHS07 Signal word Warning Hazard-determining components of labeling: Copper(11) hexafluoroacetylacetonate, anhydrous, elec. gr. (99.99+%-Cu) PURATREM Hazard statements H319 Causes skin irritation. H335 May cause respiratory irritation. Precautionary statements P222 Do not allow contact with air. P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if press and easy to do. Continue rinsing. P403+P233 Store in a well-ventilated place. Keep container tightly closed. P422 Store contents under inert gas. P501 Dispose of contents/container in accordance with local/regional/national/internation regulations.		
Substance is not listed. GHS label elements The substance is classified and labeled according to the Globally Harmonized System (GHS). Hazard pictograms Image: Signal word Warning Hazard-determining components of labeling: Copper(II) hexafluoroacetylacetonate, anhydrous, elec. gr. (99.99+%-Cu) PURATREM Hazard statements H315 Causes skin irritation. H319 Causes serious eye irritation. H319 Causes serious eye irritation. H322 Do not allow contact with air. P231 Handle under inert gas. P222 Do not allow contact with air. P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if press and easy to do. Continue rinsing. P403+P233 Store in a well-ventilated place. Keep container tightly closed. P422 Store contents under inert gas. P501 Dispose of contents/container in accordance with local/regional/national/internation regulations.		
GHS label elements The substance is classified and labeled according to the Globally Harmonized System (GHS). Hazard pictograms GHS07 Signal word Warning Hazard-determining components of labeling: Copper(II) hexafluoroacetylacetonate, anhydrous, elec. gr. (99.99+%-Cu) PURATREM Hazard-determining components of labeling: Copper(II) hexafluoroacetylacetonate, anhydrous, elec. gr. (99.99+%-Cu) PURATREM Hazard statements H315 Causes skin irritation. H315 Causes serious eye irritation. H321 Handle under inert gas. P231 Handle under inert gas. P231 Handle under inert gas. P232 Do not allow contact with air. P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if presuand easy to do. Continue rinsing. P403+P233 Store in a well-ventilated place. Keep container tightly closed. P422 Dispose of contents under inert gas. P305 bispose of contents under inert gas. P305 bispose of contents under inert gas. P305 bispose of contents under inert gas.		
The substance is classified and labeled according to the Globally Harmonized System (GHS). Hazard pictograms Figual word Warning Hazard-determining components of labeling: Copper(II) hexafluoroacetylacetonate, anhydrous, elec. gr. (99.99+%-Cu) PURATREM Hazard statements H315 Causes skin irritation. H319 Causes serious eye irritation. H319 Causes serious eye irritation. H319 Causes respiratory irritation. H325 May cause respiratory irritation. H221 Do not allow contact with air. P221 Do not allow contact with air. P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if press and easy to do. Continue rinsing. P403+P233 Store in a well-ventilated place. Keep container tightly closed. P422 Store contents under inert gas. P501 Dispose of contents/container in accordance with local/regional/national/internation regulations.	subsidice is no	i listea.
Signal word Warning Hazard-determining components of labeling: Copper(II) hexafluoroacetylacetonate, anhydrous, elec. gr. (99.99+%-Cu) PURATREM Hazard statements H315 Causes skin irritation. H315 Causes skin irritation. H335 May cause respiratory irritation. Precautionary statements P231 Handle under inert gas. P222 Do not allow contact with air. P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if press and easy to do. Continue rinsing. P403+P233 Store in a well-ventilated place. Keep container tightly closed. P422 Store contents under inert gas. P501 Dispose of contents/container in accordance with local/regional/national/internation regulations.		<i>rents</i>
Hazard-determining components of labeling:Copper(II) hexafluoroacetylacetonate, anhydrous, elec. gr. (99.99+%-Cu) PURATREMHazard statementsH315 Causes skin irritation.H319 Causes serious eye irritation.H335 May cause respiratory irritation.Precautionary statementsP231P231Handle under inert gas.P222Do not allow contact with air.P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if press and easy to do. Continue rinsing.P403+P233Store in a well-ventilated place. Keep container tightly closed.P422Store contents under inert gas.P501Dispose of contents/container in accordance with local/regional/national/internation regulations.	GHS label elem The substance	s classified and labeled according to the Globally Harmonized System (GHS).
Hazard-determining components of labeling: Copper(II) hexafluoroacetylacetonate, anhydrous, elec. gr. (99.99+%-Cu) PURATREMHazard statementsH315 Causes skin irritation.H319 Causes serious eye irritation.H335 May cause respiratory irritation.Precautionary statementsP231P231Handle under inert gas.P222Do not allow contact with air.P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if press and easy to do. Continue rinsing.P403+P233P403+P233Store in a well-ventilated place. Keep container tightly closed.P422Store contents under inert gas.P501Dispose of contents/container in accordance with local/regional/national/internation regulations.	GHS label elem The substance a Hazard pictogr	s classified and labeled according to the Globally Harmonized System (GHS).
Copper(II) hexafluoroacetylacetonate, anhydrous, elec. gr. (99.99+%-Cu) PURATREMHazard statementsH315 Causes skin irritation.H319 Causes serious eye irritation.H319 Causes serious eye irritation.H335 May cause respiratory irritation.H335 May cause respiratory irritation.Precautionary statementsP231Handle under inert gas.P222Do not allow contact with air.P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if press and easy to do. Continue rinsing.P403+P233Store in a well-ventilated place. Keep container tightly closed.P422Store contents under inert gas.P501Dispose of contents/container in accordance with local/regional/national/internation regulations.	GHS label elem The substance of Hazard pictogr GHS07	is classified and labeled according to the Globally Harmonized System (GHS). ams
Hazard statementsH315 Causes skin irritation.H319 Causes serious eye irritation.H335 May cause respiratory irritation.Precautionary statementsP231P241Handle under inert gas.P222Do not allow contact with air.P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if pressand easy to do. Continue rinsing.P403+P233Store in a well-ventilated place. Keep container tightly closed.P422Store contents under inert gas.P501Dispose of contents/container in accordance with local/regional/national/internation regulations.	GHS label elem The substance of Hazard pictogr GHS07 Signal word W	is classified and labeled according to the Globally Harmonized System (GHS). ams arning
 H319 Causes serious eye irritation. H335 May cause respiratory irritation. Precautionary statements P231 Handle under inert gas. P222 Do not allow contact with air. P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if press and easy to do. Continue rinsing. P403+P233 Store in a well-ventilated place. Keep container tightly closed. P422 Store contents under inert gas. P501 Dispose of contents/container in accordance with local/regional/national/internation regulations. 	GHS label elen The substance of Hazard pictogr GHS07 Signal word W Hazard-determ	is classified and labeled according to the Globally Harmonized System (GHS). ams arning ining components of labeling:
H335 May cause respiratory irritation. Precautionary statements P231 Handle under inert gas. P222 Do not allow contact with air. P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if press and easy to do. Continue rinsing. P403+P233 Store in a well-ventilated place. Keep container tightly closed. P422 Store contents under inert gas. P501 Dispose of contents/container in accordance with local/regional/national/internation regulations.	GHS label elen The substance of Hazard pictogr GHS07 Signal word W Hazard-determ Copper(II) hext	is classified and labeled according to the Globally Harmonized System (GHS). ams arning ining components of labeling: ifluoroacetylacetonate, anhydrous, elec. gr. (99.99+%-Cu) PURATREM
Precautionary statements P231 Handle under inert gas. P222 Do not allow contact with air. P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if press and easy to do. Continue rinsing. P403+P233 Store in a well-ventilated place. Keep container tightly closed. P422 Store contents under inert gas. P501 Dispose of contents/container in accordance with local/regional/national/internation regulations.	GHS label elen The substance of Hazard pictogr GHS07 Signal word W Hazard-determ Copper(II) hex Hazard statem H315 Causes st	is classified and labeled according to the Globally Harmonized System (GHS). ams arning ining components of labeling: afluoroacetylacetonate, anhydrous, elec. gr. (99.99+%-Cu) PURATREM e nts kin irritation.
P231Handle under inert gas.P222Do not allow contact with air.P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if press and easy to do. Continue rinsing.P403+P233Store in a well-ventilated place. Keep container tightly closed.P422Store contents under inert gas.P501Dispose of contents/container in accordance with local/regional/national/internation regulations.	GHS label elem The substance of Hazard pictogr GHS07 Signal word W Hazard-determ Copper(II) hext Hazard statemu H315 Causes so H319 Causes so	is classified and labeled according to the Globally Harmonized System (GHS). ams arning ining components of labeling: afluoroacetylacetonate, anhydrous, elec. gr. (99.99+%-Cu) PURATREM ents kin irritation. erious eye irritation.
P231Handle under inert gas.P222Do not allow contact with air.P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if press and easy to do. Continue rinsing.P403+P233Store in a well-ventilated place. Keep container tightly closed.P422Store contents under inert gas.P501Dispose of contents/container in accordance with local/regional/national/internation regulations.	GHS label elem The substance of Hazard pictogr GHS07 Signal word W Hazard-determ Copper(II) hext Hazard statemu H315 Causes so H319 Causes so	is classified and labeled according to the Globally Harmonized System (GHS). ams arning ining components of labeling: afluoroacetylacetonate, anhydrous, elec. gr. (99.99+%-Cu) PURATREM ents kin irritation. erious eye irritation.
 P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if press and easy to do. Continue rinsing. P403+P233 Store in a well-ventilated place. Keep container tightly closed. P422 Store contents under inert gas. P501 Dispose of contents/container in accordance with local/regional/national/internation regulations. 	GHS label elen The substance of Hazard pictogr GHS07 Signal word W Hazard-determ Copper(II) hext Hazard statemu H315 Causes s H319 Causes s H335 May caus	is classified and labeled according to the Globally Harmonized System (GHS). ams arning ining components of labeling: afluoroacetylacetonate, anhydrous, elec. gr. (99.99+%-Cu) PURATREM ents kin irritation. erious eye irritation. se respiratory irritation.
 P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if press and easy to do. Continue rinsing. P403+P233 Store in a well-ventilated place. Keep container tightly closed. P422 Store contents under inert gas. P501 Dispose of contents/container in accordance with local/regional/national/internation regulations. 	GHS label elen The substance of Hazard pictogr GHS07 Signal word W Hazard-determ Copper(II) hext H315 Causes s. H319 Causes s. H319 Causes s. H335 May cau. Precautionary P231	is classified and labeled according to the Globally Harmonized System (GHS). ams arning ining components of labeling: afluoroacetylacetonate, anhydrous, elec. gr. (99.99+%-Cu) PURATREM ents kin irritation. erious eye irritation. ser respiratory irritation. set respiratory irritation. statements
P403+P233Store in a well-ventilated place. Keep container tightly closed.P422Store contents under inert gas.P501Dispose of contents/container in accordance with local/regional/national/internation regulations.	GHS label elen The substance of Hazard pictogr GHS07 Signal word W Hazard-determ Copper(II) hext H315 Causes s. H319 Causes s. H319 Causes s. H335 May cau. Precautionary P231	arning anning ining components of labeling: afluoroacetylacetonate, anhydrous, elec. gr. (99.99+%-Cu) PURATREM ents kin irritation. erious eye irritation. se respiratory irritation. se respiratory irritation. statements Handle under inert gas.
P422Store contents under inert gas.P501Dispose of contents/container in accordance with local/regional/national/internation regulations.	GHS label elem The substance of Hazard pictogr GHS07 Signal word W Hazard-determ Copper(II) hexa H315 Causes st H319 Causes st H315 Causes st H315 Causes st H315 Causes st H315 Causes st H317 Causes st H318 Causes st	is classified and labeled according to the Globally Harmonized System (GHS). ams arning ining components of labeling: ifluoroacetylacetonate, anhydrous, elec. gr. (99.99+%-Cu) PURATREM ents kin irritation. erious eye irritation. ser respiratory irritation. set respiratory irritation. statements Handle under inert gas. Do not allow contact with air. 338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if press
<i>P501</i> Dispose of contents/container in accordance with local/regional/national/internation regulations.	GHS label elen The substance of Hazard pictogr GHS07 Signal word W Hazard-determ Copper(II) hexa H315 Causes so H319 Causes so H319 Causes so H335 May caus Precautionary P231 P222 P305+P351+F	arning ining components of labeling: iffluoroacetylacetonate, anhydrous, elec. gr. (99.99+%-Cu) PURATREM ents kin irritation. erious eye irritation. se respiratory irritation. statements Handle under inert gas. Do not allow contact with air. 338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if press and easy to do. Continue rinsing.
regulations.	GHS label elen The substance of Hazard pictogr GHS07 Signal word W Hazard-determ Copper(II) hexe H315 Causes so H319 Causes so H335 May caus Precautionary P231 P222 P305+P351+F P403+P233	arning ining components of labeling: iffluoroacetylacetonate, anhydrous, elec. gr. (99.99+%-Cu) PURATREM ining components of labeling: iffluoroacetylacetonate, anhydrous, elec. gr. (99.99+%-Cu) PURATREM ints kin irritation. erious eye irritation. serespiratory irritation. statements Handle under inert gas. Do not allow contact with air. 338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if press and easy to do. Continue rinsing. Store in a well-ventilated place. Keep container tightly closed.
	GHS label elen The substance of Hazard pictogr GHS07 Signal word W Hazard-determ Copper(II) hext H315 Causes st H319 Causes st H319 Causes st H315 May caus Precautionary P231 P222 P305+P351+F P403+P233 P422	arning ining components of labeling: iffluoroacetylacetonate, anhydrous, elec. gr. (99.99+%-Cu) PURATREM ents kin irritation. erious eye irritation. se respiratory irritation. statements Handle under inert gas. Do not allow contact with air. 338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if press and easy to do. Continue rinsing. Store in a well-ventilated place. Keep container tightly closed. Store contents under inert gas.
	GHS label elen The substance of Hazard pictogr GHS07 Signal word W Hazard-determ Copper(II) hext H315 Causes st H319 Causes st H319 Causes st H315 May caus Precautionary P231 P222 P305+P351+F P403+P233 P422	arning ining components of labeling: ifluoroacetylacetonate, anhydrous, elec. gr. (99.99+%-Cu) PURATREM inting components of labeling: ifluoroacetylacetonate, anhydrous, elec. gr. (99.99+%-Cu) PURATREM intis initiation. erious eye irritation. erious eye irritation. sea respiratory irritation. istatements Handle under inert gas. Do not allow contact with air. 338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if press and easy to do. Continue rinsing. Store in a well-ventilated place. Keep container tightly closed. Store contents under inert gas. Dispose of contents/container in accordance with local/regional/national/internation

Printing date 07/30/2016

-10

CHEMICALS, INC.

Reviewed on 07/30/2016

Trade name: Copper(II) hexafluoroacetylacetonate, anhydrous, elec. gr. (99.99+%-Cu) PURATREM

(Contd. of page 7)

Other information	
•	ion is based on our present knowledge. However, this shall not constitute a guarantee for a ct features and shall not establish a legally valid contractual relationship.
Department is	suing SDS: Technical Department.
Contact: Tech	nical Director
Date of prepa	ation / last revision 07/30/2016 / -
	and acronyms:
	opéen sur le transport des marchandises dangereuses par Route (European Agreement concerning the Internation
	rous Goods by Road)
IMDG: Internatio	nal Maritime Code for Dangerous Goods
DOT: US Departs	nent of Transportation
IATA: Internation	al Air Transport Association
	Conference of Governmental Industrial Hygienists
	n Inventory of Existing Commercial Chemical Substances
	stracts Service (division of the American Chemical Society)
	ire Protection Association (USA)
	Materials Identification System (USA)
	ganic Compounds (USA, EU)
,	ioaccumulative and Toxic
	ent and very Bioaccumulative Institute for Occupational Safety
	nal Safety & Health
TLV: Threshold L	
PEL: Permissible	
	ed Exposure Limit
	orrosion/irritation, Hazard Category 2
	ous eye damage/eye irritation, Hazard Category 2A
STOT SE 3: Speci	fic target organ toxicity - Single exposure, Hazard Category 3