

Reviewed on 02/15/2017

1 Identification

- · Product name
- · Trade name: Tetrakis(dimethylamino)hafnium, 98+% (99.99+%-Hf, <0.2% Zr) TDMAH, PURATREM
- Item number: 72-8000
- CAS Number: 19782-68-4
- · Details of the supplier of the safety data sheet
- Manufacturer/Supplier: Strem Chemicals, Inc.
 7 Mulliken Way NEWBURYPORT, MA 01950 USA info@strem.com
- Information department: Technical Department
 Emergency telephone number: EMERGENCY: CHEMTREC: + 1 (800) 424-9300 During normal opening times: +1 (978) 499-1600

2 Hazard(s) identification

· Classification of the substance or mixture



Flam. Sol. 1H228Flammable solid.Water-react. 2H261In contact with water releases flammable gas.

GHS05 Corrosion

Skin Corr. 1B H314 Causes severe skin burns and eye damage.

· Label elements

- · GHS label elements
- *The substance is classified and labeled according to the Globally Harmonized System (GHS). Hazard pictograms*



· Signal word Danger


Hazard-determining components of labeling: Tetrakis(dimethylamino)hafnium, 98+% (99.99+%-Hf, <0.2%-Zr) TDMAH, PURATREM
Hazard statements H228 Flammable solid. H261 In contact with water releases flammable gas. H314 Causes severe skin burns and eye damage.
Precautionary statements P231+P232 Handle under inert gas. Protect from moisture.


(Contd. on page 2)

^{- -} US

Printing date 02/20/2017

Reviewed on 02/15/2017







Printing date 02/20/2017

Reviewed on 02/15/2017

Trade name: Tetrakis(dimethylamino)hafnium, 98+% (99.99+%-Hf, <0.2% Zr) TDMAH, PURATREM

(Contd. of page 2)

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents:
- Sand. Do not use water.
- CO2, sand, extinguishing powder. Do not use water.
- Use fire fighting measures that suit the environment.
- · For safety reasons unsuitable extinguishing agents: Water
- · Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

• *Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.*

- Environmental precautions: No special measures required.
- \cdot Methods and material for containment and cleaning up:
- Use neutralizing agent.

Dispose contaminated material as waste according to item 13. Ensure adequate ventilation.

Do not flush with water or aqueous cleansing agents

- · Reference to other sections
- See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.
- Protective Action Criteria for Chemicals
- · PAC-1:

Substance is not listed.

· PAC-2:

Substance is not listed.

· PAC-3:

Substance is not listed.

7 Handling and storage

- · Handling:
- · Precautions for safe handling
- Thorough dedusting.

Open and handle receptacle with care.

- · Information about protection against explosions and fires: Keep ignition sources away Do not smoke.
- · Conditions for safe storage, including any incompatibilities
- · Storage: Keep cool.
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

• Recommended storage temperature: Store at temperatures not exceeding -18 °C. Keep cool.

(Contd. on page 4)



⁻ US

Printing date 02/20/2017

Reviewed on 02/15/2017

Trade name: Tetrakis(dimethylamino)hafnium, 98+% (99.99+%-Hf, <0.2% Zr) TDMAH, PURATREM

(Contd. of page 3)

· Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see item 7.

- · Control parameters
- Components with limit values that require monitoring at the workplace: Not required.
- Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Avoid contact with the eyes and skin.
- · Breathing equipment: Not required.
- · Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation • Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection:



Tightly sealed goggles

9 Physical and chemical properties

- · Information on basic physical and chemical properties
- · General Information
- · Appearance:
- Form:CrystallineColor:Light yellow• Odor:Amine-like• Odor threshold:Not determined.• pH-value:Not applicable.

(Contd. on page 5)

Printing date 02/20/2017

Reviewed on 02/15/2017

Trade name: Tetrakis(dimethylamino)hafnium, 98+% (99.99+%-Hf, <0.2% Zr) TDMAH, PURATREM

		(Contd. of page
Change in condition		
Melting point/Melting range:	Undetermined.	
Boiling point/Boiling range:	Undetermined.	
Flash point:	Not applicable.	
Flammability (solid, gaseous):	Flammable.	
Ignition temperature:		
Decomposition temperature:	Not determined.	
Auto igniting:	Not determined.	
Danger of explosion:	Not determined.	
Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
Vapor pressure:	Not applicable.	
Density at 20 •C (68 •F):	1.098 g/cm³ (9.16281 lbs/gal)	
Relative density	Not determined.	
Vapor density	Not applicable.	
Evaporation rate	Not applicable.	
Solubility in / Miscibility with		
Water:	Insoluble.	
Partition coefficient (n-octanol/wat	er): Not determined.	
Viscosity:		
Dynamic:	Not applicable.	
Kinematic:	Not applicable.	
Solvent content:		
Organic solvents:	0.0 %	
VOC content:	0.0 g/l / 0.00 lb/gl	
Solids content:	100.0 %	
Other information	No further relevant information available.	

10 Stability and reactivity

• *Reactivity* No further relevant information available.

· Chemical stability

- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- *Incompatible materials:* No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

(Contd. on page 6)

US

Printing date 02/20/2017

Reviewed on 02/15/2017

Trade name: Tetrakis(dimethylamino)hafnium, 98+% (99.99+%-Hf, <0.2% Zr) TDMAH, PURATREM

(Contd. of page 5)

11 Toxicological information

- · Information on toxicological effects
- Acute toxicity:
- Primary irritant effect:
- on the skin: Caustic effect on skin and mucous membranes.
- on the eye: Strong caustic effect.
- Sensitization: No sensitizing effects known.
- · Additional toxicological information:
- Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.
- · Carcinogenic categories
- · IARC (International Agency for Research on Cancer)

Substance is not listed.

· NTP (National Toxicology Program)

Substance is not listed.

· OSHA-Ca (Occupational Safety & Health Administration)

Substance is not listed.

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- *Mobility in soil* No further relevant information available.
- · Additional ecological information:
- · General notes: Must not reach bodies of water or drainage ditch undiluted or unneutralized.
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.

4 Transport information		
· UN-Number		
· DOT, IMDG, IATA	UN3131	



Printing date 02/20/2017

CHEMICALS, INC.

Reviewed on 02/15/2017

	(Contd. of page
UN proper shipping name	
DOT	Water-reactive solid, corrosive, n.o.s.
IMDG, IATA	WATER-REACTIVE SOLID, CORROSIVE, N.O.S.
Transport hazard class(es)	
DOT	
Class Label	<i>4.3 Substances which, in contact with water, emit flammable gases 4.3, 8</i>
IMDG	
Class	4
Label	4.3/8
IATA	
Class	4.3 Substances which, in contact with water, emit flammable gases
Label	
Label Packing group	4.3 (8)
Packing group	
Packing group DOT, IMDG, IATA	4.3 (8)
Packing group	4.3 (8)
Packing group DOT, IMDG, IATA Environmental hazards: Marine pollutant:	4.3 (8) 11 No
Packing group DOT, IMDG, IATA Environmental hazards:	4.3 (8) II
Packing group DOT, IMDG, IATA Environmental hazards: Marine pollutant: Special precautions for user EMS Number: Stowage Category	4.3 (8) II No Not applicable. F-G,S-L E
Packing group DOT, IMDG, IATA Environmental hazards: Marine pollutant: Special precautions for user EMS Number: Stowage Category Stowage Code	4.3 (8) II No Not applicable. F-G,S-L E SW3 Shall be transported under temperature control.
Packing group DOT, IMDG, IATA Environmental hazards: Marine pollutant: Special precautions for user EMS Number: Stowage Category Stowage Code Handling Code	4.3 (8) II No Not applicable. F-G,S-L E SW3 Shall be transported under temperature control. H1 Keep as dry as reasonably practicable
Packing group DOT, IMDG, IATA Environmental hazards: Marine pollutant: Special precautions for user EMS Number: Stowage Category Stowage Code	4.3 (8) II No Not applicable. F-G,S-L E SW3 Shall be transported under temperature control. H1 Keep as dry as reasonably practicable SG26 In addition: from goods of classes 2.1 and 3 when stowed of deck of a containership a minimum distance of two container space
Packing group DOT, IMDG, IATA Environmental hazards: Marine pollutant: Special precautions for user EMS Number: Stowage Category Stowage Code Handling Code	4.3 (8) II No Not applicable. F-G,S-L E SW3 Shall be transported under temperature control. H1 Keep as dry as reasonably practicable SG26 In addition: from goods of classes 2.1 and 3 when stowed of deck of a containership a minimum distance of two container space athwartship shall be maintained, when stowed on ro-ro ships distance of 6 m athwartship shall be maintained.
Packing group DOT, IMDG, IATA Environmental hazards: Marine pollutant: Special precautions for user EMS Number: Stowage Category Stowage Code Handling Code Segregation Code	4.3 (8) II No Not applicable. F-G,S-L E SW3 Shall be transported under temperature control. H1 Keep as dry as reasonably practicable SG26 In addition: from goods of classes 2.1 and 3 when stowed of deck of a containership a minimum distance of two container space athwartship shall be maintained, when stowed on ro-ro ships distance of 6 m athwartship shall be maintained. II of
Packing group DOT, IMDG, IATA Environmental hazards: Marine pollutant: Special precautions for user EMS Number: Stowage Category Stowage Code Handling Code Segregation Code	4.3 (8) II No Not applicable. F-G,S-L E SW3 Shall be transported under temperature control. H1 Keep as dry as reasonably practicable SG26 In addition: from goods of classes 2.1 and 3 when stowed of deck of a containership a minimum distance of two container space athwartship shall be maintained, when stowed on ro-ro ships distance of 6 m athwartship shall be maintained. II of
Packing group DOT, IMDG, IATA Environmental hazards: Marine pollutant: Special precautions for user EMS Number: Stowage Category Stowage Code Handling Code Segregation Code Transport in bulk according to Annex MARPOL73/78 and the IBC Code	4.3 (8) II No Not applicable. F-G,S-L E SW3 Shall be transported under temperature control. H1 Keep as dry as reasonably practicable SG26 In addition: from goods of classes 2.1 and 3 when stowed of deck of a containership a minimum distance of two container space athwartship shall be maintained, when stowed on ro-ro ships distance of 6 m athwartship shall be maintained. II of



Reviewed on 02/15/2017 Trade name: Tetrakis(dimethylamino)hafnium, 98+% (99.99+%-Hf, <0.2% Zr) TDMAH, PURATREM (Contd. of page 7) · UN ''Model Regulation'': UN 3131 WATER-REACTIVE SOLID, CORROSIVE, N.O.S., 4.3 (8), II **15 Regulatory information** · Safety, health and environmental regulations/legislation specific for the substance or mixture • Sara · Section 355 (extremely hazardous substances): Substance is not listed. · Section 313 (Specific toxic chemical listings): Substance is not listed. · TSCA (Toxic Substances Control Act): Substance is not listed. · Proposition 65 · Chemicals known to cause cancer: Substance is not listed. · Chemicals known to cause reproductive toxicity for females: Substance is not listed. · Chemicals known to cause reproductive toxicity for males: Substance is not listed. · Chemicals known to cause developmental toxicity: Substance is not listed. · Carcinogenic categories · EPA (Environmental Protection Agency) Substance is not listed. · TLV (Threshold Limit Value established by ACGIH) Substance is not listed. · NIOSH-Ca (National Institute for Occupational Safety and Health) Substance is not listed. · GHS label elements The substance is classified and labeled according to the Globally Harmonized System (GHS). · Hazard pictograms GHS02 GHS05 · Signal word Danger

· Hazard-determining components of labeling: Tetrakis(dimethylamino)hafnium, 98+% (99.99+%-Hf, <0.2%-Zr) TDMAH, PURATREM · Hazard statements H228 Flammable solid. H261 In contact with water releases flammable gas. H314 Causes severe skin burns and eye damage.

(Contd. on page 9)

CHEMICALS.

US

Printing date 02/20/2017

Reviewed on 02/15/2017

Trade name: Tetrakis(dimethylamino)hafnium, 98+% (99.99+%-Hf, <0.2% Zr) TDMAH, PURATREM

	(Contd. of page 8)		
· Precautionar	y statements		
P231+P232	Handle under inert gas. Protect from moisture.		
P222	Do not allow contact with air.		
P303+P361+	P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower.		
P305+P351+	P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.		
P422	Store contents under inert gas.		
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.		
· Chemical safe	ety assessment: A Chemical Safety Assessment has not been carried out.		
16 Other information			
	tion is based on our present knowledge. However, this shall not constitute a guarantee for any uct features and shall not establish a legally valid contractual relationship.		
• Department is	ssuing SDS: Technical Department.		

· Contact: Technical Director

· Date of preparation / last revision 02/20/2017 / -· Abbreviations and acronyms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Flam. Sol. 1: Flammable solids – Category 1 Water-react. 2: Substances and mixtures which in contact with water emit flammable gases - Category 2 Skin Corr. 1B: Skin corrosion/irritation - Category 1B

