Reviewed on 07/29/2016

		according to	OSHA HCS	
Printing date 07/29	9/2016			
1 Identificatio	on and a second s			
· Product name				
· Trade name:]	Tetrabutylphosphoniun	n chloride (80-82	wt% solution in w	ater)
• Item number: • CAS Number: 2304-30-5 • EC number: 218-964-8				
• Manufacturer Strem Chemico 7 Mulliken Wa	als, Înc. ^{1y} DRT, MA 01950	ata sheet		
• Emergency tel EMERGENCY	epartment: Technical I lephone number: ?: CHEMTREC: + 1 (8 l opening times: +1 (97	200) 424-9300		
<mark>2 Hazard</mark> (s) ia	lentification			
· Classification	of the substance or mi	xture		
GHS GHS	S06 Skull and crossbon	es		
Acute Tox. 2	H310 Fatal in contact	t with skin.		
GHS GHS	S05 Corrosion			
Skin Corr. 1B	H314 Causes severe s	kin burns and eye	e damage.	
Eye Dam. 1	H318 Causes serious	eye damage.		
GHS GHS	S07			
•	H302 Harmful if swal	lowed.		
Acute Tox. 4	~ ~			



_0

CHEMICALS, INC.

· Signal word Danger

• *Hazard-determining components of labeling: tetrabutylphosphonium chloride*

(Contd. on page 2)

⁻ US -

Printing date 07/29/2016

CHEMICALS, INC

Reviewed on 07/29/2016

ide name: Te	trabutylphosphonium chloride (80-82 wt% solution in water)
	(Contd. of page
· Hazard state	ments
H302 Harmj	ul if swallowed.
H310 Fatal	in contact with skin.
H314 Cause	s severe skin burns and eye damage.
· Precautiona	ry statements
P260	Do not breathe dusts or mists.
P262	Do not get in eyes, on skin, or on clothing.
P303+P361	+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with wate shower.
P305+P351	+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if prese and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER/doctor.
P501	Dispose of contents/container in accordance with local/regional/national/internation regulations.
Classificatio	0
	gs (scale 0 - 4)
300	Health = 3 Fire = 0 Reactivity = 0
• HMIS-ratin	gs (scale 0 - 4)
FIRE	Health = 3 Fire = 0 Reactivity = 0
Other hazar Results of P. PBT: Not ap vPvB: Not a	BT and vPvB assessment plicable.

3 Composition/information on ingredients

- · Chemical characterization: Substances
- · CAS No. Description
- 2304-30-5 tetrabutylphosphonium chloride
- · Identification number(s)
- · EC number: 218-964-8

4 First-aid measures

· Description of first aid measures

· General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

- After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing:
- Immediately call a doctor.

Drink copious amounts of water and provide fresh air. Immediately call a doctor.

(Contd. on page 3)

US

Printing date 07/29/2016

Reviewed on 07/29/2016

(Contd. of page 2)

Trade name: Tetrabutylphosphonium chloride (80-82 wt% solution in water)

- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents:
- CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam. Special hazards arising from the substance or mixture
- During heating or in case of fire poisonous gases are produced.
- · Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

6 Accidental release measures

- *Personal precautions, protective equipment and emergency procedures Mount respiratory protective device. Wear protective equipment. Keep unprotected persons away.*
- Environmental precautions: No special measures required.
 Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Use neutralizing agent.

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

Reference to other sections
 See Section 7 for information on safe handling.
 See Section 8 for information on personal protection equipment.
 See Section 13 for disposal information.

7 Handling and storage

- · Handling:
- · Precautions for safe handling
- Ensure good ventilation/exhaustion at the workplace.
- Prevent formation of aerosols.
- · Information about protection against explosions and fires: Keep respiratory protective device available.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep receptacle tightly sealed.
- · Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

· Additional information about design of technical systems: No further data; see item 7.

(Contd. on page 4)

US

Printing date 07/29/2016

CHEMICALS, INC.

Reviewed on 07/29/2016

	(Contd. of page 3
Control parameters	
	require monitoring at the workplace: Not required.
Additional information: The lists th	nat were valid during the creation were used as basis.
Exposure controls	
Personal protective equipment:	
General protective and hygienic me	
Keep away from foodstuffs, beverag Immediately remove all soiled and c	
Wash hands before breaks and at th	
Avoid contact with the eyes.	
Avoid contact with the eyes and skin	1.
Breathing equipment:	
	lution use respiratory filter device. In case of intensive or longer exposure us
respiratory protective device that is	independent of circulating air.
Protection of hands:	
- m	
Protective gloves	
The alone material has to he immediate	nable and nonistant to the product the substance the momentation
	neable and resistant to the product/ the substance/ the preparation.
Due to missing tests no recommend	
	lation to the glove material can be given for the product/ the preparation/ th
chemical mixture.	
chemical mixture. Selection of the glove material on co	onsideration of the penetration times, rates of diffusion and the degradation
chemical mixture. Selection of the glove material on co Material of gloves	onsideration of the penetration times, rates of diffusion and the degradation
chemical mixture. Selection of the glove material on co Material of gloves	onsideration of the penetration times, rates of diffusion and the degradation does not only depend on the material, but also on further marks of quality an
chemical mixture. Selection of the glove material on co Material of gloves The selection of the suitable gloves varies from manufacturer to manufa Penetration time of glove material	onsideration of the penetration times, rates of diffusion and the degradation does not only depend on the material, but also on further marks of quality an acturer.
chemical mixture. Selection of the glove material on co Material of gloves The selection of the suitable gloves varies from manufacturer to manufa Penetration time of glove material The exact break through time has	onsideration of the penetration times, rates of diffusion and the degradation does not only depend on the material, but also on further marks of quality an acturer.
chemical mixture. Selection of the glove material on co Material of gloves The selection of the suitable gloves varies from manufacturer to manufa Penetration time of glove material The exact break through time has observed.	onsideration of the penetration times, rates of diffusion and the degradation does not only depend on the material, but also on further marks of quality an acturer.
chemical mixture. Selection of the glove material on co Material of gloves The selection of the suitable gloves varies from manufacturer to manufa Penetration time of glove material The exact break through time has	does not only depend on the material, but also on further marks of quality an
chemical mixture. Selection of the glove material on co Material of gloves The selection of the suitable gloves varies from manufacturer to manufa Penetration time of glove material The exact break through time has observed.	onsideration of the penetration times, rates of diffusion and the degradation does not only depend on the material, but also on further marks of quality an acturer.
chemical mixture. Selection of the glove material on co Material of gloves The selection of the suitable gloves varies from manufacturer to manufa Penetration time of glove material The exact break through time has observed.	onsideration of the penetration times, rates of diffusion and the degradation does not only depend on the material, but also on further marks of quality an acturer.
chemical mixture. Selection of the glove material on co Material of gloves The selection of the suitable gloves varies from manufacturer to manufa Penetration time of glove material The exact break through time has observed. Eye protection:	onsideration of the penetration times, rates of diffusion and the degradation does not only depend on the material, but also on further marks of quality an acturer.
chemical mixture. Selection of the glove material on co Material of gloves The selection of the suitable gloves varies from manufacturer to manufa Penetration time of glove material The exact break through time has observed. Eye protection:	onsideration of the penetration times, rates of diffusion and the degradation does not only depend on the material, but also on further marks of quality an acturer.
chemical mixture. Selection of the glove material on co Material of gloves The selection of the suitable gloves varies from manufacturer to manufa Penetration time of glove material The exact break through time has observed. Eye protection:	onsideration of the penetration times, rates of diffusion and the degradation does not only depend on the material, but also on further marks of quality an acturer.
chemical mixture. Selection of the glove material on co Material of gloves The selection of the suitable gloves varies from manufacturer to manufa Penetration time of glove material The exact break through time has observed. Eye protection: Tightly sealed goggles	onsideration of the penetration times, rates of diffusion and the degradation does not only depend on the material, but also on further marks of quality an acturer. to be found out by the manufacturer of the protective gloves and has to b
chemical mixture. Selection of the glove material on co Material of gloves The selection of the suitable gloves varies from manufacturer to manufa Penetration time of glove material The exact break through time has observed. Eye protection: Tightly sealed goggles Physical and chemical proper	onsideration of the penetration times, rates of diffusion and the degradation does not only depend on the material, but also on further marks of quality an acturer. to be found out by the manufacturer of the protective gloves and has to b
chemical mixture. Selection of the glove material on co Material of gloves The selection of the suitable gloves varies from manufacturer to manufa Penetration time of glove material The exact break through time has observed. Eye protection: Tightly sealed goggles Physical and chemical proper Information on basic physical and	onsideration of the penetration times, rates of diffusion and the degradation does not only depend on the material, but also on further marks of quality an acturer. to be found out by the manufacturer of the protective gloves and has to b rties
chemical mixture. Selection of the glove material on co Material of gloves The selection of the suitable gloves varies from manufacturer to manufa Penetration time of glove material The exact break through time has observed. Eye protection: Tightly sealed goggles Physical and chemical proper Information on basic physical and General Information	onsideration of the penetration times, rates of diffusion and the degradation does not only depend on the material, but also on further marks of quality an acturer. to be found out by the manufacturer of the protective gloves and has to b
chemical mixture. Selection of the glove material on co Material of gloves The selection of the suitable gloves varies from manufacturer to manufa Penetration time of glove material The exact break through time has observed. Eye protection: Tightly sealed goggles Physical and chemical proper Information on basic physical and General Information Appearance:	consideration of the penetration times, rates of diffusion and the degradation does not only depend on the material, but also on further marks of quality an acturer. to be found out by the manufacturer of the protective gloves and has to b rties chemical properties
chemical mixture. Selection of the glove material on co Material of gloves The selection of the suitable gloves varies from manufacturer to manufa Penetration time of glove material The exact break through time has observed. Eye protection: Tightly sealed goggles Physical and chemical proper Information on basic physical and General Information Appearance: Form:	onsideration of the penetration times, rates of diffusion and the degradation does not only depend on the material, but also on further marks of quality an acturer. to be found out by the manufacturer of the protective gloves and has to b rties chemical properties Fluid
chemical mixture. Selection of the glove material on co Material of gloves The selection of the suitable gloves varies from manufacturer to manufa Penetration time of glove material The exact break through time has observed. Eye protection: Tightly sealed goggles Physical and chemical proper Information on basic physical and General Information Appearance:	onsideration of the penetration times, rates of diffusion and the degradation does not only depend on the material, but also on further marks of quality an acturer. to be found out by the manufacturer of the protective gloves and has to b rties chemical properties Fluid Not determined.
chemical mixture. Selection of the glove material on co Material of gloves The selection of the suitable gloves varies from manufacturer to manufa Penetration time of glove material The exact break through time has observed. Eye protection: Tightly sealed goggles Physical and chemical proper Information on basic physical and General Information Appearance: Form: Color:	onsideration of the penetration times, rates of diffusion and the degradation does not only depend on the material, but also on further marks of quality an acturer. to be found out by the manufacturer of the protective gloves and has to b rties chemical properties Fluid
chemical mixture. Selection of the glove material on co Material of gloves The selection of the suitable gloves varies from manufacturer to manufa Penetration time of glove material The exact break through time has observed. Eye protection: Tightly sealed goggles Physical and chemical proper Information on basic physical and General Information Appearance: Form: Color: Odor:	onsideration of the penetration times, rates of diffusion and the degradation does not only depend on the material, but also on further marks of quality an acturer. to be found out by the manufacturer of the protective gloves and has to b rties rties chemical properties Fluid Not determined. Characteristic
chemical mixture. Selection of the glove material on co Material of gloves The selection of the suitable gloves varies from manufacturer to manufa Penetration time of glove material The exact break through time has observed. Eye protection: Tightly sealed goggles Physical and chemical proper Information on basic physical and General Information Appearance: Form: Color: Odor: Odor threshold: pH-value:	onsideration of the penetration times, rates of diffusion and the degradation does not only depend on the material, but also on further marks of quality an acturer. to be found out by the manufacturer of the protective gloves and has to b rties chemical properties Fluid Not determined. Characteristic Not determined.
chemical mixture. Selection of the glove material on co Material of gloves The selection of the suitable gloves varies from manufacturer to manufa Penetration time of glove material The exact break through time has observed. Eye protection: Tightly sealed goggles Physical and chemical proper Information on basic physical and General Information Appearance: Form: Color: Odor: Odor threshold:	onsideration of the penetration times, rates of diffusion and the degradation does not only depend on the material, but also on further marks of quality an acturer. to be found out by the manufacturer of the protective gloves and has to b rties chemical properties Fluid Not determined. Characteristic Not determined.

(Contd. on page 5)

Printing date 07/29/2016

CHEMICALS, INC

Reviewed on 07/29/2016

Trade name: Tetrabutylphosphonium chloride (80-82 wt% solution in water)

		(Contd. of page
Flash point:	Not applicable.	
Flammability (solid, gaseous):	Not determined.	
Ignition temperature:		
Decomposition temperature:	Not determined.	
Auto igniting:	Not determined.	
Danger of explosion:	Product does not present an explosion hazard.	
Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
Vapor pressure:	Not determined.	
Density at 20 °C (68 °F):	0.99 g/cm ³ (8.262 lbs/gal)	
Relative density	Not determined.	
· Vapor density	Not determined.	
Evaporation rate	Not determined.	
Solubility in / Miscibility with		
Water:	Not miscible or difficult to mix.	
Partition coefficient (n-octanol/wa	ter): Not determined.	
Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
Solvent content:		
Organic solvents:	0.0 %	
VOC content:	0.0 g/l / 0.00 lb/gl	
Other information	No further relevant information available.	

10 Stability and reactivity

· Reactivity No further relevant information available.

- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

· Information on toxicological effects

· Acute toxicity:

· LD/LC50 values that are relevant for classification:

2304-30-5 tetrabutylphosphonium chloride

Oral LD50 916 mg/kg (rat)

Dermal LD50 121 mg/kg (rabbit)

(Contd. on page 6)

US

Printing date 07/29/2016

Reviewed on 07/29/2016

(Contd. of page 5)

Trade name: Tetrabutylphosphonium chloride (80-82 wt% solution in water)

· Primary irritant effect:

- on the skin: Caustic effect on skin and mucous membranes.
- on the eye:
- Strong caustic effect.

Strong irritant with the danger of severe eye injury.

- Sensitization: No sensitizing effects known.
- \cdot Additional toxicological information:

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

Substance is not listed.

· NTP (National Toxicology Program)

Substance is not listed.

· OSHA-Ca (Occupational Safety & Health Administration)

Substance is not listed.

12 Ecological information

· Toxicity

- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- *Mobility in soil* No further relevant information available.
- · Additional ecological information:
- · General notes: Must not reach bodies of water or drainage ditch undiluted or unneutralized.
- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.

4 Transport information		
· UN-Number · DOT, IMDG, IATA	UN2927	
• UN proper shipping name		
\cdot DOT, IATA	Toxic liquids, corrosive, organic, n.o.s.	
·IMDG	TOXIC LIQUID, CORROSIVE, ORGANIC, N.O.S.	

Printing date 07/29/2016

CHEMICALS, INC.

Reviewed on 07/29/2016

	(Contd. of pag
Transport hazard class(es)	
DOT	
Class Label	6 6.1, 8
IMDG	0.1, 0
Class	6
Label IATA	6.1/8
Class Label	6 6.1 (8)
Packing group	0.1 (0)
DOT, IMDG, IATA	II
Environmental hazards: Marine pollutant:	No
Special precautions for user EMS Number:	Not applicable.
EMS Number: Stowage Category	F-A,S-B B
Stowage Code	SW2 Clear of living quarters.
Transport in bulk according to Annex MARPOL73/78 and the IBC Code	II of Not applicable.
Transport/Additional information:	
DOT	
Quantity limitations	On passenger aircraft/rail: 1L On cargo aircraft only: 30L
IMDG	
Limited quantities (LQ) Excepted quantities (EQ)	.1L Code: E4
Excepteu quuntutes (EQ)	Coue. E4 Maximum net quantity per inner packaging: 1 ml Maximum net quantity per outer packaging: 500 ml
UN ''Model Regulation'':	UN 2927 TOXIC LIQUIDS, CORROSIVE, ORGANIC, N.O.S., ((8), II

(Contd. on page 8)

Printing date 07/29/2016

Reviewed on 07/29/2016

Trade name: Tetrabutylphosphonium chloride (80-82 wt% solution in water)

(Contd. of page 7)

15 Regulatory information

 \cdot Safety, health and environmental regulations/legislation specific for the substance or mixture \cdot Sara

• Section 355 (extremely hazardous substances):

Substance is not listed.

• Section 313 (Specific toxic chemical listings):

Substance is not listed.

• TSCA (Toxic Substances Control Act):

Substance is listed.

· Proposition 65

 \cdot Chemicals known to cause cancer:

Substance is not listed.

· Chemicals known to cause reproductive toxicity for females:

Substance is not listed.

· Chemicals known to cause reproductive toxicity for males:

Substance is not listed.

· Chemicals known to cause developmental toxicity:

Substance is not listed.

· Carcinogenic categories

· EPA (Environmental Protection Agency)

Substance is not listed.

· TLV (Threshold Limit Value established by ACGIH)

Substance is not listed.

 \cdot NIOSH-Ca (National Institute for Occupational Safety and Health)

Substance is not listed.

· GHS label elements

The substance is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms*



· Signal word Danger

Hazard-determining components of labeling: tetrabutylphosphonium chloride
Hazard statements H302 Harmful if swallowed. H310 Fatal in contact with skin. H314 Causes severe skin burns and eye damage.
Precautionary statements P260 Do not breathe dusts or mists. P262 Do not get in eyes, on skin, or on clothing.

(Contd. on page 9)

US

Printing date 07/29/2016

Reviewed on 07/29/2016

(Contd. of page 8)

- P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower.
 P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present
- P305+P351+P358 If in eyes: Kinse cautously with water for several minutes. Remove contact tenses, if present and easy to do. Continue rinsing.
 P310 Immediately call a POISON CENTER/doctor.
- *P501 Dispose of contents/container in accordance with local/regional/national/international regulations.*

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: Technical Department.

· Date of preparation / last revision 07/29/2016 / -

· Abbreviations and acronyms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Acute Tox. 4: Acute toxicity, Hazard Category 4 Acute Tox. 2: Acute toxicity, Hazard Category 2 Skin Corr. 1B: Skin corrosion/irritation, Hazard Category 1B Eye Dam. 1: Serious eye damage/eye irritation, Hazard Category 1



[·] Contact: Technical Director