Printing date 07/30/2016

1 Identification

· Product name

Reviewed on 07/30/2016

	• Trade name: Diacetato[(R)-(+)-2,2'-bis(diphenylphosphino)-5,5',6,6',7,7',8,8'-octahydro-1,1'-binaphthyl] ruthenium(II) Ru(OAc) ₂ (R)-H ₈ -binap]		
• Item number: • CAS Number: 374067-51-3	44-0166		
• Details of the s • Manufacturer Strem Chemica 7 Mulliken Way NEWBURYPO USA info@strem.com	v v RT, MA 01950		
• Emergency tel EMERGENCY.	epartment: Technical Department ephone number: : CHEMTREC: + 1 (800) 424-9300 : opening times: +1 (978) 499-1600		
2 Hazard(s) ia	lentification		
· Classification	of the substance or mixture		
GHS	207		
Skin Irrit. 2 H	1315 Causes skin irritation.		
Eye Irrit. 2A H	1319 Causes serious eye irritation.		
STOT SE 3 H	1335 May cause respiratory irritation.		
• Label elements • GHS label elem The substance • Hazard pictogr GHS07	nents is classified and labeled according to the Globally Harmonized System (GHS).		
• Signal word W	arning		
Diacetato[(R) Ru(OAc)2[(R)- • Hazard statem H315 Causes s H319 Causes s H335 May cau • Precautionary P231 P222	ents kin irritation. erious eye irritation. se respiratory irritation. statements Handle under inert gas. Do not allow contact with air.		
P305+P351+F	<i>P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.</i>		



(Contd. on page 2)



Printing date 07/30/2016

Reviewed on 07/30/2016

Trade name: Diacetato[(R)-(+)-2,2'-bis(diphenylphosphino)-5,5',6,6',7,7',8,8'-octahydro-1,1'-binaphthyl] ruthenium(II) Ru(OAc)₂[(R)-H₆-binap]

(Contd. of page 1)

P403+P233 Store in a well-ventilated place. Keep container tightly closed. P422 Store contents under inert gas. P501 Dispose of contents/container in accordance with local/regional/national/international regulations. · Classification system: · NFPA ratings (scale 0 - 4) Health = 1Fire = 0Reactivity = 0· HMIS-ratings (scale 0 - 4) HEALTH 1 Health = 1FIRE 0 Fire = 0**REACTIVITY** O Reactivity = 0 · Other hazards · Results of PBT and vPvB assessment · **PBT:** Not applicable. · vPvB: Not applicable.

3 Composition/information on ingredients

· Chemical characterization: Substances

· CAS No. Description

374067-51-3 Diacetato[(R)-(+)-2,2'-bis(diphenylphosphino)-5,5',6,6',7, 7',8,8'-octahydro-1,1'-binaphthyl]ruthenium(II) Ru(OAc)

2[(R)-H8-binap]

4 First-aid measures

• Description of first aid measures

- After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact:
- Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- After swallowing: If symptoms persist consult doctor.
- · Information for doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam. • *Special hazards arising from the substance or mixture No further relevant information available.*

(Contd. on page 3)

Printing date 07/30/2016

Reviewed on 07/30/2016

Trade name: Diacetato[(R)-(+)-2,2'-bis(diphenylphosphino)-5,5',6,6',7,7',8,8'-octahydro-1,1'-binaphthyl] ruthenium(II) Ru(OAc)₂[(R)-H_g-binap]

· Advice for firefighters

(Contd. of page 2)

• *Protective equipment:* No special measures required.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures Not required.

- · Environmental precautions: No special measures required.
- *Methods and material for containment and cleaning up:* Dispose contaminated material as waste according to item 13. Ensure adequate ventilation.

• *Reference to other sections*

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

- · Handling: Handle under inert gas.
- *Precautions for safe handling* Open and handle receptacle with care.
- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage: Store contents under inert gas.
- Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- · Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Control parameters
- Components with limit values that require monitoring at the workplace: Not required.
- Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Avoid contact with the eyes and skin.

• Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

· Protection of hands:



Protective gloves

(Contd. on page 4)

US



Printing date 07/30/2016

Reviewed on 07/30/2016

Trade name: Diacetato[(R)-(+)-2,2'-bis(diphenylphosphino)-5,5',6,6',7,7',8,8'-octahydro-1,1'-binaphthyl] ruthenium(II) Ru(OAc)₂[(R)-H_g-binap]

(Contd. of page 3)

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation · *Material of gloves*

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

• Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection:



Tightly sealed goggles

9 Physical and chemical properties

Appearance: Form:	Powder	
Form: Color:	Light green	
Odor:	undistinguishable	
Odor threshold:	Not determined.	
pH-value:	Not applicable.	
Change in condition		
Melting point/Melting range:	>100 °C (>212 °F) (dec.)	
Boiling point/Boiling range:	no data °C	
Flash point:	Not applicable.	
Flammability (solid, gaseous):	Not determined.	
Ignition temperature:		
Decomposition temperature:	Not determined.	
Auto igniting:	Not determined.	
Danger of explosion:	Product does not present an explosion hazard.	
Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
Vapor pressure:	Not applicable.	
Density:	Not determined.	
Relative density	Not determined.	
Vapor density	Not applicable.	
Evaporation rate	Not applicable.	





Printing date 07/30/2016

Reviewed on 07/30/2016

Trade name: Diacetato[(R)-(+)-2,2'-bis(diphenylphosphino)-5,5',6,6',7,7',8,8'-octahydro-1,1'-binaphthyl] ruthenium(II) Ru(OAc)₂[(R)-H_g-binap]

		(Contd. of page
Solubility in / Miscibility with		
Water:	Insoluble.	
Partition coefficient (n-octan	ol/water): Not determined.	
· Viscosity:		
Dynamic:	Not applicable.	
Kinematic:	Not applicable.	
Solvent content:		
Organic solvents:	0.0 %	
VOC content:	0.0 g/l / 0.00 lb/gl	
Solids content:	100.0 %	
• Other information	No further relevant information available.	

10 Stability and reactivity

· Reactivity No further relevant information available.

- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- Acute toxicity:
- Primary irritant effect:
- on the skin: Irritant to skin and mucous membranes.
- on the eye: Irritating effect.
- Sensitization: No sensitizing effects known.
- Additional toxicological information:
- · Carcinogenic categories
- · IARC (International Agency for Research on Cancer)
- Substance is not listed.
- ·NTP (National Toxicology Program)

Substance is not listed.

- · OSHA-Ca (Occupational Safety & Health Administration)
- Substance is not listed.

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.

(Contd. on page 6)

US



Printing date 07/30/2016

Reviewed on 07/30/2016

Trade name: Diacetato[(R)-(+)-2,2'-bis(diphenylphosphino)-5,5',6,6',7,7',8,8'-octahydro-1,1'-binaphthyl] ruthenium(II) Ru(OAc)₂[(R)-H_e-binap]

(Contd. of page 5)

· Behavior in environmental systems:

- · Bioaccumulative potential No further relevant information available.
- *Mobility in soil* No further relevant information available.

• Additional ecological information:

- General notes: Not known to be hazardous to water.
- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

• Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.

14 Transport information

· UN-Number · DOT, ADN, IMDG, IATA	not regulated
· UN proper shipping name · DOT, ADN, IMDG, IATA	not regulated
· Transport hazard class(es)	
· DOT, ADN, IMDG, IATA · Class	not regulated
· Packing group · DOT, IMDG, IATA	not regulated
· Environmental hazards: · Marine pollutant:	No
· Special precautions for user	Not applicable.
• Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable.	
· UN "Model Regulation":	not regulated

15 Regulatory information

 \cdot Safety, health and environmental regulations/legislation specific for the substance or mixture \cdot Sara

- Section 355 (extremely hazardous substances):
- Substance is not listed.

(Contd. on page 7)

US



Printing date 07/30/2016

Reviewed on 07/30/2016

Trade name: Diacetato[(R)-(+)-2,2'-bis(diphenylphosphino)-5,5',6,6',7,7',8,8'-octahydro-1,1'-binaphthyl] ruthenium(II) Ru(OAc)₂[(R)-H₈-binap]

(Contd. of page 6)

• Section 313 (Specific toxic chemical listings):

Substance is not listed.

• TSCA (Toxic Substances Control Act):

Substance is not listed.

· Proposition 65

· Chemicals known to cause cancer:

Substance is not listed.

• Chemicals known to cause reproductive toxicity for females:

Substance is not listed.

• Chemicals known to cause reproductive toxicity for males:

Substance is not listed.

· Chemicals known to cause developmental toxicity:

Substance is not listed.

· Carcinogenic categories

· EPA (Environmental Protection Agency)

Substance is not listed.

• TLV (Threshold Limit Value established by ACGIH)

Substance is not listed.

·NIOSH-Ca (National Institute for Occupational Safety and Health)

Substance is not listed.

· GHS label elements

The substance is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms*



· Signal word Warning

	ing components of labeling:		
	+)-2,2'-bis(diphenylphosphino)-5,5',6,6',7,7',8,8'-octahydro-1,1'-binaphthyl]ruthenium(II)		
Ru(OAc)2[(R)-Ha	8-binap]		
• Hazard statemen	ts		
H315 Causes skin irritation.			
H319 Causes serious eye irritation.			
H335 May cause respiratory irritation.			
Precautionary statements			
P231	Handle under inert gas.		
P222	Do not allow contact with air.		
P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present			
	and easy to do. Continue rinsing.		
P403+P233	Store in a well-ventilated place. Keep container tightly closed.		
P422	Store contents under inert gas.		
P501	Dispose of contents/container in accordance with local/regional/national/international		
	regulations.		
	(Contd. on page 8)		





Printing date 07/30/2016

Reviewed on 07/30/2016

Trade name: Diacetato[(R)-(+)-2,2'-bis(diphenylphosphino)-5,5',6,6',7,7',8,8'-octahydro-1,1'-binaphthyl] ruthenium(II) Ru(OAc)₂[(R)-H_e-binap]

(Contd. of page 7)

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Technical Department.
- · Contact: Technical Director
- · Date of preparation / last revision 07/30/2016 / -
- · Abbreviations and acronyms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2 Eye Irrit. 2A: Serious eye damage/eye irritation, Hazard Category 2A STOT SE 3: Specific target organ toxicity - Single exposure, Hazard Category 3