Printing date 07/30/2016

Reviewed on 07/30/2016

# **1 Identification**

- · Product name
- · Trade name: <u>Ytterbium(III)</u> i-propoxide (99.9%-Yb) (REO)
- Item number: 70-5000
- CAS Number: 6742-69-4
- · Details of the supplier of the safety data sheet
- Manufacturer/Supplier: Strem Chemicals, Inc.
   7 Mulliken Way NEWBURYPORT, MA 01950 USA info@strem.com
- Information department: Technical Department
   Emergency telephone number: EMERGENCY: CHEMTREC: + 1 (800) 424-9300 During normal opening times: +1 (978) 499-1600

# 2 Hazard(s) identification

· Classification of the substance or mixture



Flam. Sol. 1 H228 Flammable solid.



Skin Irrit. 2H315Causes skin irritation.Eye Irrit. 2AH319Causes serious eye irritation.STOT SE 3H335May cause respiratory irritation.

· Label elements

- · GHS label elements
- *The substance is classified and labeled according to the Globally Harmonized System (GHS). Hazard pictograms*



· Signal word Danger

Hazard-determining components of labeling: Ytterbium(III) i-propoxide (99.9%-Yb) (REO)
Hazard statements H228 Flammable solid. H315 Causes skin irritation. H319 Causes serious eye irritation. H335 May cause respiratory irritation.

(Contd. on page 2)

Printing date 07/30/2016

Reviewed on 07/30/2016

	(Contd. of page
• Precautionary	
P231+P232	Handle under inert gas. Protect from moisture.
P210	Keep away from heat/sparks/open flames/hot surfaces. No smoking.
P305+P351+P	338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if prese
D402 D222	and easy to do. Continue rinsing.
P403+P233	Store in a well-ventilated place. Keep container tightly closed.
P422 P501	Store contents under inert gas.
P301	Dispose of contents/container in accordance with local/regional/national/internation regulations.
Classification s	0
NFPA ratings	
E F	Jealth = 1
	Fire = 2
	Reactivity = 0
HMIS-ratings	(scale 0 - 4)
	Health = 1
	Fire = 0
	Reactivity = 0
REACTIVITY	
• Other hazards	
Other hazards Results of PBT	and vPvB assessment
• Other hazards • Results of PBT • PBT: Not appli	and vPvB assessment cable.
• Other hazards	and vPvB assessment cable.
• Other hazards • Results of PBT • PBT: Not appli	and vPvB assessment cable.
Other hazards Results of PBT PBT: Not appli vPvB: Not appl	and vPvB assessment cable. icable.
Other hazards Results of PBT PBT: Not appli vPvB: Not appl	and vPvB assessment cable.
Other hazards Results of PBT PBT: Not appli vPvB: Not appl Composition	and vPvB assessment cable. icable. /information on ingredients
Other hazards Results of PBT PBT: Not appli vPvB: Not appl Composition Chemical char	and vPvB assessment cable. icable. /information on ingredients acterization: Substances
Other hazards Results of PBT PBT: Not appli vPvB: Not appl Composition Chemical char CAS No. Descr	and vPvB assessment cable. icable. /information on ingredients acterization: Substances iption
Other hazards Results of PBT PBT: Not appli vPvB: Not appl Composition Chemical chart CAS No. Descr	and vPvB assessment cable. icable. /information on ingredients acterization: Substances
Other hazards Results of PBT PBT: Not appli vPvB: Not appl Composition Chemical char CAS No. Descr	and vPvB assessment cable. icable. /information on ingredients acterization: Substances iption
Other hazards Results of PBT PBT: Not appli vPvB: Not appl Composition Chemical chart CAS No. Descr	and vPvB assessment cable. icable. /information on ingredients acterization: Substances iption ·bium(III) i-propoxide (99.9%-Yb) (REO)

- After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact:
- Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- · After swallowing: If symptoms persist consult doctor.
- · Information for doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

# **5** Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

(Contd. on page 3)

US

Printing date 07/30/2016

Reviewed on 07/30/2016

Trade name: Ytterbium(III) i-propoxide (99.9%-Yb) (REO)

- · Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

### **6** Accidental release measures

- Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.
- Environmental precautions: No special measures required.
- *Methods and material for containment and cleaning up:* Dispose contaminated material as waste according to item 13. Ensure adequate ventilation.
- · Reference to other sections
- See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment.
- See Section 8 for information on personal protection equipme See Section 13 for disposal information.
- 7 Handling and storage

· Handling:

- · Precautions for safe handling
- Ensure good ventilation/exhaustion at the workplace. Open and handle receptacle with care.
- Information about protection against explosions and fires: Keep ignition sources away - Do not smoke. Protect against electrostatic charges.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- Store in cool, dry conditions in well sealed receptacles.
- Specific end use(s) No further relevant information available.

### 8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace: Not required.
- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Avoid contact with the eyes and skin.

(Contd. on page 4)



(Contd. of page 2)

US

Printing date 07/30/2016

Reviewed on 07/30/2016

(Contd. of page 3)

### Trade name: Ytterbium(III) i-propoxide (99.9%-Yb) (REO)

#### · Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

#### • Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation • Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

• Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection:



Tightly sealed goggles

## 9 Physical and chemical properties

Information on basic physical and	chemical properties	
• General Information • Appearance:		
Form:	Powder	
Color:	Whitish	
· Odor:	Alcohol-like	
· Odor threshold:	Not determined.	
· pH-value:	Not applicable.	
• Change in condition Melting point/Melting range: Boiling point/Boiling range:	200 dec °C (392 dec °F) subl. 190-200 / °C (subl. 374-392 / °F)	
· Flash point:	Not applicable.	
· Flammability (solid, gaseous):	Flammable.	
· Ignition temperature:		
Decomposition temperature:	Not determined.	
• Auto igniting:	Not determined.	
· Danger of explosion:	Not determined.	
· Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
	(Contd. o	n page 5)

Printing date 07/30/2016

Reviewed on 07/30/2016

### Trade name: Ytterbium(III) i-propoxide (99.9%-Yb) (REO)

		(Contd. of page 4)
· Vapor pressure:	no data hPa	
· Density:	Not determined.	
· Relative density	Not determined.	
· Vapor density	Not applicable.	
· Evaporation rate	Not applicable.	
· Solubility in / Miscibility with		
Water:	Insoluble.	
· Partition coefficient (n-octanol/wa	t <b>ter):</b> Not determined.	
· Viscosity:		
Dynamic:	Not applicable.	
Kinematic:	Not applicable.	
· Solvent content:		
Organic solvents:	0.0 %	
VOC content:	0.0 g/l / 0.00 lb/gl	
Solids content:	100.0 %	
· Other information	No further relevant information available.	

## **10 Stability and reactivity**

· Reactivity No further relevant information available.

- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

# **11 Toxicological information**

- · Information on toxicological effects
- · Acute toxicity:
- · Primary irritant effect:
- on the skin: Irritant to skin and mucous membranes.
- on the eye: Irritating effect.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

#### · Carcinogenic categories

· IARC (International Agency for Research on Cancer)

Substance is not listed.

#### · NTP (National Toxicology Program)

Substance is not listed.

#### · OSHA-Ca (Occupational Safety & Health Administration)

Substance is not listed.

(Contd. on page 6)



Printing date 07/30/2016

Reviewed on 07/30/2016

Trade name: Ytterbium(III) i-propoxide (99.9%-Yb) (REO)

(Contd. of page 5)

## **12 Ecological information**

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes: Not known to be hazardous to water.
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · **vPvB**: Not applicable.
- · Other adverse effects No further relevant information available.

### **13 Disposal considerations**

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.

· UN-Number	
· DOT, IMDG, IATA	UN1325
· UN proper shipping name	
· DOT, IATA	Flammable solids, organic, n.o.s.
·IMDG	FLAMMABLE SOLID, ORGANIC, N.O.S.
· Transport hazard class(es)	
·DOT	
· Class	4.1 Flammable solids, self-reactive substances and sol
· Class	desensitised explosives
· Label	4.1
· IMDG	
V	



Printing date 07/30/2016

\_\_0

CHEMICALS, INC.

Reviewed on 07/30/2016

Trade name: Ytterbium(III) i-propoxide (99.9%-Yb) (REO)

	(Contd. of page
· Label	4.1
· IATA	
·IAIA	
V	
· Class	4.1 Flammable solids, self-reactive substances and soli
· Label	desensitised explosives 4.1
2	7.1
· Packing group · DOT, IMDG, IATA	11
	11
• Environmental hazards:	λ/-
· Marine pollutant:	No
<ul> <li>Special precautions for user</li> </ul>	Not applicable.
· EMS Number:	F- $A$ , $S$ - $G$
· Stowage Category	В
• Transport in bulk according to Annex	II of
MARPOL73/78 and the IBC Code	Not applicable.
· Transport/Additional information:	
·DOT	
• Quantity limitations	On passenger aircraft/rail: 15 kg
	On cargo aircraft only: 50 kg
· UN ''Model Regulation'':	UN 1325 FLAMMABLE SOLIDS, ORGANIC, N.O.S., 4.1, II

# **15 Regulatory information**

 $\cdot$  Safety, health and environmental regulations/legislation specific for the substance or mixture  $\cdot$  Sara

5474	
Section 355 (extremely hazardous substances):	
Substance is not listed.	
Section 313 (Specific toxic chemical listings):	
Substance is not listed.	
TSCA (Toxic Substances Control Act):	
Substance is not listed.	
Proposition 65	
Chemicals known to cause cancer:	
Substance is not listed.	
Chemicals known to cause reproductive toxicity for females:	
Substance is not listed.	
Chemicals known to cause reproductive toxicity for males:	
Substance is not listed.	
Chemicals known to cause developmental toxicity:	
Substance is not listed.	
	(Contd. on

US

Printing date 07/30/2016

Reviewed on 07/30/2016

Trade name: Ytterbium(III) i-propoxide (99.9%-Yb) (REO)

(Contd. of page 7)

- · Carcinogenic categories
- · EPA (Environmental Protection Agency)

Substance is not listed.

• TLV (Threshold Limit Value established by ACGIH)

Substance is not listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

Substance is not listed.

· GHS label elements

The substance is classified and labeled according to the Globally Harmonized System (GHS).

• Hazard pictograms



· Signal word Danger

• *Hazard-determining components of labeling: Ytterbium(III) i-propoxide (99.9%-Yb) (REO)* 

· Hazard statements

H228 Flammable solid.

H315 Causes skin irritation.

H319 Causes serious eye irritation. H335 May cause respiratory irritation.

· Precautionary statements

P231+P232 Handle under inert gas. Protect from moisture.

- P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.
- P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- *P403+P233* Store in a well-ventilated place. Keep container tightly closed.
- P422 Store contents under inert gas.
- *P501* Dispose of contents/container in accordance with local/regional/national/international regulations.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

# **16 Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Technical Department.
- · Contact: Technical Director
- · Date of preparation / last revision 07/30/2016 / -
- Abbreviations and acronyms:
  ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
  IMDG: International Maritime Code for Dangerous Goods
  DOT: US Department of Transportation
  IATA: International Air Transport Association
  ACGIH: American Conference of Governmental Industrial Hygienists
  CAS: Chemical Abstracts Service (division of the American Chemical Society)
  NFPA: National Fire Protection Association (USA)
  HMIS: Hazardous Materials Identification System (USA)
  VOC: Volatile Organic Compounds (USA, EU)

(Contd. on page 9)

Printing date 07/30/2016

Reviewed on 07/30/2016

## Trade name: Ytterbium(III) i-propoxide (99.9%-Yb) (REO)

(Contd. of page 8)

US

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Flam. Sol. 1: Flammable solids, Hazard Category 1 Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2 Eye Irrit. 2A: Serious eye damage/eye irritation, Hazard Category 3 STOT SE 3: Specific target organ toxicity - Single exposure, Hazard Category 3

