

Printing date 07/28/2017 Reviewed on 07/28/2017

### 1 Identification

· Product name

· Trade name: Mercury(II) fluoride, 98%

· Item number: 93-8007

• CAS Number: 7783-39-3 • EC number: 231-994-6

• Index number: 080-002-00-6

· Details of the supplier of the safety data sheet

· Manufacturer/Supplier: Strem Chemicals, Inc.

7 Mulliken Way

NEWBURYPORT, MA 01950

USA

info@strem.com

· Information department: Technical Department

· Emergency telephone number:

EMERGENCY: CHEMTREC: + 1 (800) 424-9300 During normal opening times: +1 (978) 499-1600

### 2 Hazard(s) identification

· Classification of the substance or mixture



GHS06 Skull and crossbones

Acute Tox. 2 H300 Fatal if swallowed.

Acute Tox. 2 H310 Fatal in contact with skin.

Acute Tox. 2 H330 Fatal if inhaled.



GHS08 Health hazard

STOT RE 2 H373 May cause damage to organs through prolonged or repeated exposure.

- · Label elements
- · GHS label elements

The substance is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms





GHS06

GHS08

- · Signal word Danger
- Hazard-determining components of labeling:
- mercury difluoride · Hazard statements

H300+H310+H330 Fatal if swallowed, in contact with skin or if inhaled.

(Contd. on page 2)



Printing date 07/28/2017 Reviewed on 07/28/2017

Trade name: Mercury(II) fluoride, 98%

(Contd. of page 1)

May cause damage to organs through prolonged or repeated exposure. H373

· Precautionary statements

P231 Handle under inert gas.

IF SWALLOWED: Immediately call a POISON CENTER/doctor. P301+P310

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing.

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P422 Store contents under inert gas.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

- · Classification system:
- · NFPA ratings (scale 0 4)



Health = 4Fire = 0Reactivity = 0

· HMIS-ratings (scale 0 - 4)



Health = 4Fire = 0

- · Other hazards
- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable. · vPvB: Not applicable.

#### 3 Composition/information on ingredients

- · Chemical characterization: Substances
- · CAS No. Description

7783-39-3 mercury difluoride

- · Identification number(s)
- · EC number: 231-994-6
- · Index number: 080-002-00-6

### 4 First-aid measures

- · Description of first aid measures
- · General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours

Remove breathing apparatus only after contaminated clothing have been completely removed.

In case of irregular breathing or respiratory arrest provide artificial respiration.

· After inhalation:

Supply fresh air or oxygen; call for doctor.

*In case of unconsciousness place patient stably in side position for transportation.* 

- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing: Do not induce vomiting; immediately call for medical help.

(Contd. on page 3)



Printing date 07/28/2017 Reviewed on 07/28/2017

Trade name: Mercury(II) fluoride, 98%

(Contd. of page 2)

- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed

No further relevant information available.

### 5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · Special hazards arising from the substance or mixture

During heating or in case of fire poisonous gases are produced.

- · Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

### 6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Mount respiratory protective device.
- · Environmental precautions:

Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system.

· Methods and material for containment and cleaning up:

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

· Protective Action Criteria for Chemicals

· PAC-1:

Substance is not listed.

· PAC-2:

Substance is not listed.

· *PAC-3*:

Substance is not listed.

#### 7 Handling and storage

- · Handling: Handle under inert gas.
- · Precautions for safe handling

Thorough dedusting.

Ensure good ventilation/exhaustion at the workplace.

Open and handle receptacle with care.

- · Information about protection against explosions and fires: Keep respiratory protective device available.
- · Conditions for safe storage, including any incompatibilities
- · Storage: Store contents under inert gas.
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions:

Keep receptacle tightly sealed.

(Contd. on page 4)



Printing date 07/28/2017 Reviewed on 07/28/2017

Trade name: Mercury(II) fluoride, 98%

(Contd. of page 3)

Store in cool, dry conditions in well sealed receptacles.

· Specific end use(s) No further relevant information available.

### 8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace:

#### 7783-39-3 mercury difluoride

PEL Long-term value: 0.1 mg/m<sup>3</sup>

as Hg; see OSHA standard interpretation memo

REL Long-term value: 0.05\* mg/m<sup>3</sup>

Ceiling limit value: 0.1 mg/m<sup>3</sup>

as Hg; \*Vapor; Skin

TLV Long-term value: 0.025 mg/m<sup>3</sup>

as Hg; Skin; BEI

#### · Ingredients with biological limit values:

### 7783-39-3 mercury difluoride

BEI 35 μg/L

Medium: urine Time: prior to shift

Parameter: Total inorganic mercury (background)

15 μg/L

Medium: blood

Time: end of shift at end of workweek

Parameter: Total inorganic mercury (background)

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Store protective clothing separately.

· Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation (Contd. on page 5)

----



Printing date 07/28/2017 Reviewed on 07/28/2017

Trade name: Mercury(II) fluoride, 98%

(Contd. of page 4)

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

9 Physical and chemical prope	rties	
· Information on basic physical and chemical properties · General Information		
· Appearance:		
Form:	Powder	
Color:	Whitish	
· Odor:	Odorless	
· Odor threshold:	Not determined.	
· pH-value:	Not applicable.	
· Change in condition		
Melting point/Melting range:	645 °C (1193 °F)	
Boiling point/Boiling range:	Undetermined.	
· Flash point:	Not applicable.	
· Flammability (solid, gaseous):	Not determined.	
· Ignition temperature:		
Decomposition temperature:	Not determined.	
· Auto igniting:	Not determined.	
· Danger of explosion:	Product does not present an explosion hazard.	
· Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
· Vapor pressure:	Not applicable.	
· Density at 20 °C (68 °F):	8.95 g/cm³ (74.68775 lbs/gal)	
· Relative density	Not determined.	
· Vapor density	Not applicable.	
· Evaporation rate	Not applicable.	
· Solubility in / Miscibility with		
Water:	Insoluble.	
· Partition coefficient (n-octanol/wa	ter): Not determined.	
· Viscosity:		
Dynamic:	Not applicable.	

(Contd. on page 6)



Printing date 07/28/2017 Reviewed on 07/28/2017

Trade name: Mercury(II) fluoride, 98%

		(Contd. of page 5)
Kinematic:	Not applicable.	
· Solvent content:		
Organic solvents:	0.0~%	
VOC content:	0.0~g/l / 0.00~lb/gl	
Solids content:	100.0 %	
· Other information	No further relevant information available.	

# 10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

# 11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- · Primary irritant effect:
- · on the skin: No irritant effect.
- · on the eye: No irritating effect.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:
- · Carcinogenic categories
- · IARC (International Agency for Research on Cancer)

3

· NTP (National Toxicology Program)

Substance is not listed.

· OSHA-Ca (Occupational Safety & Health Administration)

Substance is not listed.

### 12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes: Not known to be hazardous to water.
- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.

(Contd. on page 7)



Printing date 07/28/2017 Reviewed on 07/28/2017

Trade name: Mercury(II) fluoride, 98%

· Other adverse effects No further relevant information available.

(Contd. of page 6)

# 13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.

Transport information	
· UN-Number · DOT, IMDG, IATA	UN2025
· UN proper shipping name	
· DOT	Mercury compounds, solid, n.o.s.
· IMDG · IATA	MERCURY COMPOUND, SOLID, N.O.S., MARINE POLLUTANT MERCURY COMPOUND, SOLID, N.O.S.
	MERCURY COMPOUND, SOLID, N.O.S.
· Transport hazard class(es)	
· DOT	
TOXIC	
· Class	6.1 Toxic substances
· Label	6.1
· IMDG	
¥2>	
Class	6
Label	6.1
· IATA	
· Class	6.1 Toxic substances
· Label	6.1
· Packing group	
· DOT, IMDG, IATA	II

(Contd. on page 8)



Printing date 07/28/2017 Reviewed on 07/28/2017

Trade name: Mercury(II) fluoride, 98%

	(Contd. of page
· Environmental hazards:	
· Marine pollutant:	No
-	Yes (DOT)
	Symbol (fish and tree)
· Special precautions for user	Not applicable.
· EMS Number:	F-A,S-A
· Segregation groups	Heavy metals and their salts (including their organometall compounds), mercury and mercury compounds
· Stowage Category	A
· Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	f Not applicable.
· Transport/Additional information:	
$\cdot DOT$	
· Quantity limitations	On passenger aircraft/rail: 25 kg
<b>E</b>	On cargo aircraft only: 100 kg
· IMDG	
· Limited quantities (LQ)	.5kg
$\cdot$ Excepted quantities $(\widetilde{EQ})$	Code: E4
~ ~ ~	Maximum net quantity per inner packaging: 1 g
	Maximum net quantity per outer packaging: 500 g
· UN ''Model Regulation'':	UN 2025 MERCURY COMPOUNDS, SOLID, N.O.S., 6.1, II

# 15 Regulatory information

- $\cdot \textit{Safety, health and environmental regulations/legislation specific for the substance or \textit{mixture} \\$
- · Sara
- · Section 355 (extremely hazardous substances):

Substance is not listed.

· Section 313 (Specific toxic chemical listings):

Substance is listed.

· TSCA (Toxic Substances Control Act):

Substance is listed.

· Proposition 65

· Chemicals known to cause cancer:

Substance is not listed.

· Chemicals known to cause reproductive toxicity for females:

Substance is not listed.

· Chemicals known to cause reproductive toxicity for males:

Substance is not listed.

· Chemicals known to cause developmental toxicity:

Substance is listed.

(Contd. on page 9)



Printing date 07/28/2017 Reviewed on 07/28/2017

Trade name: Mercury(II) fluoride, 98%

(Contd. of page 8)

· Carcinogenic categories

· EPA (Environmental Protection Agency)

D

· TLV (Threshold Limit Value established by ACGIH)

*A4* 

· NIOSH-Ca (National Institute for Occupational Safety and Health)

Substance is not listed.

· GHS label elements

The substance is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms





GHS06

GHS08

- · Signal word Danger
- · Hazard-determining components of labeling:

mercury difluoride

· Hazard statements

H300+H310+H330 Fatal if swallowed, in contact with skin or if inhaled.

H373 May cause damage to organs through prolonged or repeated exposure.

· Precautionary statements

P231 Handle under inert gas.

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/doctor.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing.

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P422 Store contents under inert gas.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Technical Department.
- · Contact: Technical Director
- · Date of preparation / last revision 07/28/2017 / -
- · Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

 ${\it IATA: International Air Transport Association}$ 

ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU) PBT: Persistent, Bioaccumulative and Toxic

(Contd. on page 10)



Printing date 07/28/2017 Reviewed on 07/28/2017

Trade name: Mercury(II) fluoride, 98%

vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit BEI: Biological Exposure Limit

Acute Tox. 2: Acute toxicity – Category 2 STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2 (Contd. of page 9)

IS