

# Benzyl 1,1,2,2-tetrafluoroethyl ether Safety Data Sheet 2607340 according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Date of issue: 10/03/2017 Version: 1.0

SECTION 1: Identification	
1.1. Identification	
Product form	: Substance
Substance name	: Benzyl 1,1,2,2-tetrafluoroethyl ether
CAS No	: 115611-57-9
Product code	: 2607-3-40
Formula	: C9H8F4O
Synonyms	: [(1,1,2,2-Tetrafluoroethoxy)methyl]benzene
Other means of identification	: MFCD16620487
	substance or mixture and uses advised against
Use of the substance/mixture	: Laboratory chemicals Manufacture of substances Scientific research and development
1.3. Details of the supplier of the saf	fety data sheet
SynQuest Laboratories, Inc. P.O. Box 309 Alachua, FL 32615 - United States of Americ T (386) 462-0788 - F (386) 462-7097 info@synquestlabs.com - www.synquestlabs	
1.4. Emergency telephone number	
Emergency number	: (844) 523-4086 (3E Company - Account 10069)
SECTION 2: Hazard(s) identificati	ion
2.1. Classification of the substance	
Classification (GHS-US)	
Skin Irrit. 2 H315 - Causes skin irritation	
Skin Irrit. 2H315 - Causes skin irritationEye Irrit. 2AH319 - Causes serious eye iSTOT SE 3H335 - May cause respirator	irritation
Eye Irrit. 2A       H319 - Causes serious eye i         STOT SE 3       H335 - May cause respirator         Full text of H-phrases: see section 16         2.2.       Label elements	irritation
Skin Irrit. 2       H315 - Causes skin irritation         Eye Irrit. 2A       H319 - Causes serious eye i         STOT SE 3       H335 - May cause respirator         Full text of H-phrases: see section 16         2.2.       Label elements         GHS-US labeling	irritation
Skin Irrit. 2       H315 - Causes skin irritation         Eye Irrit. 2A       H319 - Causes serious eye i         STOT SE 3       H335 - May cause respirator         Full text of H-phrases: see section 16         2.2.       Label elements	irritation
Skin Irrit. 2 H315 - Causes skin irritation Eye Irrit. 2A H319 - Causes serious eye i STOT SE 3 H335 - May cause respirator Full text of H-phrases: see section 16 2.2. Label elements GHS-US labeling Hazard pictograms (GHS-US)	irritation ry irritation
Skin Irrit. 2 H315 - Causes skin irritation Eye Irrit. 2A H319 - Causes serious eye i STOT SE 3 H335 - May cause respirator Full text of H-phrases: see section 16 2.2. Label elements GHS-US labeling Hazard pictograms (GHS-US) Signal word (GHS-US)	<ul> <li>irritation</li> <li>ry irritation</li> <li>: irritation</li> <li>: irritation</li> <li>: irritation</li> <li>: Warning</li> <li>: H227 - Combustible liquid H315 - Causes skin irritation H319 - Causes serious eye irritation</li> </ul>

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

- P370+P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish P403+P233 - Store in a well-ventilated place. Keep container tightly closed P403+P235 - Store in a well-ventilated place. Keep cool
- P405 Store locked up
- P501 Dispose of contents/container to an approved waste disposal plant

#### 2.3. Other hazards

No additional information available

Unknown acute toxicity (GHS US) 2.4.

Not applicable

8.1.	Substance				
Substan	ice type	: Mor	no-constituent		
Name			Product identifier	%	Classification (GHS-US)
	1,1,2,2-tetrafluoroethyl ether nstituent)		(CAS No) 115611-57-9	<= 100	Flam. Liq. 4, H227 Skin Irrit. 2, H315 Eye Irrit. 2A, H319 STOT SE 3, H335
-ull text	of H-phrases: see section 16				
3.2.	Mixture				
Not app	licable				
SECT	ON 4: First aid measures				
4.1.	Description of first aid measures				
First-aid	measures general		ase of accident or if you feel unwell, seek re possible). Move the affected personnel		
First-aid	measures after inhalation		nove person to fresh air and keep comfort piration. Get medical advice/attention.	able for breathin	ng. If not breathing, give artificial
First-aid	measures after skin contact	: Was	sh with plenty of soap and water. Get med	ical advice/atter	ntion.
First-aid	measures after eye contact		nediately flush eyes thoroughly with water sent and easy to do. Continue rinsing. Get		
First-aid	measures after ingestion		NOT induce vomiting. Never give anything the out with water. Get medical advice/atte		n unconscious person. Rinse
4.2.	Most important symptoms and eff	ects, botl	n acute and delayed		
Sympto	ms/injuries		most important known symptoms and effort and/or in section 11.	ects are describ	ed in the labelling (see section
Sympto	ms/injuries after inhalation	: May	cause drowsiness or dizziness.		
4.3.	Indication of any immediate medi	al attenti	on and special treatment needed		
Treat sy	mptomatically.				
SECT	ON 5: Firefighting measures				
5.1.	Extinguishing media				
	extinguishing media		hol resistant foam. Carbon dioxide. Dry p ropriate for surrounding fire.	owder. Water sj	oray. Use extinguishing media
5.2.	Special hazards arising from the s	ubstance	or mixture		
Fire haz	ard		rmal decomposition generates: Carbon o>	, ,	
Explosic	on hazard		of explosion if heated under confinement tainers. May form flammable/explosive va		ay or fog for cooling exposed
5.3.	Advice for firefighters				
Firefight	ing instructions	: In c	ase of fire: Evacuate area. Fight fire remo	tely due to the r	isk of explosion.
Protecti	on during firefighting		ar gas tight chemically protective clothing aratus. For further information refer to sec		
SECT	ON 6: Accidental release me	asu <u>res</u>			
6.1.	Personal precautions, protective		t and emergency procedures		
		_			

: Evacuate unnecessary personnel. Ensure adequate air ventilation. Do not breathe gas, fumes, General measures vapor or spray.

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

6.1.1.	For non-emergency personnel	
Emergency procedures		: Only qualified personnel equipped with suitable protective equipment may intervene.
6.1.2.	For emergency responders	
Protective	e equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".
Emergency procedures		: Gas/vapor heavier than air. May accumulate in confined spaces, particularly at or below ground level. Consider the risk of potentially explosive atmospheres. Eliminate every possible source of ignition.
6.2.	Environmental precautions	

Avoid release to the environment. Notify authorities if product enters sewers or public waters.

6.3. Methods and material for contain	ment and cleaning up
For containment	: Stop leak if safe to do so. Dike for recovery or absorb with appropriate material.
Methods for cleaning up	: Take up large spills with pump or vacuum and finish with dry chemical absorbent. Use explosion-proof equipment. Take up small spills with dry chemical absorbent. Sweep or shovel spills into appropriate container for disposal. Ventilate area.
Other information	: For disposal of solid materials or residues refer to section 13 : "Disposal considerations".
6.4. Reference to other sections	

No additional information available

SECTION 7: Handling and storage				
7.1. Precautions for safe handling				
Additional hazards when processed	: Handle empty containers with care because residual vapors are flammable.			
Precautions for safe handling	: Do not handle until all safety precautions have been read and understood. Ensure good ventilation of the work station. Do not breathe fumes, mist, spray, vapors. Wear personal protective equipment. Avoid contact with skin and eyes. Keep away from ignition sources (including static discharges). Proper grounding procedures to avoid static electricity should be followed. Use only non-sparking tools.			
Hygiene measures	: Handle in accordance with good industrial hygiene and safety procedures. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.			
7.2. Conditions for safe storage, including	ig any incompatibilities			
Technical measures	: Comply with applicable regulations.			
Storage conditions	: Keep container closed when not in use. Keep away from ignition sources.			
Incompatible materials	: Refer to Section 10 on Incompatible Materials.			
Storage area	: Store in dry, cool, well-ventilated area.			

#### **SECTION 8: Exposure controls/personal protection**

#### 8.1. **Control parameters**

No additional information available

8.2. Exposure controls				
Appropriate engineering controls	: Ensure good ventilation of the work station. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.			
Hand protection	: Protective gloves. 29 CFR 1910.138: Hand Protection.			
Eye protection	: Chemical goggles or safety glasses. Face shield. 29 CFR 1910.133: Eye and Face Protection.			
Skin and body protection	: Wear suitable protective clothing.			
Respiratory protection	: In case of inadequate ventilation wear respiratory protection. 29 CFR 1910.134: Respiratory Protection.			
Other information	: Safety shoes. 29 CFR 1910.136: Foot Protection.			
SECTION 9: Physical and chemical properties				

9.1. Information on basic physi	Information on basic physical and chemical properties					
Physical state	: Liquid					
Color	: No data available					
Odor	: No data available					
Odor threshold	: No data available					
рН	: No data available					
10/03/2017	EN (English US)	SDS ID: 2607340	3/7			

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Melting point	:	No data available
Freezing point	:	No data available
Boiling point	:	176 °C
Flash point	:	71 °C
Relative evaporation rate (butyl acetate=1)	:	No data available
Flammability (solid, gas)	:	No data available
Explosion limits	:	No data available
Explosive properties	:	No data available
Oxidizing properties	:	No data available
Vapor pressure	:	No data available
Relative density	:	No data available
Relative vapor density at 20 °C	:	No data available
Specific gravity / density	:	1.2655 g/ml (@ 25 °C)
Molecular mass	:	208.15 g/mol
Solubility	:	No data available
Log Pow	:	No data available
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity	:	No data available
Viscosity, kinematic	:	No data available
Viscosity, dynamic	:	No data available

### 9.2. Other information

No additional information available

SECTION 10: Stability and rea	activity						
10.1. Reactivity							
No additional information available							
10.2. Chemical stability							
The product is stable at normal handlin	g and storage conditions.						
10.3. Possibility of hazardous re	actions						
No additional information available							
10.4. Conditions to avoid							
Keep away from heat, sparks and flame	е.						
10.5. Incompatible materials							
Strong acids. Strong bases. Strong oxid	dizing agents.						
10.6. Hazardous decomposition	products						
Under normal conditions of storage and fire, see Section 5.	d use, hazardous decomposition products should not be produced. Hazardous decomposition products in case of						
<b>SECTION 11: Toxicological ir</b>	Iformation						
11.1. Information on toxicologica	al effects						
Acute toxicity	: Not classified						
Ohim an anna air an firmiteatian							

Specific target organ toxicity (repeated exposure)	: Not classified
Specific target organ toxicity (single exposure)	: May cause respiratory irritation.
Reproductive toxicity	: Not classified
Carcinogenicity	: Not classified
Germ cell mutagenicity	: Not classified
Respiratory or skin sensitization	: Not classified
Serious eye damage/irritation	: Causes serious eye irritation.
Skin corrosion/irritation	: Causes skin irritation.

10/03/2017

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Aspirati	on hazard	:	Not classified
Sympto	ms/injuries after inhalation	:	May cause drowsiness or dizziness.
SECT	ION 12: Ecological information	า	
12.1.	Toxicity		
No add	itional information available		
12.2.	Persistence and degradability		
No add	itional information available		
12.3.	Bioaccumulative potential		
No add	itional information available		
12.4.	Mobility in soil		
No add	itional information available		
12.5.	Other adverse effects		
No add	itional information available		

**SECTION 13: Disposal considerations** Waste treatment methods 13.1. Waste treatment methods : Remove to an authorized incinerator equipped with an afterburner and a flue gas scrubber. Waste disposal recommendations : Dispose of contents/container in accordance with licensed collector's sorting instructions. Additional information Recycle the material as far as possible. **SECTION 14: Transport information Department of Transportation (DOT)** In accordance with DOT Transport document description : NA1993 Combustible liquid, n.o.s., 3, III UN-No.(DOT) : NA1993 Proper Shipping Name (DOT) : Combustible liquid, n.o.s. Transport hazard class(es) (DOT) : 3 - Class 3 - Flammable and combustible liquid 49 CFR 173.120 Packing group (DOT) : III - Minor Danger DOT Packaging Non Bulk (49 CFR 173.xxx) : 203 DOT Packaging Bulk (49 CFR 173.xxx) : 241 DOT Symbols : D - Proper shipping name for domestic use only, or to and from Canada, G - Identifies PSN requiring a technical name DOT Special Provisions (49 CFR 172.102) : IB3 - Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite (31HZ1 and 31HA2, 31HB2, 31HN2, 31HD2 and 31HH2). Additional Requirement: Only liquids with a vapor pressure less than or equal to 110 kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55 C (1.3 bar at 131 F) are authorized, except for UN2672 (also see Special Provision IP8 in Table 2 for UN2672) T1 - 1.5 178.274(d)(2) Normal..... 178.275(d)(2)

T4 - 2.65 178.274(d)(2) Normal...... 178.275(d)(2)

TP1 - The maximum degree of filling must not exceed the degree of filling determined by the following: Degree of filling = 97 / 1 + a (tr - tf) Where: tr is the maximum mean bulk temperature during transport, and tf is the temperature in degrees celsius of the liquid during filling.

DOT Packaging Exceptions (49 CFR 173.xxx): 150DOT Quantity Limitations Passenger aircraft/rail: 60 L

(49 CFR 173.27) DOT Quantity Limitations Cargo aircraft only (49 : 220 L

CFR 175.75)
DOT Vessel Stowage Location
: A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a

Other information

#### TDG

No additional information available

10/03/2017

passenger vessel.

: No supplementary information available.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

#### Transport by sea

No additional information available

#### Air transport

No additional information available

SECTION 15: Regulatory information	
15.1. US Federal regulations	

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory except for:

Benzyl 1,1,2,2-tetrafluoroethyl ether	CAS No 115611-57-9	100%

This product or mixture does not contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

#### 15.2. International regulations

CANADA

No additional information available

**EU-Regulations** No additional information available

#### National regulations

No additional information available

#### 15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer and/or reproductive harm

#### **SECTION 16: Other information**

Full text of H-phrases:

Eye Irrit. 2A	Serious eye damage/eye irritation Category 2A	
Flam. Liq. 4	Flam. Liq. 4 Flammable liquids Category 4	
Skin Irrit. 2 Skin corrosion/irritation Category 2		
STOT SE 3 Specific target organ toxicity (single exposure) Category		
H227 Combustible liquid		
H315	H315 Causes skin irritation	
H319	H319 Causes serious eye irritation	
H335	May cause respiratory irritation	
NFPA health hazard	: 3 - Short exposure could cause serious temporary or residual injury even though prompt medical attention was given.	
NFPA fire hazard	: 2 - Must be moderately heated or exposed to relatively high temperature before ignition can occur.	
NFPA reactivity	: 0 - Normally stable, even under fire exposure conditions, and are not reactive with water.	
HMIS III Rating		
Health	: 2 Moderate Hazard - Temporary or minor injury may occur	
Flammability	2 Moderate Hazard - Materials which must be moderately heated or exposed to high ambient temperatures before ignition will occur. Includes liquids having a flash point at or above 100 F but below 200 F. (Classes II & IIIA)	
Physical	: 0 Minimal Hazard - Materials that are normally stable, even under fire conditions, and will NOT react with water, polymerize, decompose, condense, or self-react. Non-Explosives.	
SDS US (GHS HazCom 2012)		

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is offered solely for your consideration, investigation, and verification. It does not represent any guarantee of the properties of the product nor that the hazard precautions or procedures described are the only ones which exist. SynQuest shall not be held liable or any damage resulting from handling or from contact with the above product.