

# (R)-1-[3,5-Bis(trifluoromethyl)phenyl)ethylamine Safety Data Sheet 38303R1 according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Date of issue: 11/24/2015 Revision date: 04/18/2016 Version: 1.1

SECTION 1: Identification	
.1. Identification	
Product form	: Substance
Substance name	: (R)-1-[3,5-Bis(trifluoromethyl)phenyl)ethylamine
CAS No	: 127733-47-5
Product code	: 3830-3-R1
Formula	: C10H9F6N
Synonyms	: R-MBT-PEM
Other means of identification	: MFCD03093012
	substance or mixture and uses advised against
Use of the substance/mixture	: Laboratory chemicals Manufacture of substances Scientific research and development
1.3. Details of the supplier of the sa	ifety data sheet
SynQuest Laboratories, Inc. P.O. Box 309 Alachua, FL 32615 - United States of Ameri T (386) 462-0788 - F (386) 462-7097 info@synquestlabs.com - www.synquestlab	
1.4. Emergency telephone number	
Emergency number	: (844) 523-4086 (3E Company - Account 10069)
SECTION 2: Hazard(s) identificat	tion
2.1. Classification of the substance	
Classification (GHS-US)	
Skin Irrit. 2H315 - Causes skin irritatiorEye Irrit. 2AH319 - Causes serious eye	irritation
Skin Irrit. 2 H315 - Causes skin irritatior Eye Irrit. 2A H319 - Causes serious eye STOT SE 3 H335 - May cause respirato Full text of H-phrases: see section 16	irritation
Eye Irrit. 2A       H319 - Causes serious eye         STOT SE 3       H335 - May cause respirato         Full text of H-phrases: see section 16         2.2.       Label elements	irritation
Skin Irrit. 2 H315 - Causes skin irritatior Eye Irrit. 2A H319 - Causes serious eye STOT SE 3 H335 - May cause respirato Full text of H-phrases: see section 16	irritation
Skin Irrit. 2 H315 - Causes skin irritatior Eye Irrit. 2A H319 - Causes serious eye STOT SE 3 H335 - May cause respirato Full text of H-phrases: see section 16 2.2. Label elements GHS-US labeling Hazard pictograms (GHS-US) Signal word (GHS-US)	irritation by irritation : irritation : irritation : Warning
Skin Irrit. 2 H315 - Causes skin irritatior Eye Irrit. 2A H319 - Causes serious eye STOT SE 3 H335 - May cause respirato Full text of H-phrases: see section 16 2.2. Label elements GHS-US labeling Hazard pictograms (GHS-US)	irritation by irritation : : : : : : : : : : : : : : : : : :
Skin Irrit. 2 H315 - Causes skin irritatior Eye Irrit. 2A H319 - Causes serious eye STOT SE 3 H335 - May cause respirato Full text of H-phrases: see section 16 2.2. Label elements GHS-US labeling Hazard pictograms (GHS-US) Signal word (GHS-US)	<ul> <li>irritation by irritation</li> <li>:</li></ul>

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

P370+P378 - In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish P403+P233 - Store in a well-ventilated place. Keep container tightly closed P403+P235 - Store in a well-ventilated place. Keep cool

**Classification (GHS-US)** 

Flam. Liq. 4, H227 Skin Irrit. 2, H315

Eye Irrit. 2A, H319 STOT SE 3, H335

- P405 Store locked up
- P501 Dispose of contents/container to an approved waste disposal plant

#### 2.3. Other hazards No additional information available Unknown acute toxicity (GHS US) 2.4. Not applicable **SECTION 3: Composition/information on ingredients** Substance 3.1. Substance type : Mono-constituent **Product identifier** Name % (R)-1-[3,5-Bis(trifluoromethyl)phenyl)ethylamine (Main constituent) (CAS No) 127733-47-5 <= 100

Full text of H-phrases: see section 16

3.2. **Mixture** Not applicable

SECTION 4: First aid measures		
4.1. Description of first aid measures		
First-aid measures general		II, seek medical advice immediately (show the label ersonnel away from the contaminated area.
First-aid measures after inhalation	: Remove person to fresh air and keep respiration. Get medical advice/attenti	comfortable for breathing. If not breathing, give artificial ion.
First-aid measures after skin contact	: Wash with plenty of soap and water. C	Get medical advice/attention.
First-aid measures after eye contact	: Immediately flush eyes thoroughly with present and easy to do. Continue rinsi	h water for at least 15 minutes. Remove contact lenses, i ing. Get medical advice/attention.
First-aid measures after ingestion	: Do NOT induce vomiting. Never give a mouth out with water. Get medical adv	anything by mouth to an unconscious person. Rinse vice/attention.
4.2. Most important symptoms and eff	ects, both acute and delayed	
Symptoms/injuries	: The most important known symptoms 2.2) and/or in section 11.	and effects are described in the labelling (see section
4.3. Indication of any immediate media	al attention and special treatment neede	d
Treat symptomatically.		
SECTION 5: Firefighting measures		
5.1. Extinguishing media		
Suitable extinguishing media	: Alcohol resistant foam. Carbon dioxide appropriate for surrounding fire.	e. Dry powder. Water spray. Use extinguishing media
5.2. Special hazards arising from the s	ubstance or mixture	
Fire hazard	: Thermal decomposition generates: Ca	arbon oxides. Hydrogen fluoride. Nitrogen oxides.
Explosion hazard	: Risk of explosion if heated under conf containers. May form flammable/explo	inement. Use water spray or fog for cooling exposed osive vapor-air mixture.
5.3. Advice for firefighters		
Firefighting instructions	: In case of fire: Evacuate area. Fight fi	re remotely due to the risk of explosion.
Protection during firefighting		clothing in combination with self contained breathing or to section 8: "Exposure controls/personal protection".
SECTION 6: Accidental release me	asures	
6.1. Personal precautions, protective	equipment and emergency procedures	
General measures	: Evacuate unnecessary personnel. Ens vapor or spray.	sure adequate air ventilation. Do not breathe gas, fumes,
6.1.1. For non-emergency personnel		
Emergency procedures	: Only qualified personnel equipped with	h suitable protective equipment may intervene.
12/08/2016	EN (English US)	SDS ID: 38303R1 2/7

# (R)-1-[3,5-Bis(trifluoromethyl)phenyl)ethylamine Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

ccording to Federal Register / Vol. 77, No. 58 / Monda	ay, March 26, 2012 / Rules and Regulations
6.1.2. For emergency responders	
Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".
Emergency procedures	: Gas/vapor heavier than air. May accumulate in confined spaces, particularly at or below ground level. Consider the risk of potentially explosive atmospheres. Eliminate every possible source of ignition.
6.2. Environmental precautions	
Avoid release to the environment. Notify author	prities if product enters sewers or public waters.
6.3. Methods and material for contain	ment and cleaning up
For containment	: Stop leak if safe to do so. Dike for recovery or absorb with appropriate material.
Methods for cleaning up	Take up large spills with pump or vacuum and finish with dry chemical absorbent. Use explosion-proof equipment. Take up small spills with dry chemical absorbent. Sweep or shovel spills into appropriate container for disposal. Ventilate area.
Other information	: For disposal of solid materials or residues refer to section 13 : "Disposal considerations".
6.4. Reference to other sections	
No additional information available	
SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Additional hazards when processed	: Handle empty containers with care because residual vapors are flammable.
Precautions for safe handling	: Do not handle until all safety precautions have been read and understood. Ensure good ventilation of the work station. Do not breathe fumes, mist, spray, vapors. Wear personal protective equipment. Avoid contact with skin and eyes. Keep away from ignition sources (including static discharges). Proper grounding procedures to avoid static electricity should be followed. Use only non-sparking tools.
Hygiene measures	: Handle in accordance with good industrial hygiene and safety procedures. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.
7.2. Conditions for safe storage, inclu	ding any incompatibilities
Technical measures	: Comply with applicable regulations.
Storage conditions	: Keep container closed when not in use. Keep away from ignition sources. Air sensitive. Keep contents under inert gas.
Incompatible materials	: Refer to Section 10 on Incompatible Materials.
Storage area	: Store in dry, cool, well-ventilated area.
SECTION 8: Exposure controls/pe	rsonal protection
8.1. Control parameters	
No additional information available	
8.2. Exposure controls	
Appropriate engineering controle	Ensure good ventilation of the work station. Emergency ave work fountains and sofety showers

Appropriate engineering controls	: Ensure good ventilation of the work station. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.		
Hand protection	: Protective gloves. 29 CFR 1910.138: Hand Protection.		
Eye protection	: Chemical goggles or safety glasses. Face shield. 29 CFR 1910.133: Eye and Face Protection.		
Skin and body protection	: Wear suitable protective clothing.		
Respiratory protection	: In case of inadequate ventilation wear respiratory protection. 29 CFR 1910.134: Respiratory Protection.		
Other information	: Safety shoes. 29 CFR 1910.136: Foot Protection.		
<b>SECTION 9: Physical and chemica</b>	al properties		
9.1. Information on basic physical an	. Information on basic physical and chemical properties		
Physical state	: Liquid		
Color	: No data available		
Odor	: No data available		

Ouor	
Odor threshold	: No data available
рН	: No data available

# (R)-1-[3,5-Bis(trifluoromethyl)phenyl)ethylamine Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

`	according to redorar register / vol. / , rec. co / monday,	IVIG	
	Freezing point	:	No data available
	Boiling point	:	No data available
	Flash point	:	No data available
	Relative evaporation rate (butyl acetate=1)	:	No data available
	Flammability (solid, gas)	:	No data available
	Explosion limits	:	No data available
	Explosive properties	:	No data available
	Oxidizing properties	:	No data available
	Vapor pressure	:	No data available
	Relative density	:	No data available
	Relative vapor density at 20 °C	:	No data available
	Molecular mass	:	257.18 g/mol
	Solubility	:	No data available
	Log Pow	:	No data available
	Auto-ignition temperature	:	No data available
	Decomposition temperature	:	No data available
	Viscosity	:	No data available
	Viscosity, kinematic	:	No data available
	Viscosity, dynamic	:	No data available

#### 9.2. Other information

No additional information available

SECTION 10: Stability and reactivity
10.1. Reactivity
No additional information available
10.2. Chemical stability
The product is stable at normal handling and storage conditions.
10.3. Possibility of hazardous reactions
No additional information available
10.4. Conditions to avoid
No additional information available
10.5. Incompatible materials
Acids. Acid chlorides. Acid anhydrides. Carbon dioxide. Strong oxidizing agents.
10.6. Hazardous decomposition products
Under normal conditions of storage and use, hazardous decomposition products should not be produced. Hazardous decomposition products in case of fire, see Section 5.
SECTION 11: Toxicological information
11.1. Information on toxicological effects

Acute toxicity	: Not classified
Skin corrosion/irritation Serious eye damage/irritation Respiratory or skin sensitization Germ cell mutagenicity Carcinogenicity	<ul> <li>Causes skin irritation.</li> <li>Causes serious eye irritation.</li> <li>Not classified</li> <li>Not classified</li> <li>Not classified</li> <li>Not classified</li> </ul>
Reproductive toxicity Specific target organ toxicity (single exposure)	: Not classified : May cause respiratory irritation.
Specific target organ toxicity (repeated exposure)	: Not classified
Aspiration hazard	: Not classified
10/00/0010	

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Potential Adverse human health effects and symptoms	: Overexposure to this material may result in methemoglobinemia. Cyanosis may occur (lips and fingernails turn blue).
ECTION 12: Ecological information	
2.1. Toxicity	
o additional information available	
2.2. Persistence and degradability	
lo additional information available	
2.3. Bioaccumulative potential	
o additional information available	
2.4. Mobility in soil	
o additional information available	
2.5. Other adverse effects	
o additional information available	
ECTION 13: Disposal consideration	IS
3.1. Waste treatment methods	
/aste treatment methods	: Remove to an authorized incinerator equipped with an afterburner and a flue gas scrubber.
aste disposal recommendations	: Dispose of contents/container in accordance with licensed collector's sorting instructions.
dditional information	: Recycle the material as far as possible.
ECTION 14: Transport information	
epartment of Transportation (DOT)	
accordance with DOT	
ransport document description	: NA1993 Combustible liquid, n.o.s., 3, III
N-No.(DOT)	: NA1993
roper Shipping Name (DOT)	: Combustible liquid, n.o.s.
ransport hazard class(es) (DOT)	: 3 - Class 3 - Flammable and combustible liquid 49 CFR 173.120
acking group (DOT) OT Packaging Non Bulk (49 CER 173 yyy)	: III - Minor Danger : 203
OT Packaging Non Bulk (49 CFR 173.xxx)	: 203
OT Packaging Bulk (49 CFR 173.xxx) OT Symbols	D - Proper shipping name for domestic use only, or to and from Canada,G - Identifies PSN
OT Cymbola	requiring a technical name
OT Special Provisions (49 CFR 172.102)	<ul> <li>IB3 - Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite (31HZ1 and 31HA2, 31HB2, 31HN2, 31HD2 and 31HH2). Additional Requirement: Only liquids with a vapor pressure less than or equal to 110 kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55 C (1.3 bar at 131 F) are authorized, except for UN2672 (also see Special Provision IP8 in Table 2 for UN2672).</li> <li>T1 - 1.5 178.274(d)(2) Normal</li></ul>
	T4 - 2.65 178.274(d)(2) Normal 178.275(d)(3) TP1 - The maximum degree of filling must not exceed the degree of filling determined by the following: Degree of filling = 97 / 1 + a (tr - tf) Where: tr is the maximum mean bulk temperature during transport, and tf is the temperature in degrees celsius of the liquid during filling.
OT Packaging Exceptions (49 CFR 173.xxx)	: 150
OT Quantity Limitations Passenger aircraft/rail 9 CFR 173.27)	: 60 L

DOT Quantity Limitations Cargo aircraft only (49 : 220 L CFR 175.75) DOT Vessel Stowage Location

: A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel.

Other information : No supplementary information available.

## TDG

No additional information available

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### Transport by sea

No additional information available

### Air transport

No additional information available

SECTION 15: Regulatory information	
15.1. US Federal regulations	

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory except for:

(R)-1-[3,5-Bis(trifluoromethyl)phenyl)ethylamine	CAS No 127733-47-5	100%

This product or mixture does not contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

### 15.2. International regulations

CANADA

No additional information available

**EU-Regulations** 

## No additional information available

## **National regulations**

No additional information available

## 15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer and/or reproductive harm

## **SECTION 16: Other information**

: 04/18/2016

Full text of H-phrases:

Revision date

	Eye Irrit. 2A	Serious eye damage/eye irritation Category 2A
	Flam. Liq. 4	Flammable liquids Category 4
	Skin Irrit. 2	Skin corrosion/irritation Category 2
	STOT SE 3	Specific target organ toxicity (single exposure) Category 3
	H227	Combustible liquid
	H315	Causes skin irritation
	H319	Causes serious eye irritation
	H335	May cause respiratory irritation
NFPA fire hazard       : 1 - Must be preheated be         NFPA reactivity       : 0 - Normally stable, event		<ul> <li>3 - Short exposure could cause serious temporary or residual injury even though prompt medical attention was given.</li> <li>1 - Must be preheated before ignition can occur.</li> <li>0 - Normally stable, even under fire exposure conditions, and are not reactive with water.</li> </ul>
HMIS I	II Rating	
Health	-	: 2 Moderate Hazard - Temporary or minor injury may occur
Flamm	nability       : 1 Slight Hazard - Materials that must be preheated before ignition will occur. Includes liquids, solids and semi solids having a flash point above 200 F. (Class IIIB)	
Physic	al	: 0 Minimal Hazard - Materials that are normally stable, even under fire conditions, and will NOT react with water, polymerize, decompose, condense, or self-react. Non-Explosives.
SDS US	6 (GHS HazCom 2012)	

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is offered solely for your consideration, investigation, and verification. It does not represent any guarance of the properties of the product nor that the hazard precautions or procedures described are the only ones which exist. SynQuest shall not be held liable or any damage resulting from handling or from contact with the above product.