

4,4'-Bis(1,3-benzoxazol-2-yl)stilbene Safety Data Sheet 4H561CX according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Date of issue: 01/20/2016 Version: 1.0

| 1.1. Identification | | | |
|--|--|--|--|
| Product form | : Substance | | |
| Substance name | : 4,4'-Bis(1,3-benzoxazol-2-yl)stilbene | | |
| CAS No | : 1533-45-5 | | |
| Product code | : 4H56-1-CX | | |
| Formula | : C28H18N2O2 | | |
| Synonyms | : 2,2'-(Ethene-1,2-diyldibenzene-4,1-diyl)bis(1,3-benzoxazole); 4,4'-Bis(benzo[d]oxazo | | |
| | yl)stilbene | | |
| Other means of identification | : MFCD00022846 | | |
| 1.2. Relevant identified uses of the | substance or mixture and uses advised against | | |
| Use of the substance/mixture | : Laboratory chemicals | | |
| | Manufacture of substances Scientific research and development | | |
| 1.3. Details of the supplier of the sa | afety data sheet | | |
| SynQuest Laboratories, Inc. | ····· | | |
| P.O. Box 309 | | | |
| Alachua, FL 32615 - United States of Ameri | ica | | |
| T (386) 462-0788 - F (386) 462-7097 info@synguestlabs.com - www.synguestlab | | | |
| 1.4. Emergency telephone number | | | |
| | · (044) 502 4006 (25 Company Account 10060) | | |
| Emergency number | : (844) 523-4086 (3E Company - Account 10069) | | |
| SECTION 2: Hazard(s) identificat | tion | | |
| | | | |
| 2.1. Classification of the substance | e or mixture | | |
| | | | |
| Classification (GHS-US) | | | |
| Classification (GHS-US) Skin Irrit. 2 H315 - Causes skin irritation | n | | |
| Skin Irrit. 2 H315 - Causes skin irritation Eye Irrit. 2A H319 - Causes serious eye | irritation | | |
| Skin Irrit. 2 H315 - Causes skin irritation Eye Irrit. 2A H319 - Causes serious eye | irritation | | |
| Skin Irrit. 2H315 - Causes skin irritationEye Irrit. 2AH319 - Causes serious eyeSTOT SE 3H335 - May cause respirato | irritation | | |
| Skin Irrit. 2 H315 - Causes skin irritation Eye Irrit. 2A H319 - Causes serious eye STOT SE 3 H335 - May cause respirato Full text of H-phrases: see section 16 | irritation | | |
| Skin Irrit. 2 H315 - Causes skin irritation Eye Irrit. 2A H319 - Causes serious eye STOT SE 3 H335 - May cause respirato Full text of H-phrases: see section 16 2.2. Label elements | irritation | | |
| Skin Irrit. 2 H315 - Causes skin irritation Eye Irrit. 2A H319 - Causes serious eye STOT SE 3 H335 - May cause respirato Full text of H-phrases: see section 16 2.2. Label elements GHS-US labeling | irritation | | |
| Skin Irrit. 2 H315 - Causes skin irritation Eye Irrit. 2A H319 - Causes serious eye STOT SE 3 H335 - May cause respirato Full text of H-phrases: see section 16 2.2. Label elements | irritation | | |
| Skin Irrit. 2 H315 - Causes skin irritation Eye Irrit. 2A H319 - Causes serious eye STOT SE 3 H335 - May cause respirato Full text of H-phrases: see section 16 2.2. Label elements GHS-US labeling | irritation | | |
| Skin Irrit. 2 H315 - Causes skin irritation Eye Irrit. 2A H319 - Causes serious eye STOT SE 3 H335 - May cause respirato Full text of H-phrases: see section 16 2.2. Label elements GHS-US labeling | irritation | | |
| Skin Irrit. 2 H315 - Causes skin irritation Eye Irrit. 2A H319 - Causes serious eye STOT SE 3 H335 - May cause respirato Full text of H-phrases: see section 16 2.2. Label elements GHS-US labeling | irritation | | |
| Skin Irrit. 2 H315 - Causes skin irritation Eye Irrit. 2A H319 - Causes serious eye STOT SE 3 H335 - May cause respirato Full text of H-phrases: see section 16 2.2. Label elements GHS-US labeling | irritation | | |
| Skin Irrit. 2 H315 - Causes skin irritation Eye Irrit. 2A H319 - Causes serious eye STOT SE 3 H335 - May cause respirato Full text of H-phrases: see section 16 2.2. Label elements GHS-US labeling | irritation bry irritation | | |
| Skin Irrit. 2 H315 - Causes skin irritation Eye Irrit. 2A H319 - Causes serious eye STOT SE 3 H335 - May cause respirato Full text of H-phrases: see section 16 2.2. Label elements GHS-US labeling Hazard pictograms (GHS-US) | irritation bry irritation : : : : : : : : : : : : : : : : : : : | | |
| Skin Irrit. 2 H315 - Causes skin irritation Eye Irrit. 2A H319 - Causes serious eye STOT SE 3 H335 - May cause respirato Full text of H-phrases: see section 16 2.2. Label elements GHS-US labeling Hazard pictograms (GHS-US) Signal word (GHS-US) | irritation by irritation : irritation : irritation : Warning | | |
| Skin Irrit. 2 H315 - Causes skin irritation Eye Irrit. 2A H319 - Causes serious eye STOT SE 3 H335 - May cause respirato Full text of H-phrases: see section 16 2.2. Label elements GHS-US labeling Hazard pictograms (GHS-US) Signal word (GHS-US) | irritation by irritation : irritation : irritation : Warning : H315 - Causes skin irritation | | |
| Skin Irrit. 2 H315 - Causes skin irritation Eye Irrit. 2A H319 - Causes serious eye STOT SE 3 H335 - May cause respirato Full text of H-phrases: see section 16 2.2. Label elements GHS-US labeling Hazard pictograms (GHS-US) Signal word (GHS-US) Hazard statements (GHS-US) | irritation by irritation : irritation : irritation : irritation : irritation : H315 - Causes skin irritation H315 - Causes skin irritation H315 - Causes serious eye irritation H315 - Causes serious eye irritation H315 - May cause respiratory irritation H335 - May cause respiratory irritation : P261 - Avoid breathing dust, mist, spray | | |
| Skin Irrit. 2 H315 - Causes skin irritation Eye Irrit. 2A H319 - Causes serious eye STOT SE 3 H335 - May cause respirato Full text of H-phrases: see section 16 2.2. Label elements GHS-US labeling Hazard pictograms (GHS-US) Signal word (GHS-US) Hazard statements (GHS-US) | irritation by irritation : irritation : irritation : irritation : Warning : H315 - Causes skin irritation H319 - Causes serious eye irritation H319 - Causes serious eye irritation H335 - May cause respiratory irritation : P261 - Avoid breathing dust, mist, spray P264 - Wash skin thoroughly after handling | | |
| Skin Irrit. 2 H315 - Causes skin irritation Eye Irrit. 2A H319 - Causes serious eye STOT SE 3 H335 - May cause respirato Full text of H-phrases: see section 16 2.2. Label elements GHS-US labeling Hazard pictograms (GHS-US) Signal word (GHS-US) Hazard statements (GHS-US) | irritation by irritation : irritation : irritation : irritation : Warning : H315 - Causes skin irritation H319 - Causes serious eye irritation H319 - Causes serious eye irritation H335 - May cause respiratory irritation : P261 - Avoid breathing dust, mist, spray P264 - Wash skin thoroughly after handling P271 - Use only outdoors or in a well-ventilated area | | |
| Skin Irrit. 2 H315 - Causes skin irritation Eye Irrit. 2A H319 - Causes serious eye STOT SE 3 H335 - May cause respirato Full text of H-phrases: see section 16 2.2. Label elements GHS-US labeling Hazard pictograms (GHS-US) Signal word (GHS-US) Hazard statements (GHS-US) | irritation by irritation : irritation : irritation : irritation : GHS07 : Warning : H315 - Causes skin irritation H319 - Causes serious eye irritation H319 - Causes serious eye irritation H335 - May cause respiratory irritation : P261 - Avoid breathing dust, mist, spray P264 - Wash skin thoroughly after handling P271 - Use only outdoors or in a well-ventilated area P280 - Wear protective gloves/protective clothing/eye protection/face protection | | |
| Skin Irrit. 2 H315 - Causes skin irritation Eye Irrit. 2A H319 - Causes serious eye STOT SE 3 H335 - May cause respirato Full text of H-phrases: see section 16 2.2. Label elements GHS-US labeling Hazard pictograms (GHS-US) Signal word (GHS-US) Hazard statements (GHS-US) | irritation by irritation : irritation : irritation : irritation : Warning : H315 - Causes skin irritation H319 - Causes serious eye irritation H319 - Causes serious eye irritation H335 - May cause respiratory irritation : P261 - Avoid breathing dust, mist, spray P264 - Wash skin thoroughly after handling P271 - Use only outdoors or in a well-ventilated area | | |
| Skin Irrit. 2 H315 - Causes skin irritation Eye Irrit. 2A H319 - Causes serious eye STOT SE 3 H335 - May cause respirato Full text of H-phrases: see section 16 2.2. Label elements GHS-US labeling Hazard pictograms (GHS-US) Signal word (GHS-US) Hazard statements (GHS-US) | irritation by irritation : irritation : irritation : irritation : irritation : Warning : H315 - Causes skin irritation H319 - Causes serious eye irritation H319 - Causes serious eye irritation H335 - May cause respiratory irritation H335 - May cause respiratory irritation : P261 - Avoid breathing dust, mist, spray P264 - Wash skin thoroughly after handling P271 - Use only outdoors or in a well-ventilated area P280 - Wear protective gloves/protective clothing/eye protection/face protection P302+P352 - If on skin: Wash with plenty of soap and water P304+P340 - If inhaled: Remove person to fresh air and keep comfortable for breathing P305+P351+P338 - If in eyes: Rinse cautiously with water for several minutes. Remove contact | | |
| Skin Irrit. 2 H315 - Causes skin irritation Eye Irrit. 2A H319 - Causes serious eye STOT SE 3 H335 - May cause respirato Full text of H-phrases: see section 16 2.2. Label elements GHS-US labeling Hazard pictograms (GHS-US) Signal word (GHS-US) | irritation by irritation : irritation : irritation : irritation : irritation : Warning : H315 - Causes skin irritation H319 - Causes serious eye irritation H335 - May cause respiratory irritation H335 - May cause respiratory irritation : P261 - Avoid breathing dust, mist, spray P264 - Wash skin thoroughly after handling P271 - Use only outdoors or in a well-ventilated area P280 - Wear protective gloves/protective clothing/eye protection/face protection P302+P352 - If on skin: Wash with plenty of soap and water P304+P340 - If inhaled: Remove person to fresh air and keep comfortable for breathing P305+P351+P338 - If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing | | |
| Skin Irrit. 2 H315 - Causes skin irritation Eye Irrit. 2A H319 - Causes serious eye STOT SE 3 H335 - May cause respirato Full text of H-phrases: see section 16 2.2. Label elements GHS-US labeling Hazard pictograms (GHS-US) Signal word (GHS-US) Hazard statements (GHS-US) | irritation by irritation irritation irr | | |
| Skin Irrit. 2 H315 - Causes skin irritation Eye Irrit. 2A H319 - Causes serious eye STOT SE 3 H335 - May cause respirato Full text of H-phrases: see section 16 2.2. Label elements GHS-US labeling Hazard pictograms (GHS-US) Signal word (GHS-US) Hazard statements (GHS-US) | irritation by irritation irritation irr | | |
| Skin Irrit. 2 H315 - Causes skin irritation Eye Irrit. 2A H319 - Causes serious eye STOT SE 3 H335 - May cause respirato Full text of H-phrases: see section 16 2.2. Label elements GHS-US labeling Hazard pictograms (GHS-US) Signal word (GHS-US) Hazard statements (GHS-US) | irritation by irritation irritation irr | | |
| Skin Irrit. 2 H315 - Causes skin irritation Eye Irrit. 2A H319 - Causes serious eye STOT SE 3 H335 - May cause respirato Full text of H-phrases: see section 16 2.2. Label elements GHS-US labeling Hazard pictograms (GHS-US) Signal word (GHS-US) Hazard statements (GHS-US) | irritation ny irritation irritation irr | | |
| Skin Irrit. 2 H315 - Causes skin irritation Eye Irrit. 2A H319 - Causes serious eye STOT SE 3 H335 - May cause respirato Full text of H-phrases: see section 16 2.2. Label elements GHS-US labeling Hazard pictograms (GHS-US) Signal word (GHS-US) Hazard statements (GHS-US) | irritation ny irritation irritation irr | | |

4,4'-Bis(1,3-benzoxazol-2-yl)stilbene Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

P501 - Dispose of contents/container to an approved waste disposal plant

| 3. | Other hazards | | | | |
|-----------|---|---|--|-------------------|---|
| o addi | itional information available | | | | |
| .4. | Unknown acute toxicity (GHS US) | | | | |
| ot app | licable | | | | |
| ECT | ION 3: Composition/informatic | n on i | ngredients | | |
| 8.1. | Substance | | | | |
| Substan | nce type | : Mo | no-constituent | | |
| Name | 1 | | Product identifier | % | Classification (GHS-US) |
| | s(1,3-benzoxazol-2-yl)stilbene onstituent) | | (CAS No) 1533-45-5 | <= 100 | Skin Irrit. 2, H315 Eye Irrit. 2A, H319 STOT SE 3, H335 |
| -ull text | t of H-phrases: see section 16 | | | | , |
| 3.2. | Mixture | | | | |
| Not app | licable | | | | |
| SECT | ION 4: First aid measures | | | | |
| 4.1. | Description of first aid measures | | | | |
| irst-aid | measures general | | ase of accident or if you feel unwell, seek r ere possible). Move the affected personnel | | |
| First-aid | d measures after inhalation | | nove person to fresh air and keep comforta piration. Get medical advice/attention. | able for breathin | g. If not breathing, give artificial |
| First-aid | l measures after skin contact | : Wa | sh with plenty of soap and water. Get medi | cal advice/atter | tion. |
| -irst-aid | l measures after eye contact | : Immediately flush eyes thoroughly with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical advice/attention. | | | |
| -irst-aid | d measures after ingestion | | NOT induce vomiting. Never give anything uth out with water. Get medical advice/atter | | unconscious person. Rinse |
| 4.2. | Most important symptoms and effe | cts, bot | h acute and delayed | | |
| Sympto | ms/injuries | : The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11. | | | |
| 4.3. | Indication of any immediate medica | l attent | ion and special treatment needed | | |
| Treat sy | mptomatically. | | | | |
| SECT | ION 5: Firefighting measures | | | | |
| 5.1. | Extinguishing media | | | | |
| Suitable | e extinguishing media | | ohol resistant foam. Carbon dioxide. Dry po ropriate for surrounding fire. | owder. Water sp | oray. Use extinguishing media |
| 5.2. | Special hazards arising from the su | bstanc | e or mixture | | |
| -ire haz | zard | : The | rmal decomposition generates: Carbon oxi | des. Nitrogen o | xides. |
| 5.3. | Advice for firefighters | | | | |
| | ting instructions | : In c | ase of fire: Evacuate area. | | |
| - | on during firefighting | : We | ar gas tight chemically protective clothing in aratus. For further information refer to sect | | |
| SECT | ION 6: Accidental release mea | sures | | | |
| 6.1. | Personal precautions, protective ec | | t and emergency procedures | | |
| | l measures | | cuate unnecessary personnel. Ensure ade | quate air ventila | ation. Do not breathe dust. |
| 6.1.1. | For non-emergency personnel | | | | |
| | ency procedures | : On | y qualified personnel equipped with suitable | e protective equ | ipment may intervene. |
| | | | | | |
| | For emergency responders | | | | |

4,4'-Bis(1,3-benzoxazol-2-yl)stilbene

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

| 6.3. Methods and material for containment For containment Methods for cleaning up | t and cleaning up : Stop leak if safe to do so. | | |
|---|--|--|--|
| | : Stop leak if safe to do so. | | |
| Methods for cleaning up | | | |
| | Sweep or shovel spills into appropriate container for disposal. Minimize generation of dust. | | |
| Other information | : For disposal of solid materials or residues refer to section 13 : "Disposal considerations". | | |
| .4. Reference to other sections | | | |
| No additional information available | | | |
| SECTION 7: Handling and storage | | | |
| 7.1. Precautions for safe handling | | | |
| Precautions for safe handling | : Do not handle until all safety precautions have been read and understood. Ensure good ventilation of the work station. Do not breathe dust, mist, spray. Wear personal protective equipment. Avoid contact with skin and eyes. | | |
| Hygiene measures | Handle in accordance with good industrial hygiene and safety procedures. Do not eat, drink or smoke when using this product. Always wash hands after handling the product. | | |
| 7.2. Conditions for safe storage, including | g any incompatibilities | | |
| Technical measures | : Comply with applicable regulations. | | |
| Storage conditions | : Keep container closed when not in use. | | |
| Incompatible materials | Refer to Section 10 on Incompatible Materials. | | |
| Storage area | Store in dry, cool, well-ventilated area. | | |

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No additional information available

8.2. **Exposure controls** : Ensure good ventilation of the work station. Emergency eye wash fountains and safety showers Appropriate engineering controls should be available in the immediate vicinity of any potential exposure. Hand protection : Protective gloves. 29 CFR 1910.138: Hand Protection. Eye protection : Chemical goggles or safety glasses. Face shield. 29 CFR 1910.133: Eye and Face Protection. Skin and body protection : Wear suitable protective clothing. In case of inadequate ventilation wear respiratory protection. 29 CFR 1910.134: Respiratory Respiratory protection · Protection. Other information : Safety shoes. 29 CFR 1910.136: Foot Protection.

SECTION 9: Physical and chemical properties

| 9.1. Information on basic physical an | nd chemical properties |
|---|------------------------|
| Physical state | : Solid |
| Color | : No data available |
| Odor | : No data available |
| Odor threshold | : No data available |
| pH | : No data available |
| Melting point | : 353 - 359 °C |
| Freezing point | : No data available |
| Boiling point | : No data available |
| Flash point | : No data available |
| Relative evaporation rate (butyl acetate=1) | : No data available |
| Flammability (solid, gas) | : No data available |
| Explosion limits | : No data available |
| Explosive properties | : No data available |
| Oxidizing properties | : No data available |
| Vapor pressure | : No data available |
| Relative density | : No data available |
| Relative vapor density at 20 °C | : No data available |
| Molecular mass | : 414.45 g/mol |

4,4'-Bis(1,3-benzoxazol-2-yl)stilbene Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Reg

| according to Federal Register / Vol. 77, No. 58 / Monday, | March 26, 2012 / Rules and Regulations |
|--|--|
| Solubility | : No data available |
| Log Pow | : No data available |
| Auto-ignition temperature | : No data available |
| Decomposition temperature | : No data available |
| Viscosity | : No data available |
| Viscosity, kinematic | : No data available |
| Viscosity, dynamic | : No data available |
| 9.2. Other information | |
| No additional information available | |
| SECTION 10: Stability and reactivity | |
| 10.1. Reactivity | |
| No additional information available | |
| 10.2. Chemical stability | |
| The product is stable at normal handling and sto | rage conditions. |
| 10.3. Possibility of hazardous reactions | |
| No additional information available | |
| 10.4. Conditions to avoid | |
| Keep away from heat, sparks and flame. | |
| 10.5. Incompatible materials | |
| Strong oxidizing agents. | |
| 10.6. Hazardous decomposition products | |
| Under normal conditions of storage and use, haz fire, see Section 5. | zardous decomposition products should not be produced. Hazardous decomposition products in case of |
| SECTION 11: Toxicological informat | ion |
| 11.1. Information on toxicological effects | |
| | |
| Acute toxicity | : Not classified |
| Skin corrosion/irritation | : Causes skin irritation. |
| Serious eye damage/irritation | : Causes serious eye irritation. |
| Respiratory or skin sensitization | : Not classified |
| Germ cell mutagenicity | : Not classified |
| Carcinogenicity | : Not classified |
| Reproductive toxicity | : Not classified |
| Specific target organ toxicity (single exposure) | : May cause respiratory irritation. |
| Specific target organ toxicity (repeated exposure) | : Not classified |
| Aspiration hazard | : Not classified |
| SECTION 12: Ecological information | |
| 12.1. Toxicity | |
| No additional information available | |
| 12.2. Persistence and degradability | |

No additional information available 12.3. Bioaccumulative potential No additional information available

12.4. Mobility in soil

No additional information available

| 12.5. | Other adverse effects | | |
|------------|----------------------------|-----------------|-----------------|
| No additio | onal information available | | |
| 12/08/2016 | 3 | EN (English US) | SDS ID: 4H561CX |

4,4'-Bis(1,3-benzoxazol-2-yl)stilbene

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

| SECTION 13: Disposal considerations | | | |
|-------------------------------------|---|--|--|
| 13.1. Waste treatment methods | | | |
| Waste treatment methods | : Remove to an authorized incinerator equipped with an afterburner and a flue gas scrubber. | | |
| Waste disposal recommendations | : Dispose of contents/container in accordance with licensed collector's sorting instructions. | | |
| Additional information | : Recycle the material as far as possible. | | |

SECTION 14: Transport information

Department of Transportation (DOT)

In accordance with DOT Not regulated for transport

TDG

No additional information available

Transport by sea

No additional information available

Air transport

No additional information available

SECTION 15: Regulatory information

15.1. US Federal regulations

4,4'-Bis(1,3-benzoxazol-2-yl)stilbene (1533-45-5)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory

This product or mixture does not contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

15.2. International regulations

CANADA

4,4'-Bis(1,3-benzoxazol-2-yl)stilbene (1533-45-5) Listed on the Canadian DSL (Domestic Sustances List)

EU-Regulations

No additional information available

National regulations

4,4'-Bis(1,3-benzoxazol-2-yl)stilbene (1533-45-5)

Listed on the AICS (Australian Inventory of Chemical Substances)

- Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)
- Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory

Listed on the Korean ECL (Existing Chemicals List)

Listed on NZIoC (New Zealand Inventory of Chemicals)

- Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)
- Listed on INSQ (Mexican national Inventory of Chemical Substances)

Listed on Turkish inventory of chemical

15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer and/or reproductive harm

SECTION 16: Other information

4,4'-Bis(1,3-benzoxazol-2-yl)stilbene

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

| Full tex | t of H-phrases: | | | |
|--|---|----------------------------|---|--|
| | Eye Irrit. 2A | | Serious eye damage/eye irritation Category 2A | |
| | Skin Irrit. 2 STOT SE 3 H315 | | Skin corrosion/irritation Category 2 Specific target organ toxicity (single exposure) Category 3 | |
| | | | | |
| | | | Causes skin irritation | |
| | H319 | | Causes serious eye irritation | |
| | H335 | | May cause respiratory irritation | |
| NFPA | incapacitation or possible medical attention is given NFPA fire hazard : 0 - Materials that will not l | | Inder fire exposure conditions, | |
| HMIS I | II Rating | | | |
| Health : 2 Moderate Hazard - Ten | | : 2 Moderate Hazard - Terr | emporary or minor injury may occur | |
| Flammability : 0 Minimal Hazard - Mate | | : 0 Minimal Hazard - Mater | erials that will not burn | |
| Physical : 0 Minimal Hazard - Mate | | | rials that are normally stable, even under fire conditions, and will NOT ize, decompose, condense, or self-react. Non-Explosives. | |

SDS US (GHS HazCom 2012)

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is offered solely for your consideration, investigation, and verification. It does not represent any guarantee of the properties of the product nor that the hazard precautions or procedures described are the only ones which exist. SynQuest shall not be held liable or any damage resulting from handling or from contact with the above product.