

# **2-(Trifluoromethoxy)nitrobenzene** Safety Data Sheet 4654327 according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Date of issue: 07/25/2016 Version: 1.0

SECTION 1: Identification	
.1. Identification	
Product form	: Substance
Substance name	: 2-(Trifluoromethoxy)nitrobenzene
CAS No	: 1644-88-8
Product code	: 4654-3-27
Formula	: C7H4F3NO3
Synonyms	: 2-Nitrophenyl trifluoromethyl ether
Other means of identification	: MFCD00041010
	substance or mixture and uses advised against
Use of the substance/mixture	: Laboratory chemicals Manufacture of substances Scientific research and development
1.3. Details of the supplier of the safe	fety data sheet
SynQuest Laboratories, Inc. P.O. Box 309 Alachua, FL 32615 - United States of Americ T (386) 462-0788 - F (386) 462-7097 info@synquestlabs.com - <u>www.synquestlabs</u>	
1.4. Emergency telephone number	
Emergency number	: (844) 523-4086 (3E Company - Account 10069)
SECTION 2: Hazard(s) identificati	ion
2.1. Classification of the substance of	
Classification (GHS-US)	
Skin Irrit. 2H315 - Causes skin irritationEye Irrit. 2AH319 - Causes serious eye in	rritation
Eye Irrit. 2A H319 - Causes serious eye in STOT SE 3 H335 - May cause respirator Full text of H-phrases: see section 16	rritation
Skin Irrit. 2H315 - Causes skin irritationEye Irrit. 2AH319 - Causes serious eye inSTOT SE 3H335 - May cause respirator	rritation
Skin Irrit. 2H315 - Causes skin irritationEye Irrit. 2AH319 - Causes serious eye inSTOT SE 3H335 - May cause respiratorFull text of H-phrases: see section 162.2.Label elements	rritation y irritation
Skin Irrit. 2       H315 - Causes skin irritation         Eye Irrit. 2A       H319 - Causes serious eye in         STOT SE 3       H335 - May cause respirator         Full text of H-phrases: see section 16         2.2.       Label elements         GHS-US labeling         Hazard pictograms (GHS-US)	rritation y irritation
Skin Irrit. 2       H315 - Causes skin irritation         Eye Irrit. 2A       H319 - Causes serious eye in         STOT SE 3       H335 - May cause respirator         Full text of H-phrases: see section 16         2.2.       Label elements         GHS-US labeling         Hazard pictograms (GHS-US)         Signal word (GHS-US)	rritation y irritation : Varning GHS07 : Warning
Skin Irrit. 2       H315 - Causes skin irritation         Eye Irrit. 2A       H319 - Causes serious eye in         STOT SE 3       H335 - May cause respirator         Full text of H-phrases: see section 16         2.2.       Label elements         GHS-US labeling         Hazard pictograms (GHS-US)	rritation y irritation
Skin Irrit. 2       H315 - Causes skin irritation         Eye Irrit. 2A       H319 - Causes serious eye in         STOT SE 3       H335 - May cause respirator         Full text of H-phrases: see section 16         2.2.       Label elements         GHS-US labeling         Hazard pictograms (GHS-US)         Signal word (GHS-US)	rritation y irritation :

# 2-(Trifluoromethoxy)nitrobenzene

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

- P370+P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish P403+P233 - Store in a well-ventilated place. Keep container tightly closed P403+P235 - Store in a well-ventilated place. Keep cool
- P405 Store locked up
- P501 Dispose of contents/container to an approved waste disposal plant

### 2.3. Other hazards

No additional information available

Unknown acute toxicity (GHS US) 2.4.

Not applicable

SECTION 3: Composition/inform	ation on ingredients		
3.1. Substance			
Substance type	: Mono-constituent		
Name	Product identifier	%	Classification (GHS-US)
2-(Trifluoromethoxy)nitrobenzene (Main constituent)	(CAS No) 1644-88-8	<= 100	Flam. Liq. 4, H227 Skin Irrit. 2, H315 Eye Irrit. 2A, H319 STOT SE 3, H335
Full text of H-phrases: see section 16			
3.2. Mixture			
Not applicable			
SECTION 4: First aid measures			
4.1. Description of first aid measure	3S		
First-aid measures general	: In case of accident or if you feel u where possible). Move the affecte		
First-aid measures after inhalation	: Remove person to fresh air and k respiration. Get medical advice/at		thing. If not breathing, give artificial
First-aid measures after skin contact	: Wash with plenty of soap and wat		
First-aid measures after eye contact	: Immediately flush eyes thoroughly present and easy to do. Continue		5 minutes. Remove contact lenses, if rice/attention.
First-aid measures after ingestion	: Do NOT induce vomiting. Never g mouth out with water. Get medica		an unconscious person. Rinse
4.2. Most important symptoms and	effects, both acute and delayed		
Symptoms/injuries	: The most important known sympto 2.2) and/or in section 11.	oms and effects are desc	cribed in the labelling (see section
4.3. Indication of any immediate me	edical attention and special treatment ne	eded	
Treat symptomatically.			
SECTION 5: Firefighting measure	es		
5.1. Extinguishing media			
Suitable extinguishing media	: Alcohol resistant foam. Carbon di	oxide. Dry powder. Wate	r spray. Use extinguishing media
55	appropriate for surrounding fire.	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	
5.2. Special hazards arising from th	le substance or mixture		
Fire hazard	: Thermal decomposition generates	s: Carbon oxides. Hydrog	gen fluoride. Nitrogen oxides.
Explosion hazard	: Risk of explosion if heated under containers. May form flammable/e		
5.3. Advice for firefighters			
Firefighting instructions	: In case of fire: Evacuate area. Fig	ht fire remotely due to th	e risk of explosion.
Protection during firefighting	: Wear gas tight chemically protect apparatus. For further information		on with self contained breathing osure controls/personal protection".
SECTION 6: Accidental release n			
		-	
	ve equipment and emergency procedure		ntilation. Do not breather son firmer
General measures	: Evacuate unnecessary personnel vapor or spray.	. ⊏nsure adequate air ve	ntilation. Do not breathe gas, fumes,
6.1.1. For non-emergency personnel			
Emergency procedures	: Only qualified personnel equipped	d with suitable protective	equipment may intervene.
12/08/2016	EN (English US)	SDS ID: 4654	327 2/6

# 2-(Trifluoromethoxy)nitrobenzene Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

6.1.2. For emergency responders		
Protective equipment	Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".	
Emergency procedures	: Gas/vapor heavier than air. May accumulate in confined spaces, particularly at or below ground level. Consider the risk of potentially explosive atmospheres. Eliminate every possible source of ignition.	
6.2. Environmental precautions		
Avoid release to the environment. Notify authori	ies if product enters sewers or public waters.	
6.3. Methods and material for containm	ent and cleaning up	
For containment	: Stop leak if safe to do so. Dike for recovery or absorb with appropriate material.	
Methods for cleaning up	: Take up large spills with pump or vacuum and finish with dry chemical absorbent. Use explosion-proof equipment. Take up small spills with dry chemical absorbent. Sweep or shovel spills into appropriate container for disposal. Ventilate area.	
Other information	: For disposal of solid materials or residues refer to section 13 : "Disposal considerations".	
6.4. Reference to other sections		
No additional information available		
SECTION 7: Handling and storage		
7.1. Precautions for safe handling		
Additional hazards when processed	: Handle empty containers with care because residual vapors are flammable.	
Precautions for safe handling	: Do not handle until all safety precautions have been read and understood. Ensure good ventilation of the work station. Do not breathe fumes, mist, spray, vapors. Wear personal protective equipment. Avoid contact with skin and eyes. Keep away from ignition sources (including static discharges). Proper grounding procedures to avoid static electricity should be followed. Use only non-sparking tools.	
Hygiene measures	: Handle in accordance with good industrial hygiene and safety procedures. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.	
7.2. Conditions for safe storage, include	ng any incompatibilities	
Technical measures	: Comply with applicable regulations.	
Storage conditions	: Keep container closed when not in use. Keep away from ignition sources.	
Incompatible materials	: Refer to Section 10 on Incompatible Materials.	
Storage area	: Store in dry, cool, well-ventilated area.	
SECTION 8: Exposure controls/pers	onal protection	
8.1. Control parameters		
o. i. Control parameters		

8.2. Exposure controls	
Appropriate engineering controls	: Ensure good ventilation of the work station. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.
Hand protection	: Protective gloves. 29 CFR 1910.138: Hand Protection.
Eye protection	: Chemical goggles or safety glasses. Face shield. 29 CFR 1910.133: Eye and Face Protection.
Skin and body protection	: Wear suitable protective clothing.
Respiratory protection	<ul> <li>In case of inadequate ventilation wear respiratory protection. 29 CFR 1910.134: Respiratory Protection.</li> </ul>
Other information	: Safety shoes. 29 CFR 1910.136: Foot Protection.

# **SECTION 9: Physical and chemical properties**

9.1. Information on basic physical and chemical properties		
Physical state	: Liquid	
Color	: No data available	
Odor	: No data available	
Odor threshold	: No data available	
pH	: No data available	
Melting point	: No data available	
Freezing point	: No data available	

# 2-(Trifluoromethoxy)nitrobenzene Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

5		,
Boiling point	:	98 °C (@ 16 mm Hg)
Flash point	:	80 °C
Relative evaporation rate (butyl acetate=1)	:	No data available
Flammability (solid, gas)	:	No data available
Explosion limits	:	No data available
Explosive properties	:	No data available
Oxidizing properties	:	No data available
Vapor pressure	:	No data available
Relative density	:	No data available
Relative vapor density at 20 °C	:	No data available
Molecular mass	:	207.11 g/mol
Solubility	:	No data available
Log Pow	:	No data available
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity	:	No data available
Viscosity, kinematic	:	No data available
Viscosity, dynamic	:	No data available

### 9.2. **Other information**

No additional information available

SECT	ION 10: Stability and reactivity
10.1.	Reactivity
No add	itional information available
10.2.	Chemical stability
The pro	duct is stable at normal handling and storage conditions.
10.3.	Possibility of hazardous reactions
No add	itional information available
10.4.	Conditions to avoid
Keep a	way from heat, sparks and flame.
10.5.	Incompatible materials
Strong	bases. Strong oxidizing agents.
10.6.	Hazardous decomposition products
	normal conditions of storage and use, hazardous decomposition products should not be produced. Hazardous decomposition products in case of a Section 5.

SECTION 11: Toxicological information		
11.1. Information on toxicological effects		
Acute toxicity	: Not classified	
Skin corrosion/irritation	: Causes skin irritation.	
Serious eye damage/irritation	: Causes serious eye irritation.	
Respiratory or skin sensitization	: Not classified	
Germ cell mutagenicity	: Not classified	
Carcinogenicity	: Not classified	
Reproductive toxicity	: Not classified	
Specific target organ toxicity (single exposure)	: May cause respiratory irritation.	

Specific target organ toxicity (repeated	: Not classified
exposure)	

12/08/2016

: Not classified

# 2-(Trifluoromethoxy)nitrobenzene Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 12: Ecological information	
12.1. Toxicity	
No additional information available	
12.2. Persistence and degradability	
No additional information available	
12.3. Bioaccumulative potential	
No additional information available	
12.4. Mobility in soil	
No additional information available	
12.5. Other adverse effects	
No additional information available	
<b>SECTION 13: Disposal considerations</b>	
13.1. Waste treatment methods	
Waste treatment methods	: Remove to an authorized incinerator equipped with an afterburner and a flue gas scrubber.
Waste disposal recommendations	: Dispose of contents/container in accordance with licensed collector's sorting instructions.
Additional information	: Recycle the material as far as possible.
SECTION 14: Transport information	
Department of Transportation (DOT)	
In accordance with DOT	
	: NA1993 Combustible liquid, n.o.s., 3, III
	: NA1993
Proper Shipping Name (DOT)	Combustible liquid, n.o.s.
	: 3 - Class 3 - Flammable and combustible liquid 49 CFR 173.120
	: III - Minor Danger : 203
88 ( )	: 241
	: D - Proper shipping name for domestic use only, or to and from Canada,G - Identifies PSN
Der cymbolo	requiring a technical name
DOT Special Provisions (49 CFR 172.102)	: IB3 - Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite
	(31HZ1 and 31HA2, 31HB2, 31HN2, 31HD2 and 31HH2). Additional Requirement: Only liquids with a vapor pressure less than or equal to 110 kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55
	C (1.3 bar at 131 F) are authorized, except for UN2672 (also see Special Provision IP8 in Table
	2 for UN2672).
	T1 - 1.5 178.274(d)(2) Normal 178.275(d)(2) T4 - 2.65 178.274(d)(2) Normal 178.275(d)(3)
	TP1 - The maximum degree of filling must not exceed the degree of filling determined by the
	following: Degree of filling = 97 / 1 + a (tr - tf) Where: tr is the maximum mean bulk temperature during transport, and tf is the temperature in degrees celsius of the liquid during filling.
DOT Packaging Exceptions (49 CFR 173.xxx)	: 150
DOT Quantity Limitations Passenger aircraft/rail	
(49 CFR 173.27)	
DOT Quantity Limitations Cargo aircraft only (49	: 220 L
CFR 175.75)	· A The material may be stawed "on deak" or "under deak" on a some vessel and on a
DOT Vessel Stowage Location	: A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel.
Other information	No supplementary information available.
TDG	
No additional information available	

# Transport by sea

No additional information available

# 2-(Trifluoromethoxy)nitrobenzene

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

## Air transport

### No additional information available

# SECTION 15: Regulatory information

# 15.1. US Federal regulations

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory except for:

2-(Trifluoromethoxy)nitrobenzene CAS No 1644-88-8 100%				
			CAS No 1644-88-8	100%

This product or mixture does not contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

# 15.2. International regulations

CANADA

No additional information available

## **EU-Regulations**

No additional information available

## **National regulations**

No additional information available

## 15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer and/or reproductive harm

# **SECTION 16: Other information**

# Full text of H-phrases:

Full text of H-phrases.	
Eye Irrit. 2A	Serious eye damage/eye irritation Category 2A
Flam. Liq. 4	Flammable liquids Category 4
Skin Irrit. 2	Skin corrosion/irritation Category 2
STOT SE 3	Specific target organ toxicity (single exposure) Category 3
H227	Combustible liquid
H315	Causes skin irritation
H319	Causes serious eye irritation
H335	May cause respiratory irritation
NFPA health hazard : 3 - Short exposure could cause serious temporary or residual injury even though prompt medical attention was given.	
NFPA fire hazard	: 2 - Must be moderately heated or exposed to relatively high temperature before ignition can occur.
NFPA reactivity	: 0 - Normally stable, even under fire exposure conditions, and are not reactive with water.
HMIS III Rating	
Health	: 2 Moderate Hazard - Temporary or minor injury may occur
Flammability : 2 Moderate Hazard - Materials which must be moderately heated or exposed to hi temperatures before ignition will occur. Includes liquids having a flash point at or a but below 200 F. (Classes II & IIIA)	
Physical	: 0 Minimal Hazard - Materials that are normally stable, even under fire conditions, and will NOT react with water, polymerize, decompose, condense, or self-react. Non-Explosives.

SDS US (GHS HazCom 2012)

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is offered solely for your consideration, investigation, and verification. It does not represent any guarantee of the properties of the product nor that the hazard precautions or procedures described are the only ones which exist. SynQuest shall not be held liable or any damage resulting from handling or from contact with the above product.