

1-Bromo-2-(perfluorobutyl)ethane Safety Data Sheet 1100BX2 according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Date of issue: 07/11/2016 Version: 1.0

SECTION 1: Identification			
1.1. Identification			
Product form	: Substance		
Substance name	: 1-Bromo-2-(perfluorobutyl)	thane	
CAS No	: 38436-14-5		
Product code	: 1100-B-X2		
Formula	: C6H4BrF9		
Other means of identification	: MFCD00077576		
1.2. Relevant identified uses of the	substance or mixture and uses ac	vised analysis	
Use of the substance/mixture	: Laboratory chemicals		
	Manufacture of substances Scientific research and dev	elopment	
1.3. Details of the supplier of the sa	fety data sheet		
SynQuest Laboratories, Inc.			
P.O. Box 309			
Alachua, FL 32615 - United States of Ameri Γ (386) 462-0788 - F (386) 462-7097	ca		
nfo@synquestlabs.com - www.synquestlab	s.com		
I.4. Emergency telephone number			
Emergency number	: (844) 523-4086 (3E Compa	ny - Account 10069)	
		.,	
SECTION 2: Hazard(s) identificat	ion		
2.1. Classification of the substance	or mixture		
Classification (GHS-US)			
Skin Irrit. 2 H315 - Causes skin irritatior Eye Irrit. 2A H319 - Causes serious eye			
STOT SE 3 H335 - May cause respirato			
Full text of H-phrases: see section 16			
2.2. Label elements			
GHS-US labeling			
Hazard pictograms (GHS-US)	: 🔨		
Signal word (CHC LLC)	GHS07		
Signal word (GHS-US)	: Warning		
Hazard statements (GHS-US)	: H315 - Causes skin irritatio H319 - Causes serious eye		
	H335 - May cause respirate		
Precautionary statements (GHS-US)	: P261 - Avoid breathing fum	-	
	P264 - Wash skin thorough	y after handling	
	P271 - Use only outdoors of		
		res/protective clothing/eye protection/face protection	
		sh with plenty of soap and water nove person to fresh air and keep comfortable for bre	athing
		es: Rinse cautiously with water for several minutes. R	
	lenses, if present and easy		
		TER or doctor/physician if you feel unwell	
		see supplemental first aid instructions on this label)	
		n occurs: Get medical advice/attention n persists: Get medical advice/attention	
		aminated clothing and wash it before reuse	
		I-ventilated place. Keep container tightly closed	
	P405 - Store locked up		
	P501 - Dispose of contents	container to an approved waste disposal plant	
2/06/2016	EN (English US)	SDS ID: 1100BX2	Page 1

1-Bromo-2-(perfluorobutyl)ethane Safety Data Sheet

2.3. Other hazards				
No additional information available				
2.4. Unknown acute toxicity (GHS U	IS)			
Not applicable				
SECTION 3: Composition/inform	ation on ingredients			
3.1. Substance	: Mono-constituent			
Substance type				
Name 1-Bromo-2-(perfluorobutyl)ethane	(CAS No) 38436-14-5	% <= 100	Classification (G Skin Irrit. 2, H315	HS-US)
(Main constituent)		- 100	Eye Irrit. 2A, H319 STOT SE 3, H335	
Full text of H-phrases: see section 16				
3.2. Mixture				
Not applicable				
SECTION 4: First aid measures				
4.1. Description of first aid measure	2S			
irst-aid measures general	: In case of accident or if you feel where possible). Move the affec	ed personnel away fi	om the contaminated area.	
First-aid measures after inhalation	: Remove person to fresh air and respiration. Get medical advice/	attention.		give artificial
First-aid measures after skin contact	: Wash with plenty of soap and w			test lasses "
First-aid measures after eye contact	: Immediately flush eyes thorough present and easy to do. Continu	e rinsing. Get medica	l advice/attention.	
First-aid measures after ingestion	: Do NOT induce vomiting. Never mouth out with water. Get media		th to an unconscious persor	n. Kinse
Mont immentant commentance and				
	effects, both acute and delayed			
	effects, both acute and delayed : The most important known symp 2.2) and/or in section 11.	toms and effects are	described in the labelling (se	ee section
Symptoms/injuries	: The most important known symp		described in the labelling (s	ee section
Symptoms/injuries 4.3. Indication of any immediate me	: The most important known symp 2.2) and/or in section 11.		described in the labelling (s	ee section
Symptoms/injuries 4.3. Indication of any immediate me Treat symptomatically.	: The most important known symp 2.2) and/or in section 11.		described in the labelling (s	ee section
Symptoms/injuries 4.3. Indication of any immediate me Freat symptomatically. SECTION 5: Firefighting measure	: The most important known symp 2.2) and/or in section 11.		described in the labelling (s	ee section
Symptoms/injuries I.3. Indication of any immediate me Freat symptomatically. SECTION 5: Firefighting measure 5.1. Extinguishing media	: The most important known symp 2.2) and/or in section 11.	eeded		
Symptoms/injuries 4.3. Indication of any immediate me Treat symptomatically. SECTION 5: Firefighting measure 5.1. Extinguishing media Suitable extinguishing media	The most important known symple. 2.2) and/or in section 11. dical attention and special treatment restricted by the section of the	eeded		
Symptoms/injuries	The most important known symple. 2.2) and/or in section 11. dical attention and special treatment r S Alcohol resistant foam. Carbon of appropriate for surrounding fire. e substance or mixture Thermal decomposition generat	lioxide. Dry powder. V es: Carbon oxides. H	Vater spray. Use extinguishi /drogen bromide. Hydrogen	ing media fluoride.
Symptoms/injuries 4.3. Indication of any immediate me Treat symptomatically. SECTION 5: Firefighting measure 5.1. Extinguishing media Suitable extinguishing media 5.2. Special hazards arising from the Fire hazard	The most important known symplet 2.2) and/or in section 11. dical attention and special treatment restricted S Alcohol resistant foam. Carbon of appropriate for surrounding fire. e substance or mixture	lioxide. Dry powder. V es: Carbon oxides. H	Vater spray. Use extinguishi /drogen bromide. Hydrogen	ing media fluoride.
Symptoms/injuries 4.3. Indication of any immediate me Treat symptomatically. SECTION 5: Firefighting measure 5.1. Extinguishing media Suitable extinguishing media 5.2. Special hazards arising from the Fire hazard Explosion hazard	The most important known symplet 2.2) and/or in section 11. dical attention and special treatment reserved Alcohol resistant foam. Carbon of appropriate for surrounding fire. E substance or mixture Thermal decomposition generat Risk of explosion if heated under	lioxide. Dry powder. V es: Carbon oxides. H	Vater spray. Use extinguishi /drogen bromide. Hydrogen	ing media fluoride.
Symptoms/injuries 4.3. Indication of any immediate me Treat symptomatically. SECTION 5: Firefighting measure 5.1. Extinguishing media Suitable extinguishing media 5.2. Special hazards arising from th Fire hazard Explosion hazard 5.3. Advice for firefighters	The most important known symplet 2.2) and/or in section 11. dical attention and special treatment reserved Alcohol resistant foam. Carbon of appropriate for surrounding fire. E substance or mixture Thermal decomposition generat Risk of explosion if heated under	lioxide. Dry powder. N es: Carbon oxides. H r confinement. Use w	Vater spray. Use extinguishi /drogen bromide. Hydrogen ater spray or fog for cooling	ing media fluoride.
Symptoms/injuries 4.3. Indication of any immediate me Treat symptomatically. SECTION 5: Firefighting measure 5.1. Extinguishing media Suitable extinguishing media 5.2. Special hazards arising from th Fire hazard Explosion hazard 5.3. Advice for firefighters Firefighting instructions	The most important known sympletic 2.2) and/or in section 11. dical attention and special treatment reserve and the sector of the se	ioxide. Dry powder. Y es: Carbon oxides. H r confinement. Use w ight fire remotely due	Vater spray. Use extinguishi /drogen bromide. Hydrogen ater spray or fog for cooling to the risk of explosion. ination with self contained bi	ing media fluoride. exposed
Symptoms/injuries 4.3. Indication of any immediate me Treat symptomatically. SECTION 5: Firefighting measure 5.1. Extinguishing media Suitable extinguishing media 5.2. Special hazards arising from th Fire hazard Explosion hazard 5.3. Advice for firefighters Firefighting instructions Protection during firefighting SECTION 6: Accidental release n	 The most important known sympoly 2.2) and/or in section 11. In case of fire: Evacuate area. F Wear gas tight chemically protect apparatus. For further information 	ioxide. Dry powder. M es: Carbon oxides. H r confinement. Use w ight fire remotely due tive clothing in comb n refer to section 8: "	Vater spray. Use extinguishi /drogen bromide. Hydrogen ater spray or fog for cooling to the risk of explosion. ination with self contained bi	ing media fluoride. exposed
Symptoms/injuries 4.3. Indication of any immediate me Treat symptomatically. SECTION 5: Firefighting measure 5.1. Extinguishing media Suitable extinguishing media 5.2. Special hazards arising from th Fire hazard Explosion hazard 5.3. Advice for firefighters Firefighting instructions Protection during firefighting SECTION 6: Accidental release n 5.1. Personal precautions, protective	 The most important known sympoly 2.2) and/or in section 11. In case of fire: Evacuate area. Fill Wear gas tight chemically protect apparatus. For further informatic measures 	tioxide. Dry powder. es: Carbon oxides. H r confinement. Use w ight fire remotely due tive clothing in comb n refer to section 8: "	Vater spray. Use extinguishi /drogen bromide. Hydrogen ater spray or fog for cooling to the risk of explosion. ination with self contained br Exposure controls/personal	ing media fluoride. exposed reathing protection".
Symptoms/injuries 4.3. Indication of any immediate me Treat symptomatically. SECTION 5: Firefighting measure 5.1. Extinguishing media Suitable extinguishing media 5.2. Special hazards arising from th Fire hazard Explosion hazard 5.3. Advice for firefighters Firefighting instructions Protection during firefighting SECTION 6: Accidental release n 6.1. Personal precautions, protective	 The most important known sympoly 2.2) and/or in section 11. In case of fire: Evacuate area. F Wear gas tight chemically protect apparatus. For further information 	tioxide. Dry powder. es: Carbon oxides. H r confinement. Use w ight fire remotely due tive clothing in comb n refer to section 8: "	Vater spray. Use extinguishi /drogen bromide. Hydrogen ater spray or fog for cooling to the risk of explosion. ination with self contained br Exposure controls/personal	ing media fluoride. exposed reathing protection".
Symptoms/injuries 4.3. Indication of any immediate me Treat symptomatically. SECTION 5: Firefighting measure 5.1. Extinguishing media Suitable extinguishing media 5.2. Special hazards arising from the Fire hazard Explosion hazard 5.3. Advice for firefighters Firefighting instructions Protection during firefighting SECTION 6: Accidental release m 5.1. Personal precautions, protective General measures 5.1.1. For non-emergency personnel	 The most important known sympoly 2.2) and/or in section 11. Indical attention and special treatment reserve as a section of the section of	tioxide. Dry powder. dioxide. Dry powder. es: Carbon oxides. H r confinement. Use w ight fire remotely due tive clothing in comb n refer to section 8: " es el. Ensure adequate a	Vater spray. Use extinguishi vdrogen bromide. Hydrogen ater spray or fog for cooling to the risk of explosion. ination with self contained br Exposure controls/personal ir ventilation. Do not breathe	ing media fluoride. exposed reathing protection".
Symptoms/injuries 4.3. Indication of any immediate me Treat symptomatically. SECTION 5: Firefighting measure 5.1. Extinguishing media Suitable extinguishing media 5.2. Special hazards arising from the Fire hazard Explosion hazard 5.3. Advice for firefighters Firefighting instructions Protection during firefighting SECTION 6: Accidental release m 5.1. Personal precautions, protective General measures 5.1.1. For non-emergency personnel	 The most important known sympoly 2.2) and/or in section 11. In case of fire: Evacuate area. Fill Wear gas tight chemically protect apparatus. For further informatic for surgers and the section of the secti	tioxide. Dry powder. dioxide. Dry powder. es: Carbon oxides. H r confinement. Use w ight fire remotely due tive clothing in comb n refer to section 8: " es el. Ensure adequate a	Vater spray. Use extinguishi vdrogen bromide. Hydrogen ater spray or fog for cooling to the risk of explosion. ination with self contained br Exposure controls/personal ir ventilation. Do not breathe	ing media fluoride. exposed reathing protection".
Symptoms/injuries 4.3. Indication of any immediate me Treat symptomatically. SECTION 5: Firefighting measure 5.1. Extinguishing media Suitable extinguishing media 5.2. Special hazards arising from th Fire hazard Explosion hazard 5.3. Advice for firefighters Firefighting instructions Protection during firefighting SECTION 6: Accidental release m 6.1. Personal precautions, protectiv General measures 6.1.1. For non-emergency personnel Emergency procedures	 The most important known sympoly 2.2) and/or in section 11. Indical attention and special treatment reserve as a section of the section of	tioxide. Dry powder. dioxide. Dry powder. es: Carbon oxides. H r confinement. Use w ight fire remotely due tive clothing in comb n refer to section 8: " es el. Ensure adequate a	Vater spray. Use extinguishi vdrogen bromide. Hydrogen ater spray or fog for cooling to the risk of explosion. ination with self contained br Exposure controls/personal ir ventilation. Do not breathe	ing media fluoride. exposed reathing protection".
Symptoms/injuries 4.3. Indication of any immediate me Treat symptomatically. SECTION 5: Firefighting measure 5.1. Extinguishing media Suitable extinguishing media 5.2. Special hazards arising from th Fire hazard Explosion hazard 5.3. Advice for firefighters Firefighting instructions Protection during firefighting SECTION 6: Accidental release n 6.1. Personal precautions, protective General measures 6.1.1. For non-emergency personnel Emergency procedures 6.1.2. For emergency responders	 The most important known symplet 2.2) and/or in section 11. Indical attention and special treatment of appropriate for surrounding fire. Alcohol resistant foam. Carbon of appropriate for surrounding fire. In thermal decomposition generat Risk of explosion if heated unde containers. In case of fire: Evacuate area. F Wear gas tight chemically protect apparatus. For further information for the equipment and emergency procedure is Evacuate unnecessary personn vapor or spray. Only qualified personnel equipped to take action with the equipment of the equipment is the equipment of the equipment is the equipment of the equipment is the equipment equ	tioxide. Dry powder. N es: Carbon oxides. Hy r confinement. Use w ight fire remotely due tive clothing in comb n refer to section 8: " es el. Ensure adequate a ed with suitable protecti	Vater spray. Use extinguishi /drogen bromide. Hydrogen ater spray or fog for cooling to the risk of explosion. ination with self contained br Exposure controls/personal ir ventilation. Do not breathe ctive equipment may intervel	ing media fluoride. exposed reathing protection". e gas, fumes, ne.
Symptoms/injuries 4.3. Indication of any immediate metreat symptomatically. SECTION 5: Firefighting measure 5.1. Extinguishing media Suitable extinguishing media Suitable extinguishing media 5.2. Special hazards arising from the Fire hazard Explosion hazard 5.3. Advice for firefighters Firefighting instructions Protection during firefighting SECTION 6: Accidental release measures 6.1. Personal precautions, protective General measures 6.1.1. For non-emergency personnel Emergency procedures	 The most important known sympoly 2.2) and/or in section 11. Indical attention and special treatment of appropriate for surrounding fire. Alcohol resistant foam. Carbon of appropriate for surrounding fire. In thermal decomposition generat Risk of explosion if heated under containers. In case of fire: Evacuate area. F Wear gas tight chemically protect apparatus. For further information for the equipment and emergency procedure is Evacuate unnecessary personning appropriate is a container of surrounding fire. Conly qualified personnel equipped appropriate is a container of surrounding fire. 	eeded dioxide. Dry powder. M es: Carbon oxides. H r confinement. Use w ight fire remotely due trive clothing in comb n refer to section 8: " es el. Ensure adequate a ed with suitable protecti trols/personal protect	Vater spray. Use extinguishi vdrogen bromide. Hydrogen ater spray or fog for cooling to the risk of explosion. ination with self contained br Exposure controls/personal ir ventilation. Do not breather ctive equipment may interver ve equipment. For further inf	ing media fluoride. exposed reathing protection". e gas, fumes, ne. formation

1-Bromo-2-(perfluorobutyl)ethane Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules an

	day, March 26, 2012 / Rules and Regulations		
.2. Environmental precautions			
void release to the environment. Notify auth	norities if product enters sewers or public waters.		
.3. Methods and material for containment and cleaning up			
or containment	: Stop leak if safe to do so. Dike for recovery or absorb with appropriate material.		
lethods for cleaning up	: Take up large spills with pump or vacuum and finish with dry chemical absorbent. Use explosion-proof equipment. Take up small spills with dry chemical absorbent. Sweep or shovel spills into appropriate container for disposal. Ventilate area.		
Other information	: For disposal of solid materials or residues refer to section 13 : "Disposal considerations".		
.4. Reference to other sections			
lo additional information available			
ECTION 7: Handling and storage	9		
.1. Precautions for safe handling			
recautions for safe handling	: Do not handle until all safety precautions have been read and understood. Ensure good ventilation of the work station. Do not breathe fumes, mist, spray, vapors. Wear personal protective equipment. Avoid contact with skin and eyes.		
lygiene measures	: Handle in accordance with good industrial hygiene and safety procedures. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.		
7.2. Conditions for safe storage, including any incompatibilities			
echnical measures	: Comply with applicable regulations.		
torage conditions	: Keep container closed when not in use.		
ncompatible materials	: Refer to Section 10 on Incompatible Materials.		
torage area	: Store in dry, cool, well-ventilated area.		
SECTION 8: Exposure controls/pe	ersonal protection		
.1. Control parameters			
lo additional information available			
.2. Exposure controls			
ppropriate engineering controls	: Ensure good ventilation of the work station. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.		
land protection	: Protective gloves. 29 CFR 1910.138: Hand Protection.		
ye protection	: Chemical goggles or safety glasses. Face shield. 29 CFR 1910.133: Eye and Face Protection.		
kin and body protection	: Wear suitable protective clothing.		
espiratory protection	: In case of inadequate ventilation wear respiratory protection. 29 CFR 1910.134: Respiratory Protection.		
Other information	: Safety shoes. 29 CFR 1910.136: Foot Protection.		
ECTION 9: Physical and chemic	al properties		
.1. Information on basic physical ar	nd chemical properties		
hysical state	: Liquid		

Physical state	: Liquid		
Color	: No data available		
Odor	: No data available		
Odor threshold	: No data available		
pH	: No data available		
Melting point	: No data available		
Freezing point	: No data available		
Boiling point	: 93 - 94 °C		
Flash point	: No data available		
Relative evaporation rate (butyl acetate=1)	: No data available		
Flammability (solid, gas)	: No data available		
Explosion limits	: No data available		
Explosive properties	: No data available		
Oxidizing properties	: No data available		
Vapor pressure	: No data available		
12/06/2016	EN (English US)	SDS ID: 1100BX2	3/6

1-Bromo-2-(perfluorobutyl)ethane Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Relative density	: No data available
Relative vapor density at 20 °C	: No data available
Molecular mass	: 326.99 g/mol
Solubility	: No data available
Log Pow	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1.	Reactivity
No addi	tional information available
10.2.	Chemical stability
The pro	duct is stable at normal handling and storage conditions.
10.3.	Possibility of hazardous reactions
No addi	tional information available
10.4.	Conditions to avoid
Keep av	way from heat, sparks and flame.
10.5.	Incompatible materials
Strong	oxidizing agents.
10.6.	Hazardous decomposition products
Under n	normal conditions of storage and use, hazardous decomposition products should not be produced. Hazardous decomposition products in case of

fire, see Section 5.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity	: Not classified
Skin corrosion/irritation	: Causes skin irritation.
Serious eye damage/irritation	: Causes serious eye irritation.
Respiratory or skin sensitization	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
Specific target organ toxicity (single exposure)	: May cause respiratory irritation.
Specific target organ toxicity (repeated exposure)	: Not classified
Aspiration hazard	: Not classified

SECT	SECTION 12: Ecological information		
12.1.	Toxicity		
No addi	tional information available		
12.2.	Persistence and degradability		
No addi	tional information available		
12.3.	Bioaccumulative potential		
No addi	tional information available		

1-Bromo-2-(perfluorobutyl)ethane Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

12.4. Mobility in soil

No additional information available

12.5. Other adverse effects

No additional information available

SECTION 13: Disposal considerat	ions		
13.1. Waste treatment methods			
Waste treatment methods	· Remove to an authoriz	ed incinerator equipped with a	an afterburner and a flue gas scrubber.
Naste disposal recommendations			ensed collector's sorting instructions.
Additional information	: Recycle the material a		3
SECTION 14: Transport information	-	·	
Department of Transportation (DOT)			
n accordance with DOT			
Not regulated for transport			
rdg			
No additional information available			
Transport by sea			
No additional information available			
Air transport			
No additional information available			
SECTION 15: Regulatory information	ion		
5.1. US Federal regulations			
All components of this product are listed, or Substances Control Act (TSCA) inventory e		Jnited States Environmental F	Protection Agency Toxic
1-Bromo-2-(perfluorobutyl)ethane	CAS	No 38436-14-5	100%
This product or mixture does not contain a CFR §372.38(a) subject to the reporting red and 40 CFR Part 372.			
5.2. International regulations			
CANADA			
No additional information available			
EU-Regulations			
No additional information available			
National regulations			
No additional information available			
15.3. US State regulations			
California Proposition 65 - This product de	oes not contain any substance	s known to the state of Califor	nia to cause cancer
and/or reproductive harm			
SECTION 16: Other information			
Full text of H-phrases:			
Eye Irrit. 2A Skin Irrit. 2		Serious eye damage/eye Skin corrosion/irritation C	
SKIN IIII. 2 STOT SE 3			ategory 2 city (single exposure) Category 3
3101 35 3		Specific larger organ loxic	sity (single exposure) Gategory 3

Eye Int. 2A	Senous eye damage/eye initiation Category 2A
Skin Irrit. 2	Skin corrosion/irritation Category 2
STOT SE 3	Specific target organ toxicity (single exposure) Category 3
H315	Causes skin irritation
H319	Causes serious eye irritation
H335	May cause respiratory irritation

1-Bromo-2-(perfluorobutyl)ethane

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

NFPA health hazard	: 3 - Short exposure could cause serious temporary or residual injury even though prompt medical attention was given.	
NFPA fire hazard	: 0 - Materials that will not burn.	
NFPA reactivity	: 0 - Normally stable, even under fire exposure conditions, and are not reactive with water.	
HMIS III Rating		
Health	: 2 Moderate Hazard - Temporary or minor injury may occur	
Flammability	: 0 Minimal Hazard - Materials that will not burn	
Physical	: 0 Minimal Hazard - Materials that are normally stable, even under fire conditions, and will NOT react with water, polymerize, decompose, condense, or self-react. Non-Explosives.	

SDS US (GHS HazCom 2012)

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is offered solely for your consideration, investigation, and verification. It does not represent any guarantee of the properties of the product nor that the hazard precautions or procedures described are the only ones which exist. SynQuest shall not be held liable or any damage resulting from handling or from contact with the above product.