

(2R)-Butane-1,2-diol Safety Data Sheet 21041X1 according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Date of issue: 12/29/2015 Version: 1.0

1.1. Identification		
Product form	: Substance	
Substance name	: (2R)-Butane-1,2-diol	
CAS No	: 40348-66-1	
Product code	: 2104-1-X1	
Formula	: C4H10O2	
Synonyms	: (2R)-1,2-Dihydroxybutane	
Other means of identification	: MFCD09953765	
1.2. Relevant identified uses of the s	substance or mixture and uses advised against	
Use of the substance/mixture	: Laboratory chemicals Manufacture of substances Scientific research and development	
1.3. Details of the supplier of the sat	ety data sheet	
SynQuest Laboratories, Inc. P.O. Box 309 Alachua, FL 32615 - United States of Ameri T (386) 462-0788 - F (386) 462-7097 info@synquestlabs.com - <u>www.synquestlab</u>		
1.4. Emergency telephone number		
Emergency number	: (844) 523-4086 (3E Company - Account 10069)	
SECTION 2: Hazard(s) identificat	on	
2.1. Classification of the substance	or mixture	
Classification (GHS-US)		
Eye Dam. 1 H318 - Causes serious eye STOT SE 3 H335 - May cause respirator	damage	
Eye Dam. 1H318 - Causes serious eyeSTOT SE 3H335 - May cause respiratorFull text of H-phrases: see section 162.2.Label elements	damage	
Eye Dam. 1       H318 - Causes serious eye         STOT SE 3       H335 - May cause respirator         Full text of H-phrases: see section 16         2.2.       Label elements         GHS-US labeling	damage y irritation	
Eye Dam. 1 H318 - Causes serious eye of STOT SE 3 H335 - May cause respirator Full text of H-phrases: see section 16 2.2. Label elements GHS-US labeling Hazard pictograms (GHS-US)	damage y irritation	
Eye Dam. 1 H318 - Causes serious eye STOT SE 3 H335 - May cause respirator Full text of H-phrases: see section 16	damage y irritation	
Eye Dam. 1 H318 - Causes serious eye of STOT SE 3 H335 - May cause respirator Full text of H-phrases: see section 16 2.2. Label elements GHS-US labeling Hazard pictograms (GHS-US) Signal word (GHS-US)	damage y irritation : i = i = i = i = i = i = i = i = i = i =	for breathing ites. Remove contac bel)

## (2R)-Butane-1,2-diol Safety Data Sheet

77. No. 58 / Monday, March 26, 2012 / Rules and Regulatio

2.3. Other hazards				
No additional information available				
2.4. Unknown acute toxicity (GHS U	IS)			
Not applicable				
SECTION 3: Composition/inform	ation on in	aredients		
3.1. Substance		grouronto		
Substance type	: Mono	o-constituent		
Name		Product identifier	%	Classification (CHS US)
(2R)-Butane-1,2-diol		(CAS No) 40348-66-1	<b>70</b> <= 100	Classification (GHS-US) Skin Irrit. 2, H315
(Main constituent)			100	Eye Dam. 1, H318
Full text of H-phrases: see section 16				STOT SE 3, H335
3.2. Mixture				
Not applicable				
SECTION 4: First aid measures				
4.1. Description of first aid measure	s			
First-aid measures general	: In ca			ce immediately (show the label
		e possible). Move the affected		
First-aid measures after inhalation		ove person to fresh air and kee ration. Get immediate medical		thing. If not breathing, give artificial
First-aid measures after skin contact	•	with plenty of soap and water		al advice/attention
First-aid measures after eye contact		1 2 1		5 minutes. Remove contact lenses, if
	prese	ent and easy to do. Continue ri	ising. Get immediate n	nedical advice/attention.
First-aid measures after ingestion				an unconscious person. Rinse
		h out with water. Get immediat		
4.2. Most important symptoms and o	effects, both	acute and delayed		
Symptoms/injuries		nost important known sympton and/or in section 11.	is and effects are desc	cribed in the labelling (see section
	2.2) a	and/or in section 11.		cribed in the labelling (see section
4.3. Indication of any immediate me	2.2) a	and/or in section 11.		cribed in the labelling (see section
<b>4.3.</b> Indication of any immediate me Treat symptomatically.	2.2) a dical attentio	and/or in section 11.		cribed in the labelling (see section
4.3. Indication of any immediate me Treat symptomatically. SECTION 5: Firefighting measure	2.2) a dical attentio	and/or in section 11.		cribed in the labelling (see section
4.3. Indication of any immediate me Treat symptomatically. SECTION 5: Firefighting measure 5.1. Extinguishing media	2.2) a dical attentio	and/or in section 11.	led	
4.3. Indication of any immediate me Treat symptomatically. SECTION 5: Firefighting measure 5.1. Extinguishing media	2.2) a dical attentio	and/or in section 11.	led	ribed in the labelling (see section
4.3.       Indication of any immediate me         Treat symptomatically.         SECTION 5: Firefighting measure         5.1.       Extinguishing media         Suitable extinguishing media	2.2) a dical attentio	and/or in section 11. n and special treatment need nol resistant foam. Carbon diox opriate for surrounding fire.	led	
4.3.       Indication of any immediate me         Treat symptomatically.         SECTION 5: Firefighting measure         5.1.       Extinguishing media         Suitable extinguishing media         5.2.       Special hazards arising from the	2.2) a dical attentio es : Alcoh appro e substance	and/or in section 11. n and special treatment need nol resistant foam. Carbon diox opriate for surrounding fire. or mixture	led de. Dry powder. Wate	
<ul> <li>4.3. Indication of any immediate me Treat symptomatically.</li> <li>SECTION 5: Firefighting measure 5.1. Extinguishing media</li> <li>Suitable extinguishing media</li> <li>5.2. Special hazards arising from the Fire hazard</li> </ul>	2.2) a dical attentio es : Alcoh appro e substance : Ther	and/or in section 11. n and special treatment need nol resistant foam. Carbon diox opriate for surrounding fire. or mixture mal decomposition generates:	led de. Dry powder. Wate Carbon oxides.	r spray. Use extinguishing media
<ul> <li>4.3. Indication of any immediate me Treat symptomatically.</li> <li>SECTION 5: Firefighting measure 5.1. Extinguishing media</li> <li>Suitable extinguishing media</li> <li>5.2. Special hazards arising from the Fire hazard</li> </ul>	2.2) a dical attentio es : Alcof appro e substance : Then : Risk	and/or in section 11. n and special treatment need nol resistant foam. Carbon diox opriate for surrounding fire. or mixture mal decomposition generates:	led de. Dry powder. Wate Carbon oxides.	
<ul> <li>4.3. Indication of any immediate me Treat symptomatically.</li> <li>SECTION 5: Firefighting measure 5.1. Extinguishing media</li> <li>Suitable extinguishing media</li> <li>5.2. Special hazards arising from the Fire hazard</li> <li>Explosion hazard</li> </ul>	2.2) a dical attentio es : Alcof appro e substance : Then : Risk	and/or in section 11. n and special treatment need nol resistant foam. Carbon diox opriate for surrounding fire. or mixture mal decomposition generates: of explosion if heated under co	led de. Dry powder. Wate Carbon oxides.	r spray. Use extinguishing media
<ul> <li>4.3. Indication of any immediate me Treat symptomatically.</li> <li>SECTION 5: Firefighting measure 5.1. Extinguishing media</li> <li>Suitable extinguishing media</li> <li>5.2. Special hazards arising from the Fire hazard</li> <li>Explosion hazard</li> <li>5.3. Advice for firefighters</li> </ul>	2.2) a dical attentio es : Alcor appro e substance : Then : Risk conta	and/or in section 11. n and special treatment need nol resistant foam. Carbon diox opriate for surrounding fire. or mixture mal decomposition generates: of explosion if heated under co	led de. Dry powder. Wate Carbon oxides. nfinement. Use water s	r spray. Use extinguishing media spray or fog for cooling exposed
<ul> <li>4.3. Indication of any immediate me Treat symptomatically.</li> <li>SECTION 5: Firefighting measure 5.1. Extinguishing media</li> <li>Suitable extinguishing media</li> <li>5.2. Special hazards arising from the Fire hazard</li> <li>Explosion hazard</li> <li>5.3. Advice for firefighters</li> <li>Firefighting instructions</li> </ul>	2.2) a dical attentio es : Alcor appro e substance : Therr : Risk conta : In ca : Weat	and/or in section 11. n and special treatment need nol resistant foam. Carbon diox opriate for surrounding fire. or mixture mal decomposition generates: of explosion if heated under co- iners. se of fire: Evacuate area. Fight gas tight chemically protective	led de. Dry powder. Wate Carbon oxides. nfinement. Use water s fire remotely due to th e clothing in combinatic	r spray. Use extinguishing media spray or fog for cooling exposed e risk of explosion. on with self contained breathing
<ul> <li>4.3. Indication of any immediate me Treat symptomatically.</li> <li>SECTION 5: Firefighting measure 5.1. Extinguishing media</li> <li>Suitable extinguishing media</li> <li>5.2. Special hazards arising from the Fire hazard</li> <li>Explosion hazard</li> <li>5.3. Advice for firefighters</li> <li>Firefighting instructions</li> </ul>	2.2) a dical attentio es : Alcor appro e substance : Therr : Risk conta : In ca : Weat	and/or in section 11. n and special treatment need nol resistant foam. Carbon diox opriate for surrounding fire. or mixture mal decomposition generates: of explosion if heated under co- iners. se of fire: Evacuate area. Fight gas tight chemically protective	led de. Dry powder. Wate Carbon oxides. nfinement. Use water s fire remotely due to th e clothing in combinatic	r spray. Use extinguishing media spray or fog for cooling exposed e risk of explosion.
<ul> <li>4.3. Indication of any immediate me Treat symptomatically.</li> <li>SECTION 5: Firefighting measure 5.1. Extinguishing media</li> <li>Suitable extinguishing media</li> <li>5.2. Special hazards arising from the Fire hazard</li> <li>Explosion hazard</li> <li>5.3. Advice for firefighters</li> <li>Firefighting instructions</li> <li>Protection during firefighting</li> </ul>	2.2) a dical attentio es : Alcol appro e substance : Therr : Risk conta : In ca : Wear appa	and/or in section 11. n and special treatment need nol resistant foam. Carbon diox opriate for surrounding fire. or mixture mal decomposition generates: of explosion if heated under co- iners. se of fire: Evacuate area. Fight gas tight chemically protective	led de. Dry powder. Wate Carbon oxides. nfinement. Use water s fire remotely due to th e clothing in combinatic	r spray. Use extinguishing media spray or fog for cooling exposed e risk of explosion. on with self contained breathing
<ul> <li>4.3. Indication of any immediate me Treat symptomatically.</li> <li>SECTION 5: Firefighting measure 5.1. Extinguishing media</li> <li>Suitable extinguishing media</li> <li>5.2. Special hazards arising from the Fire hazard</li> <li>Explosion hazard</li> <li>5.3. Advice for firefighters</li> <li>Firefighting instructions</li> <li>Protection during firefighting</li> <li>SECTION 6: Accidental release measure</li> </ul>	2.2) a dical attention es : Alcohappro e substance : Therri : Risk conta : In ca : Wear appa neasures	and/or in section 11. n and special treatment need nol resistant foam. Carbon diox opriate for surrounding fire. or mixture mal decomposition generates: of explosion if heated under co iners. se of fire: Evacuate area. Fight gas tight chemically protective ratus. For further information re	led de. Dry powder. Wate Carbon oxides. nfinement. Use water s fire remotely due to th e clothing in combinatic	r spray. Use extinguishing media spray or fog for cooling exposed e risk of explosion. on with self contained breathing
<ul> <li>4.3. Indication of any immediate me Treat symptomatically.</li> <li>SECTION 5: Firefighting measure 5.1. Extinguishing media</li> <li>Suitable extinguishing media</li> <li>5.2. Special hazards arising from the Fire hazard</li> <li>Explosion hazard</li> <li>5.3. Advice for firefighters</li> <li>Firefighting instructions</li> <li>Protection during firefighting</li> <li>SECTION 6: Accidental release me 6.1. Personal precautions, protective</li> </ul>	2.2) a dical attention es : Alcohappro e substance : Thern : Risk conta : In ca : Wear appa neasures re equipment	and/or in section 11. n and special treatment need nol resistant foam. Carbon diox opriate for surrounding fire. or mixture mal decomposition generates: of explosion if heated under con iners. se of fire: Evacuate area. Fight gas tight chemically protective ratus. For further information re- and emergency procedures	led de. Dry powder. Wate Carbon oxides. nfinement. Use water s fire remotely due to th clothing in combinatic fer to section 8: "Expo	r spray. Use extinguishing media spray or fog for cooling exposed e risk of explosion. on with self contained breathing
<ul> <li>4.3. Indication of any immediate me Treat symptomatically.</li> <li>SECTION 5: Firefighting measure 5.1. Extinguishing media</li> <li>Suitable extinguishing media</li> <li>5.2. Special hazards arising from the Fire hazard</li> <li>Explosion hazard</li> <li>5.3. Advice for firefighters</li> <li>Firefighting instructions</li> <li>Protection during firefighting</li> <li>SECTION 6: Accidental release me 6.1. Personal precautions, protective</li> </ul>	2.2) a dical attention es : Alcohappro e substance : Thern : Risk conta : In ca : Weat appa neasures re equipment : Evac	and/or in section 11. n and special treatment need nol resistant foam. Carbon diox opriate for surrounding fire. or mixture mal decomposition generates: of explosion if heated under con iners. se of fire: Evacuate area. Fight gas tight chemically protective ratus. For further information re- and emergency procedures	led de. Dry powder. Wate Carbon oxides. nfinement. Use water s fire remotely due to th clothing in combinatic fer to section 8: "Expo	r spray. Use extinguishing media spray or fog for cooling exposed e risk of explosion. on with self contained breathing usure controls/personal protection".
<ul> <li>4.3. Indication of any immediate me Treat symptomatically.</li> <li>SECTION 5: Firefighting measure 5.1. Extinguishing media</li> <li>Suitable extinguishing media</li> <li>5.2. Special hazards arising from the Fire hazard</li> <li>Special hazards arising from the Firefighting instructions</li> <li>Protection during firefighting</li> <li>SECTION 6: Accidental release me 6.1. Personal precautions, protective General measures</li> </ul>	2.2) a dical attention es : Alcohappro e substance : Thern : Risk conta : In ca : Weat appa neasures re equipment : Evac	and/or in section 11. n and special treatment need nol resistant foam. Carbon diox opriate for surrounding fire. or mixture mal decomposition generates: of explosion if heated under co- iners. se of fire: Evacuate area. Fight gas tight chemically protective ratus. For further information re- and emergency procedures uate unnecessary personnel. E	led de. Dry powder. Wate Carbon oxides. nfinement. Use water s fire remotely due to th clothing in combinatic fer to section 8: "Expo	r spray. Use extinguishing media spray or fog for cooling exposed e risk of explosion. on with self contained breathing usure controls/personal protection".
<ul> <li>4.3. Indication of any immediate me Treat symptomatically.</li> <li>SECTION 5: Firefighting measure 5.1. Extinguishing media</li> <li>Suitable extinguishing media</li> <li>5.2. Special hazards arising from the Fire hazard</li> <li>Special hazards arising from the Fire hazard</li> <li>5.3. Advice for firefighters</li> <li>Firefighting instructions</li> <li>Protection during firefighting</li> <li>SECTION 6: Accidental release m 5.1. Personal precautions, protective General measures</li> <li>5.1.1. For non-emergency personnel</li> </ul>	2.2) a dical attention ess : Alcohappro e substance : Therri : Risk conta : In ca : Wear appa neasures re equipment : Evac vapo	and/or in section 11. n and special treatment need nol resistant foam. Carbon diox opriate for surrounding fire. or mixture mal decomposition generates: of explosion if heated under co- iners. se of fire: Evacuate area. Fight gas tight chemically protective ratus. For further information re- and emergency procedures uate unnecessary personnel. E	de. Dry powder. Wate Carbon oxides. nfinement. Use water s fire remotely due to th clothing in combination fer to section 8: "Expo insure adequate air ve	r spray. Use extinguishing media spray or fog for cooling exposed e risk of explosion. on with self contained breathing usure controls/personal protection".
<ul> <li>4.3. Indication of any immediate me Treat symptomatically.</li> <li>SECTION 5: Firefighting measure 5.1. Extinguishing media</li> <li>Suitable extinguishing media</li> <li>5.2. Special hazards arising from the Fire hazard</li> <li>5.3. Advice for firefighters</li> <li>Firefighting instructions</li> <li>Protection during firefighting</li> <li>SECTION 6: Accidental release m</li> <li>6.1. Personal precautions, protective General measures</li> <li>6.1.1. For non-emergency personnel Emergency procedures</li> </ul>	2.2) a dical attention ess : Alcohappro e substance : Therri : Risk conta : In ca : Wear appa neasures re equipment : Evac vapo	and/or in section 11. n and special treatment need nol resistant foam. Carbon diox opriate for surrounding fire. or mixture mal decomposition generates: of explosion if heated under co- iners. se of fire: Evacuate area. Fight gas tight chemically protective ratus. For further information re- and emergency procedures uate unnecessary personnel. En- or spray.	de. Dry powder. Wate Carbon oxides. nfinement. Use water s fire remotely due to th clothing in combination fer to section 8: "Expo insure adequate air ve	r spray. Use extinguishing media spray or fog for cooling exposed e risk of explosion. on with self contained breathing usure controls/personal protection".
<ul> <li>4.3. Indication of any immediate me Treat symptomatically.</li> <li>SECTION 5: Firefighting measure 5.1. Extinguishing media</li> <li>Suitable extinguishing media</li> <li>5.2. Special hazards arising from the Fire hazard</li> <li>5.3. Advice for firefighters</li> <li>Firefighting instructions</li> <li>Protection during firefighting</li> <li>SECTION 6: Accidental release m</li> <li>6.1. Personal precautions, protective</li> <li>General measures</li> <li>6.1.1. For non-emergency personnel Emergency procedures</li> <li>6.1.2. For emergency responders</li> </ul>	2.2) a dical attentio es : Alcor approvent : Alcor approvent : Therr : Risk conta : In ca : Weat appa neasures re equipment : Evac vapo : Only	and/or in section 11. In and special treatment need the presistant foam. Carbon diox opriate for surrounding fire. or mixture mal decomposition generates: of explosion if heated under co- iners. se of fire: Evacuate area. Fight ratus. For further information re- and emergency procedures uate unnecessary personnel. End or spray. qualified personnel equipped v	de. Dry powder. Wate Carbon oxides. nfinement. Use water s fire remotely due to th clothing in combination fer to section 8: "Expo finsure adequate air ve	r spray. Use extinguishing media spray or fog for cooling exposed e risk of explosion. on with self contained breathing usure controls/personal protection". ntilation. Do not breathe gas, fumes, equipment may intervene.
<ul> <li>4.3. Indication of any immediate me Treat symptomatically.</li> <li>SECTION 5: Firefighting measure 5.1. Extinguishing media</li> <li>Suitable extinguishing media</li> <li>5.2. Special hazards arising from the Fire hazard</li> <li>Explosion hazard</li> <li>5.3. Advice for firefighters</li> <li>Firefighting instructions</li> <li>Protection during firefighting</li> <li>SECTION 6: Accidental release m</li> <li>6.1. Personal precautions, protective</li> <li>General measures</li> <li>6.1.1. For non-emergency personnel Emergency procedures</li> <li>6.1.2. For emergency responders</li> </ul>	2.2) a dical attentio es : Alcof appro e substance : Thern : Risk conta : In ca : Wear appa neasures re equipment : Evac vapo : Only : Do ne	and/or in section 11. n and special treatment need nol resistant foam. Carbon diox opriate for surrounding fire. or mixture mal decomposition generates: of explosion if heated under co- iners. se of fire: Evacuate area. Fight gas tight chemically protective ratus. For further information re- and emergency procedures uate unnecessary personnel. E r or spray. qualified personnel equipped v ot attempt to take action withou	led de. Dry powder. Wate Carbon oxides. nfinement. Use water s fire remotely due to th e clothing in combination fer to section 8: "Expo nsure adequate air ve with suitable protective t suitable protective ed	r spray. Use extinguishing media spray or fog for cooling exposed e risk of explosion. on with self contained breathing usure controls/personal protection". ntilation. Do not breathe gas, fumes, equipment may intervene. quipment. For further information
<ul> <li>4.3. Indication of any immediate me Treat symptomatically.</li> <li>SECTION 5: Firefighting measure 5.1. Extinguishing media</li> <li>Suitable extinguishing media</li> <li>5.2. Special hazards arising from the Fire hazard</li> <li>Explosion hazard</li> <li>5.3. Advice for firefighters</li> <li>Firefighting instructions</li> <li>Protection during firefighting</li> <li>SECTION 6: Accidental release m</li> <li>6.1. Personal precautions, protectiv</li> <li>General measures</li> <li>6.1.1. For non-emergency personnel</li> <li>Emergency procedures</li> <li>6.1.2. For emergency responders</li> <li>Protective equipment</li> </ul>	2.2) a dical attentio es : Alcor approvention : Alcor approvention : Therri- : Risk conta : In ca : Weat appa neasures re equipment : Evac vapo : Only : Do ne refer	and/or in section 11. In and special treatment need the presistant foam. Carbon diox opriate for surrounding fire. or mixture mal decomposition generates: of explosion if heated under con- iners. se of fire: Evacuate area. Fight gas tight chemically protective ratus. For further information re- and emergency procedures uate unnecessary personnel. En- or spray. qualified personnel equipped vo- to section 8: "Exposure control	de. Dry powder. Wate Carbon oxides. nfinement. Use water s fire remotely due to the clothing in combination fer to section 8: "Expo finsure adequate air ve with suitable protective ed s/personal protection".	r spray. Use extinguishing media spray or fog for cooling exposed e risk of explosion. on with self contained breathing usure controls/personal protection". ntilation. Do not breathe gas, fumes, equipment may intervene. quipment. For further information
<ul> <li>4.3. Indication of any immediate me Treat symptomatically.</li> <li>SECTION 5: Firefighting measure 5.1. Extinguishing media</li> <li>Suitable extinguishing media</li> <li>5.2. Special hazards arising from the Fire hazard</li> <li>Explosion hazard</li> <li>5.3. Advice for firefighters</li> <li>Firefighting instructions</li> <li>Protection during firefighting</li> <li>SECTION 6: Accidental release m</li> <li>6.1. Personal precautions, protectiv</li> <li>General measures</li> <li>6.1.1. For non-emergency personnel</li> <li>Emergency procedures</li> <li>6.1.2. For emergency responders</li> <li>Protective equipment</li> </ul>	2.2) a dical attentio es : Alcor approvention : Alcor approvention : Therri- : Risk conta : In ca : Weat appa neasures re equipment : Evac vapo : Only : Do ne refer	and/or in section 11. In and special treatment need the presistant foam. Carbon diox opriate for surrounding fire. or mixture mal decomposition generates: of explosion if heated under co- iners. se of fire: Evacuate area. Fight gas tight chemically protective ratus. For further information re- and emergency procedures uate unnecessary personnel. E r or spray. qualified personnel equipped v ot attempt to take action withou to section 8: "Exposure control vapor heavier than air. May action optimized and and and action for the section of th	de. Dry powder. Wate Carbon oxides. nfinement. Use water s fire remotely due to the clothing in combination fer to section 8: "Expo finsure adequate air ve with suitable protective ed s/personal protection".	r spray. Use extinguishing media spray or fog for cooling exposed e risk of explosion. on with self contained breathing usure controls/personal protection". ntilation. Do not breathe gas, fumes, equipment may intervene. quipment. For further information
Treat symptomatically. SECTION 5: Firefighting measure 5.1. Extinguishing media Suitable extinguishing media 5.2. Special hazards arising from the Fire hazard Explosion hazard 5.3. Advice for firefighters Firefighting instructions Protection during firefighting SECTION 6: Accidental release m 6.1. Personal precautions, protectiv General measures 6.1.1. For non-emergency personnel Emergency procedures 6.1.2. For emergency responders Protective equipment Emergency procedures	2.2) a dical attentio es : Alcof appro e substance : Therr : Risk conta : In ca : Wear appa neasures re equipment : Evac vapo : Only : Do no refer : Gas/- level.	and/or in section 11. In and special treatment need the presistant foam. Carbon diox opriate for surrounding fire. or mixture mal decomposition generates: of explosion if heated under con- iners. se of fire: Evacuate area. Fight gas tight chemically protective ratus. For further information re- and emergency procedures uate unnecessary personnel. E or spray. qualified personnel equipped v ot attempt to take action withou to section 8: "Exposure control vapor heavier than air. May action optimized and and and and action withou to section 8: "Exposure control vapor heavier than air. May action mathematical and and and and action optimized and and and and and action optimized and and and and and and and and and an	de. Dry powder. Wate Carbon oxides. nfinement. Use water s fire remotely due to th e clothing in combination fer to section 8: "Expo nsure adequate air ve with suitable protective t suitable protective ecos/personal protection". sumulate in confined sp	r spray. Use extinguishing media spray or fog for cooling exposed e risk of explosion. on with self contained breathing usure controls/personal protection". ntilation. Do not breathe gas, fumes, equipment may intervene. quipment. For further information paces, particularly at or below ground
<ul> <li>4.3. Indication of any immediate me Treat symptomatically.</li> <li>SECTION 5: Firefighting measure 5.1. Extinguishing media</li> <li>Suitable extinguishing media</li> <li>5.2. Special hazards arising from the Fire hazard</li> <li>Explosion hazard</li> <li>5.3. Advice for firefighters</li> <li>Firefighting instructions</li> <li>Protection during firefighting</li> <li>SECTION 6: Accidental release m</li> <li>6.1. Personal precautions, protective</li> <li>General measures</li> <li>6.1.1. For non-emergency personnel</li> <li>Emergency procedures</li> <li>6.1.2. For emergency responders</li> <li>Protective equipment</li> </ul>	2.2) a dical attentio es : Alcof appro e substance : Therr : Risk conta : In ca : Wear appa neasures re equipment : Evac vapo : Only : Do no refer : Gas/- level.	and/or in section 11. In and special treatment need the presistant foam. Carbon diox opriate for surrounding fire. or mixture mal decomposition generates: of explosion if heated under co- iners. se of fire: Evacuate area. Fight gas tight chemically protective ratus. For further information re- and emergency procedures uate unnecessary personnel. E r or spray. qualified personnel equipped v ot attempt to take action withou to section 8: "Exposure control vapor heavier than air. May action optimized and and and action for the section of th	de. Dry powder. Wate Carbon oxides. nfinement. Use water s fire remotely due to the clothing in combination fer to section 8: "Expo finsure adequate air ve with suitable protective ed s/personal protection".	r spray. Use extinguishing media spray or fog for cooling exposed e risk of explosion. on with self contained breathing usure controls/personal protection". ntilation. Do not breathe gas, fumes, equipment may intervene. quipment. For further information paces, particularly at or below ground

# (2R)-Butane-1,2-diol Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

6.2. Environmental precautions	
Avoid release to the environment. Notif	y authorities if product enters sewers or public waters.
6.3. Methods and material for co	ontainment and cleaning up
For containment	: Stop leak if safe to do so. Dike for recovery or absorb with appropriate material.
Methods for cleaning up	: Take up large spills with pump or vacuum and finish with dry chemical absorbent. Use explosion-proof equipment. Take up small spills with dry chemical absorbent. Sweep or shovel spills into appropriate container for disposal. Ventilate area.
Other information	: For disposal of solid materials or residues refer to section 13 : "Disposal considerations".
6.4. Reference to other sections	\$
No additional information available	
SECTION 7: Handling and sto	rage
7.1. Precautions for safe handli	ng
Precautions for safe handling	Do not handle until all safety precautions have been read and understood. Ensure good ventilation of the work station. Do not breathe fumes, mist, spray, vapors. Wear personal protective equipment. Avoid contact with skin and eyes.
Hygiene measures	: Handle in accordance with good industrial hygiene and safety procedures. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.
7.2. Conditions for safe storage	e, including any incompatibilities
Technical measures	: Comply with applicable regulations.
Storage conditions	: Keep container closed when not in use. Hygroscopic. Keep contents under inert gas.
Incompatible materials	: Refer to Section 10 on Incompatible Materials.
Storage area	: Store in dry, cool, well-ventilated area.
SECTION 8: Exposure contro	Is/nersonal protection
8.1. Control parameters	
No additional information available	
8.2. Exposure controls	

8.2. Exposure controls	
Appropriate engineering controls	: Ensure good ventilation of the work station. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.
Hand protection	: Protective gloves. 29 CFR 1910.138: Hand Protection.
Eye protection	: Chemical goggles or safety glasses. Face shield. 29 CFR 1910.133: Eye and Face Protection.
Skin and body protection	: Wear suitable protective clothing.
Respiratory protection	: In case of inadequate ventilation wear respiratory protection. 29 CFR 1910.134: Respiratory Protection.
Other information	: Safety shoes. 29 CFR 1910.136: Foot Protection.

SECTION 9: Ph	ysical and c	chemical p	roperties
---------------	--------------	------------	-----------

9.1. Information on basic physical an	d chemical properties		
Physical state	: Liquid		
Color	: No data available		
Odor	: No data available		
Odor threshold	: No data available		
рН	: No data available		
Melting point	: No data available		
Freezing point	: No data available		
Boiling point	: 190.3 °C		
Flash point	: 93.3 °C		
Relative evaporation rate (butyl acetate=1)	: No data available		
Flammability (solid, gas)	: No data available		
Explosion limits	: No data available		
Explosive properties	: No data available		
Oxidizing properties	: No data available		
Vapor pressure	: No data available		
12/06/2016	EN (English US)	SDS ID: 21041X1	3/6

## (2R)-Butane-1,2-diol Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Re	gulations

Relative density	:	No data available
Relative vapor density at 20 °C	:	No data available
Molecular mass	:	90.12 g/mol
Solubility	:	No data available
Log Pow	:	No data available
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity	:	No data available
Viscosity, kinematic	:	No data available
Viscosity, dynamic	:	No data available

## 9.2. Other information

No additional information available

## **SECTION 10: Stability and reactivity**

10.1.	Reactivity
No additi	onal information available
10.2.	Chemical stability
The prod	uct is stable at normal handling and storage conditions.
10.3.	Possibility of hazardous reactions

No additional information available

#### 10.4. **Conditions to avoid**

Keep away from heat, sparks and flame.

#### Incompatible materials 10.5.

Alkalis. Oxidizing agents. Strong acids.

#### Hazardous decomposition products 10.6.

Under normal conditions of storage and use, hazardous decomposition products should not be produced. Hazardous decomposition products in case of fire, see Section 5.

## **SECTION 11: Toxicological information**

11.1. Information on toxicological effects

Acute toxicity	: Not classified
Skin corrosion/irritation Serious eye damage/irritation Respiratory or skin sensitization Germ cell mutagenicity	<ul> <li>Causes skin irritation.</li> <li>Causes serious eye damage.</li> <li>Not classified</li> <li>Not classified</li> </ul>
Carcinogenicity Reproductive toxicity Specific target organ toxicity (single exposure)	<ul> <li>Not classified</li> <li>Not classified</li> <li>May cause respiratory irritation.</li> </ul>
Specific target organ toxicity (repeated exposure)	: Not classified
Aspiration hazard	: Not classified

SECTI	ON 12: Ecological information
12.1.	Toxicity
No addit	ional information available
12.2.	Persistence and degradability
No addit	ional information available
12.3.	Bioaccumulative potential
No addit	ional information available

## (2R)-Butane-1,2-diol

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

#### 12.4. Mobility in soil

### No additional information available

## 12.5. Other adverse effects

### No additional information available

ECTION 13: Disposal considerat	ions		
3.1. Waste treatment methods Vaste treatment methods Vaste disposal recommendations dditional information		tainer in accordance with licens	afterburner and a flue gas scrubber. sed collector's sorting instructions.
ECTION 14: Transport information	on		
Department of Transportation (DOT) in accordance with DOT lot regulated for transport TDG lo additional information available			
ransport by sea lo additional information available			
<b>ir transport</b> Io additional information available			
ECTION 15: Regulatory informat	ion		
5.1. US Federal regulations			
All components of this product are listed, or Substances Control Act (TSCA) inventory e		nited States Environmental Prot	ection Agency Toxic
(2R)-Butane-1,2-diol		lo 40348-66-1	100%
This product or mixture does not contain a CFR §372.38(a) subject to the reporting rec and 40 CFR Part 372.			
5.2. International regulations			
ANADA o additional information available			
U-Regulations			
o additional information available			
ational regulations o additional information available			
5.3. US State regulations California Proposition 65 - This product de and/or reproductive harm	pes not contain any substances	known to the state of California	to cause cancer
ECTION 16: Other information			
ull text of H-phrases:			
Eye Dam. 1		Serious eye damage/eye irrit	
Skin Irrit. 2		Skin corrosion/irritation Cate	gory 2

Eye Dam. 1	Serious eye damage/eye irritation Category 1
Skin Irrit. 2	Skin corrosion/irritation Category 2
STOT SE 3	Specific target organ toxicity (single exposure) Category 3
H315	Causes skin irritation
H318	Causes serious eye damage
H335	May cause respiratory irritation

## (2R)-Butane-1,2-diol

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

NFPA health hazard	: 2 - Intense or continued exposure could cause temporary incapacitation or possible residual injury unless prompt medical attention is given.
NFPA fire hazard	: 1 - Must be preheated before ignition can occur.
NFPA reactivity	: 0 - Normally stable, even under fire exposure conditions, and are not reactive with water.
HMIS III Rating	
Health	: 2 Moderate Hazard - Temporary or minor injury may occur
Flammability	: 1 Slight Hazard - Materials that must be preheated before ignition will occur. Includes liquids, solids and semi solids having a flash point above 200 F. (Class IIIB)
Physical	: 0 Minimal Hazard - Materials that are normally stable, even under fire conditions, and will NOT react with water, polymerize, decompose, condense, or self-react. Non-Explosives.

SDS US (GHS HazCom 2012)

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is offered solely for your consideration, investigation, and verification. It does not represent any guarantee of the properties of the product nor that the hazard precautions or procedures described are the only ones which exist. SynQuest shall not be held liable or any damage resulting from handling or from contact with the above product.