

(2S)-(-)-Butane-1,2,4-triol Safety Data Sheet 21041S1 according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Date of issue: 12/29/2015 Version: 1.0

SECTION 1: Identification			
1.1. Identification			
Product form	: Substance		
Substance name	: (2S)-(-)-Butane-1,2,4-triol		
CAS No	: 42890-76-6		
Product code	: 2104-1-S1		
Formula	: C4H10O3		
Synonyms	: (2S)-(-)-1,2,4-Trihydroxyb	utane	
Other means of identification	: MFCD00063213		
1.2. Relevant identified uses of the subst	ance or mixture and uses a	dvised against	
Use of the substance/mixture	: Laboratory chemicals Manufacture of substance Scientific research and de	5	
1.3. Details of the supplier of the safety d	ata sheet		
SynQuest Laboratories, Inc. P.O. Box 309 Alachua, FL 32615 - United States of America T (386) 462-0788 - F (386) 462-7097 info@synquestlabs.com - www.synquestlabs.com 1.4. Emergency telephone number	L		
Emergency number	: (844) 523-4086 (3E Comp	any - Account 10069)	
SECTION 2: Hazard(s) identification			
2.1. Classification of the substance or mi	xture		
Skin Irrit. 2H315 - Causes skin irritationEye Dam. 1H318 - Causes serious eye damaSTOT SE 3H335 - May cause respiratory irritaFull text of H-phrases: see section 16	0		
2.2. Label elements			
GHS-US labeling			
Hazard pictograms (GHS-US)	CHS05 GHS0		
Signal word (GHS-US)	: Danger		
Hazard statements (GHS-US)	 H315 - Causes skin irritati H318 - Causes serious ey H335 - May cause respira 	e damage	
Precautionary statements (GHS-US)	: P261 - Avoid breathing fur P264 - Wash skin thoroug P271 - Use only outdoors P280 - Wear protective gli P302+P352 - If on skin: W P304+P340 - If inhaled: R P305+P351+P338 - If in e lenses, if present and eas P310 - Immediately call a P321 - Specific treatment P332+P313 - If skin irritati P362+P364 - Take off cor P403+P233 - Store in a w P405 - Store locked up	nes, mist, spray, vapors hly after handling or in a well-ventilated area oves/protective clothing/eye protection/face protection ash with plenty of soap and water emove person to fresh air and keep comfortable for bro yes: Rinse cautiously with water for several minutes. R	•
12/06/2016	EN (English US)	SDS ID: 21041S1	Page 1

(2S)-(-)-Butane-1,2,4-triol Safety Data Sheet

No additional information available				
2.4. Unknown acute toxicity (GHS U	S)			
Not applicable				
SECTION 3: Composition/informa	ation on in	gredients		
3.1. Substance				
Substance type	: Mono	-constituent		
Name		Product identifier	%	Classification (GHS-US)
(2S)-(-)-Butane-1,2,4-triol (Main constituent)		(CAS No) 42890-76-6	<= 100	Skin Irrit. 2, H315 Eye Dam. 1, H318 STOT SE 3, H335
Full text of H-phrases: see section 16				
3.2. Mixture				
Not applicable				
SECTION 4: First aid measures				
4.1. Description of first aid measure	S			
First-aid measures general		e of accident or if you feel unwell, se possible). Move the affected persor		
First-aid measures after inhalation	respir	ve person to fresh air and keep com ation. Get immediate medical advice	attention.	
First-aid measures after skin contact		with plenty of soap and water. Get i		
First-aid measures after eye contact	prese	diately flush eyes thoroughly with wa nt and easy to do. Continue rinsing.	Get immediate med	dical advice/attention.
First-aid measures after ingestion		DT induce vomiting. Never give anyti out with water. Get immediate med		
4.2. Most important symptoms and e	-			
Symptoms/injuries		nost important known symptoms and nd/or in section 11.	effects are describ	ed in the labelling (see section
4.3. Indication of any immediate me	dical attentio	n and special treatment needed		
Treat symptomatically.				
SECTION 5: Firefighting measure)e			
	,5			
5.1. Extinguishing media	: Alcoh	ol resistant foam. Carbon dioxide. Di priate for surrounding fire.	y powder. Water s	pray. Use extinguishing media
5.1. Extinguishing media Suitable extinguishing media	: Alcoh appro	priate for surrounding fire.	y powder. Water s	pray. Use extinguishing media
 5.1. Extinguishing media Suitable extinguishing media 5.2. Special hazards arising from the 	: Alcoh appro e substance c	priate for surrounding fire. or mixture		pray. Use extinguishing media
 5.1. Extinguishing media Suitable extinguishing media 5.2. Special hazards arising from the Fire hazard 	: Alcoh appro e substance o : Thern	priate for surrounding fire. or mixture nal decomposition generates: Carbon of explosion if heated under confinen	n oxides.	
 5.1. Extinguishing media Suitable extinguishing media 5.2. Special hazards arising from the Fire hazard Explosion hazard 	: Alcoh appro e substance o : Therm : Risk o	priate for surrounding fire. or mixture nal decomposition generates: Carbon of explosion if heated under confinen	n oxides.	
 5.1. Extinguishing media Suitable extinguishing media 5.2. Special hazards arising from the Fire hazard Explosion hazard 5.3. Advice for firefighters 	: Alcoh appro e substance o : Them : Risk o conta	priate for surrounding fire. or mixture nal decomposition generates: Carbon of explosion if heated under confinen	i oxides. ent. Use water spr	ay or fog for cooling exposed
 5.1. Extinguishing media Suitable extinguishing media 5.2. Special hazards arising from the Fire hazard Explosion hazard 5.3. Advice for firefighters Firefighting instructions 	: Alcoh appro e substance o : Them : Risk o conta : In cas : Wear	priate for surrounding fire. or mixture nal decomposition generates: Carbon of explosion if heated under confinen ners.	n oxides. ent. Use water spr motely due to the r ng in combination	ay or fog for cooling exposed isk of explosion. with self contained breathing
 5.1. Extinguishing media Suitable extinguishing media 5.2. Special hazards arising from the Fire hazard Explosion hazard 5.3. Advice for firefighters Firefighting instructions Protection during firefighting SECTION 6: Accidental release m 	: Alcoh appro e substance o : Them : Risk o conta : Risk o conta : In cas : Wear appar	priate for surrounding fire. or mixture hal decomposition generates: Carbon of explosion if heated under confinent ners. e of fire: Evacuate area. Fight fire re gas tight chemically protective clothinator atus. For further information refer to	n oxides. ent. Use water spr motely due to the r ng in combination	ay or fog for cooling exposed isk of explosion. with self contained breathing
 5.1. Extinguishing media Suitable extinguishing media 5.2. Special hazards arising from the Fire hazard Explosion hazard 5.3. Advice for firefighters Firefighting instructions Protection during firefighting SECTION 6: Accidental release m 6.1. Personal precautions, protective 	: Alcoh appro e substance o : Therm : Risk o conta : In cas : Wear appar neasures e equipment a	priate for surrounding fire. or mixture hal decomposition generates: Carbon of explosion if heated under confinen- ners. e of fire: Evacuate area. Fight fire re gas tight chemically protective clothinatus. For further information refer to and emergency procedures	oxides. ent. Use water spr motely due to the r ng in combination section 8: "Exposu	ay or fog for cooling exposed isk of explosion. with self contained breathing re controls/personal protection".
 5.1. Extinguishing media Suitable extinguishing media 5.2. Special hazards arising from the Fire hazard Explosion hazard 5.3. Advice for firefighters Firefighting instructions Protection during firefighting SECTION 6: Accidental release m 6.1. Personal precautions, protective 	: Alcoh appro e substance o : Therm : Risk o conta : In cas : Wear appar neasures e equipment : Evacu	priate for surrounding fire. or mixture hal decomposition generates: Carbon of explosion if heated under confinent ners. e of fire: Evacuate area. Fight fire re gas tight chemically protective clothinator atus. For further information refer to	oxides. ent. Use water spr motely due to the r ng in combination section 8: "Exposu	ay or fog for cooling exposed isk of explosion. with self contained breathing re controls/personal protection".
 5.1. Extinguishing media Suitable extinguishing media 5.2. Special hazards arising from the Fire hazard Explosion hazard 5.3. Advice for firefighters Firefighting instructions Protection during firefighting SECTION 6: Accidental release measures 	: Alcoh appro e substance o : Therm : Risk o conta : In cas : Wear appar neasures e equipment : Evacu	priate for surrounding fire. or mixture nal decomposition generates: Carbon of explosion if heated under confinen- ners. e of fire: Evacuate area. Fight fire re gas tight chemically protective clothinatus. For further information refer to and emergency procedures nate unnecessary personnel. Ensure	oxides. ent. Use water spr motely due to the r ng in combination section 8: "Exposu	ay or fog for cooling exposed isk of explosion. with self contained breathing re controls/personal protection".
 5.1. Extinguishing media Suitable extinguishing media 5.2. Special hazards arising from the Fire hazard Explosion hazard 5.3. Advice for firefighters Firefighting instructions Protection during firefighting SECTION 6: Accidental release measures 6.1.1. For non-emergency personnel 	: Alcoh appro e substance o : Them : Risk o conta : In cas : Wear appar neasures e equipment : Evacu vapor	priate for surrounding fire. or mixture nal decomposition generates: Carbon of explosion if heated under confinen- ners. e of fire: Evacuate area. Fight fire re gas tight chemically protective clothinatus. For further information refer to and emergency procedures nate unnecessary personnel. Ensure	o oxides. ent. Use water spr motely due to the r ng in combination section 8: "Exposu adequate air ventil	ay or fog for cooling exposed isk of explosion. with self contained breathing re controls/personal protection". ation. Do not breathe gas, fumes,
 5.1. Extinguishing media Suitable extinguishing media 5.2. Special hazards arising from the Fire hazard Explosion hazard 5.3. Advice for firefighters Firefighting instructions Protection during firefighting SECTION 6: Accidental release measures 6.1. Personal precautions, protective General measures 6.1.1. For non-emergency personnel Emergency procedures 	: Alcoh appro e substance o : Them : Risk o conta : In cas : Wear appar neasures e equipment : Evacu vapor	priate for surrounding fire. or mixture nal decomposition generates: Carbon of explosion if heated under confinen- ners. e of fire: Evacuate area. Fight fire re gas tight chemically protective clothi- atus. For further information refer to and emergency procedures nate unnecessary personnel. Ensure or spray.	o oxides. ent. Use water spr motely due to the r ng in combination section 8: "Exposu adequate air ventil	ay or fog for cooling exposed isk of explosion. with self contained breathing re controls/personal protection". ation. Do not breathe gas, fumes,
 5.1. Extinguishing media Suitable extinguishing media 5.2. Special hazards arising from the Fire hazard Explosion hazard 5.3. Advice for firefighters Firefighting instructions Protection during firefighting SECTION 6: Accidental release measures 6.1. Personal precautions, protective General measures 6.1.1. For non-emergency personnel Emergency procedures 6.1.2. For emergency responders 	: Alcoh appro e substance o : Therm : Risk o conta : In cas : Wear appar neasures e equipment : Evacu vapor : Only o : Do no	priate for surrounding fire. or mixture hal decomposition generates: Carbon of explosion if heated under confinen- ners. e of fire: Evacuate area. Fight fire re- gas tight chemically protective clothinatus. For further information refer to and emergency procedures uate unnecessary personnel. Ensure or spray. qualified personnel equipped with su t attempt to take action without suita	a oxides. ent. Use water spr motely due to the r ng in combination section 8: "Exposu adequate air ventil table protective equi ple protective equi	ay or fog for cooling exposed isk of explosion. with self contained breathing re controls/personal protection". ation. Do not breathe gas, fumes, uipment may intervene.
 5.1. Extinguishing media Suitable extinguishing media 5.2. Special hazards arising from the Fire hazard Explosion hazard 5.3. Advice for firefighters Firefighting instructions Protection during firefighting SECTION 6: Accidental release m 6.1. Personal precautions, protective General measures 6.1.1. For non-emergency personnel Emergency procedures 	: Alcoh appro e substance o : Therm : Risk o conta : In cas : Wear appar neasures e equipment : Evacu vapor : Only o : Do no refer f	priate for surrounding fire. or mixture hal decomposition generates: Carbon of explosion if heated under confinen- ners. e of fire: Evacuate area. Fight fire re gas tight chemically protective clothi- atus. For further information refer to and emergency procedures late unnecessary personnel. Ensure or spray. qualified personnel equipped with su	a oxides. ent. Use water spr motely due to the r ng in combination s section 8: "Exposu adequate air ventil table protective equi onal protection".	ay or fog for cooling exposed isk of explosion. with self contained breathing re controls/personal protection". ation. Do not breathe gas, fumes, uipment may intervene.

(2S)-(-)-Butane-1,2,4-triol Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

6.2. Environmental precautions				
Avoid release to the environment. Notify authorities if product enters sewers or public waters.				
6.3. Methods and material for conta	3.3. Methods and material for containment and cleaning up			
For containment	: Stop leak if safe to do so. Dike for recovery or absorb with appropriate material.			
Methods for cleaning up	Take up large spills with pump or vacuum and finish with dry chemical absorbent. Use explosion-proof equipment. Take up small spills with dry chemical absorbent. Sweep or shovel spills into appropriate container for disposal. Ventilate area.			
Other information	: For disposal of solid materials or residues refer to section 13 : "Disposal considerations".			
6.4. Reference to other sections				
No additional information available				
SECTION 7: Handling and storage	ge			
7.1. Precautions for safe handling				
Precautions for safe handling	Do not handle until all safety precautions have been read and understood. Ensure good ventilation of the work station. Do not breathe fumes, mist, spray, vapors. Wear personal protective equipment. Avoid contact with skin and eyes.			
Hygiene measures	: Handle in accordance with good industrial hygiene and safety procedures. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.			
7.2. Conditions for safe storage, in	cluding any incompatibilities			
Technical measures	: Comply with applicable regulations.			
Storage conditions	: Keep container closed when not in use. Hygroscopic. Keep contents under inert gas.			
Incompatible materials	: Refer to Section 10 on Incompatible Materials.			
Storage area	: Store in dry, cool, well-ventilated area.			
SECTION 8: Exposure controls/	personal protection			
SECTION 8: Exposure controls/personal protection				
8.1. Control parameters No additional information available				

8.2. Exposure controls			
Appropriate engineering controls	: Ensure good ventilation of the work station. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.		
Hand protection	: Protective gloves. 29 CFR 1910.138: Hand Protection.		
Eye protection	: Chemical goggles or safety glasses. Face shield. 29 CFR 1910.133: Eye and Face Protection.		
Skin and body protection	: Wear suitable protective clothing.		
Respiratory protection	 In case of inadequate ventilation wear respiratory protection. 29 CFR 1910.134: Respiratory Protection. 		
Other information	: Safety shoes. 29 CFR 1910.136: Foot Protection.		
SECTION 9: Physical and ch	SECTION 9: Physical and chemical properties		

,			
9.1. Information on basic physical and	l chemical properties		
Physical state	: Liquid		
Color	: No data available		
Odor	: No data available		
Odor threshold	: No data available		
рН	: No data available		
Melting point	: No data available		
Freezing point	: No data available		
Boiling point	: 150 °C (@ 0.04 mm Hg)		
Flash point	: 110 °C		
Relative evaporation rate (butyl acetate=1)	: No data available		
Flammability (solid, gas)	: No data available		
Explosion limits	: No data available		
Explosive properties	: No data available		
Oxidizing properties	: No data available		
Vapor pressure	: No data available		
12/06/2016	EN (English US)	SDS ID: 21041S1	3/6

(2S)-(-)-Butane-1,2,4-triol

Safety Data Sheet according to Federal Register / Vol. 77, No. 58	/ Monday, March 26, 2012 / Rules and Regulations		
Relative density	: No data available		
Relative vapor density at 20 °C	: No data available		
Specific gravity / density	: 1.19 g/ml (@ 25 °C)		
Molecular mass	: 106.12 g/mol		
Solubility	: No data available		
Log Pow	: No data available		
Auto-ignition temperature	: No data available		
Decomposition temperature	: No data available		
Viscosity	: No data available		
Viscosity, kinematic	: No data available		
Viscosity, dynamic	: No data available		
9.2. Other information			
Refractive index	: 1.475 (@ 20 °C)		
SECTION 10: Stability and rea	ictivity		
10.1. Reactivity			
No additional information available			
10.2. Chemical stability			
The product is stable at normal handling	g and storage conditions.		
10.3. Possibility of hazardous rea	10.3. Possibility of hazardous reactions		
No additional information available			
10.4. Conditions to avoid			
Keep away from heat, sparks and flame	l.		
10.5. Incompatible materials	0.5. Incompatible materials		
Alkalis. Oxidizing agents. Strong acids.			
10.6. Hazardous decomposition p	products		

Under normal conditions of storage and use, hazardous decomposition products should not be produced. Hazardous decomposition products in case of fire, see Section 5.

SECTION 11: Toxicological information 11.1. Information on toxicological effects

Aspiration hazard

Acute toxicity	: Not classified
Skin corrosion/irritation	: Causes skin irritation.
Serious eye damage/irritation	: Causes serious eye damage.
Respiratory or skin sensitization	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
Specific target organ toxicity (single exposure)	: May cause respiratory irritation.
Specific target organ toxicity (repeated exposure)	: Not classified

: Not classified

SECTI	ON 12: Ecological information			
40.4				
12.1.	Toxicity			
No addit	ional information available			
12.2.	Persistence and degradability			
No addit	ional information available			
12.3.	Bioaccumulative potential			
No additional information available				
12/06/201	6	EN (English US)	SDS ID: 21041S1	4/6

(2S)-(-)-Butane-1,2,4-triol Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

12.4. Mobility in soil

No additional information available

12.5. Other adverse effects

No additional information available

SECTION 13: Disposal considerat	tions
13.1. Waste treatment methods	
Waste treatment methods	: Remove to an authorized incinerator equipped with an afterburner and a flue gas scrubber.
Waste disposal recommendations	: Dispose of contents/container in accordance with licensed collector's sorting instructions.
Additional information	: Recycle the material as far as possible.
SECTION 14: Transport information	on
Department of Transportation (DOT)	
n accordance with DOT	
Not regulated for transport	
ſDG	
No additional information available	
Transport by sea	
No additional information available	
Air transport	
No additional information available	
SECTION 15: Regulatory informat	ion
5.1. US Federal regulations	
	excluded from listing, on the United States Environmental Protection Agency Toxic
Substances Control Act (TSCA) inventory e (2S)-(-)-Butane-1,2,4-triol	CAS No 42890-76-6 100%
	toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 quirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986
15.2. International regulations	
CANADA	
No additional information available	
EU-Regulations	
No additional information available	
National regulations	
(2S)-(-)-Butane-1,2,4-triol (42890-76-6)	
Listed on the Japanese ISHL (Industrial Sat	iety and Health Law)
15.3. US State regulations	
•	oes not contain any substances known to the state of California to cause cancer
and/or reproductive harm	
SECTION 16: Other information	
SECTION 10. Other Information	

(2S)-(-)-Butane-1,2,4-triol Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Full text of H-phrases:	
Eye Dam. 1	Serious eye damage/eye irritation Category 1
Skin Irrit. 2	Skin corrosion/irritation Category 2
STOT SE 3	Specific target organ toxicity (single exposure) Category 3
H315	Causes skin irritation
H318	Causes serious eye damage
H335	May cause respiratory irritation
NFPA health hazard	2 - Intense or continued exposure could cause temporary incapacitation or possible residual injury unless prompt medical attention is given.
NFPA fire hazard	: 1 - Must be preheated before ignition can occur.
NFPA reactivity	: 0 - Normally stable, even under fire exposure conditions, and are not reactive with water.
HMIS III Rating	
Health	: 2 Moderate Hazard - Temporary or minor injury may occur
Flammability	 1 Slight Hazard - Materials that must be preheated before ignition will occur. Includes liquids, solids and semi solids having a flash point above 200 F. (Class IIIB)
Physical	: 0 Minimal Hazard - Materials that are normally stable, even under fire conditions, and will NOT react with water, polymerize, decompose, condense, or self-react. Non-Explosives.

SDS US (GHS HazCom 2012)

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is offered solely for your consideration, investigation, and verification. It does not represent any guarantee of the properties of the product nor that the hazard precautions or procedures described are the only ones which exist. SynQuest shall not be held liable or any damage resulting from handling or from contact with the above product.