

(R)-Methyl 1-Boc-pyrrolidine-3-carboxylate Safety Data Sheet 4H581A3 according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

1.1. Identification	
Product form	: Substance
Substance name	: (R)-Methyl 1-Boc-pyrrolidine-3-carboxylate
CAS No	: 441717-40-4
Product code	: 4H58-1-A3
Formula	: C11H19NO4
Synonyms	: 1-tert-Butyl 3-methyl (3R)-pyrrolidine-1,3-dicarboxylate
Other means of identification	: MFCD09954284
1.2. Relevant identified uses of the s	ubstance or mixture and uses advised against
Use of the substance/mixture	: Laboratory chemicals Manufacture of substances Scientific research and development
1.3. Details of the supplier of the safe	etv data sheet
SynQuest Laboratories, Inc. P.O. Box 309 Alachua, FL 32615 - United States of Americ T (386) 462-0788 - F (386) 462-7097 info@synquestlabs.com - www.synquestlabs	a
1.4. Emergency telephone number	
Emergency number	: (844) 523-4086 (3E Company - Account 10069)
STOT SE 3 H335 - May cause respirator	
STOT SE 3 H335 - May cause respirator, Full text of H-phrases: see section 16 2.2. Label elements	
STOT SE 3 H335 - May cause respirator Full text of H-phrases: see section 16 2.2. Label elements GHS-US labeling	y irritation
STOT SE 3 H335 - May cause respirator Full text of H-phrases: see section 16 2.2. Label elements GHS-US labeling Hazard pictograms (GHS-US)	y irritation
STOT SE 3 H335 - May cause respiratory Full text of H-phrases: see section 16 2.2. Label elements GHS-US labeling Hazard pictograms (GHS-US) Signal word (GHS-US) Hazard statements (GHS-US)	y irritation
STOT SE 3 H335 - May cause respirator Full text of H-phrases: see section 16 2.2. Label elements GHS-US labeling Hazard pictograms (GHS-US) Signal word (GHS-US)	y irritation : : : : : : : : : : : : :

(R)-Methyl 1-Boc-pyrrolidine-3-carboxylate Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

2.3. Other hazards			
No additional information available			
2.4. Unknown acute toxicity (GHS	US)		
Not applicable			
SECTION 3: Composition/inform	nation on ingredients		
3.1. Substance			
Substance type	: Mono-constituent		
Name	Product identifier	%	Classification (GHS-US)
(R)-Methyl 1-Boc-pyrrolidine-3-carboxylate (Main constituent)	(CAS No) 441717-40-4	<= 100	Skin Irrit. 2, H315 Eye Irrit. 2A, H319 STOT SE 3, H335
Full text of H-phrases: see section 16		·	
3.2. Mixture			
Not applicable			
SECTION 4: First aid measures			
4.1. Description of first aid measu	res		
First-aid measures general	: In case of accident or if you feel u		
First-aid measures after inhalation	where possible). Move the affecte : Remove person to fresh air and k respiration. Get medical advice/a	eep comfortable for breat	thing. If not breathing, give artificial
First-aid measures after skin contact	: Wash with plenty of soap and wa		ttention.
First-aid measures after eye contact		y with water for at least 15	5 minutes. Remove contact lenses, if
First-aid measures after ingestion	: Do NOT induce vomiting. Never g		an unconscious person. Rinse
	mouth out with water. Get medica	advice/alterition.	
4.2. Most important symptoms and	d effects, both acute and delayed		
			ribed in the labelling (see section
Symptoms/injuries	d effects, both acute and delayed : The most important known sympt	oms and effects are desc	ribed in the labelling (see section
Symptoms/injuries 4.3. Indication of any immediate m	d effects, both acute and delayed : The most important known sympt 2.2) and/or in section 11.	oms and effects are desc	ribed in the labelling (see section
Symptoms/injuries 4.3. Indication of any immediate m Treat symptomatically.	d effects, both acute and delayed : The most important known sympt 2.2) and/or in section 11. redical attention and special treatment no	oms and effects are desc	ribed in the labelling (see section
Symptoms/injuries 4.3. Indication of any immediate m Treat symptomatically. SECTION 5: Firefighting measu	d effects, both acute and delayed : The most important known sympt 2.2) and/or in section 11. redical attention and special treatment no	oms and effects are desc	ribed in the labelling (see section
Symptoms/injuries 4.3. Indication of any immediate m Treat symptomatically. SECTION 5: Firefighting measu 5.1. Extinguishing media	d effects, both acute and delayed : The most important known sympt 2.2) and/or in section 11. redical attention and special treatment no	oms and effects are desc	
Symptoms/injuries 4.3. Indication of any immediate m Treat symptomatically. SECTION 5: Firefighting measu 5.1. Extinguishing media Suitable extinguishing media	d effects, both acute and delayed : The most important known sympt 2.2) and/or in section 11. redical attention and special treatment no res : Alcohol resistant foam. Carbon di appropriate for surrounding fire.	oms and effects are desc	
Symptoms/injuries 4.3. Indication of any immediate m Treat symptomatically. SECTION 5: Firefighting measu 5.1. Extinguishing media Suitable extinguishing media 5.2. Special hazards arising from t	d effects, both acute and delayed : The most important known sympt 2.2) and/or in section 11. redical attention and special treatment no res : Alcohol resistant foam. Carbon di appropriate for surrounding fire.	oms and effects are desc eeded oxide. Dry powder. Water	r spray. Use extinguishing media
Symptoms/injuries 4.3. Indication of any immediate m Treat symptomatically. SECTION 5: Firefighting measu 5.1. Extinguishing media Suitable extinguishing media 5.2. Special hazards arising from t Fire hazard	d effects, both acute and delayed : The most important known sympt 2.2) and/or in section 11. redical attention and special treatment no res : Alcohol resistant foam. Carbon di appropriate for surrounding fire. the substance or mixture	oms and effects are desc eeded oxide. Dry powder. Water s: Carbon oxides. Nitroge	r spray. Use extinguishing media n oxides.
Symptoms/injuries 4.3. Indication of any immediate m Treat symptomatically. SECTION 5: Firefighting measu 5.1. Extinguishing media Suitable extinguishing media 5.2. Special hazards arising from t Fire hazard Explosion hazard	d effects, both acute and delayed : The most important known sympt 2.2) and/or in section 11. redical attention and special treatment no res : Alcohol resistant foam. Carbon di appropriate for surrounding fire. he substance or mixture : Thermal decomposition generate : Risk of explosion if heated under	oms and effects are desc eeded oxide. Dry powder. Water s: Carbon oxides. Nitroge	r spray. Use extinguishing media n oxides.
Symptoms/injuries 4.3. Indication of any immediate m Treat symptomatically. SECTION 5: Firefighting measu 5.1. Extinguishing media Suitable extinguishing media 5.2. Special hazards arising from t Fire hazard Explosion hazard 5.3. Advice for firefighters Firefighting instructions	d effects, both acute and delayed : The most important known sympt 2.2) and/or in section 11. redical attention and special treatment no res : Alcohol resistant foam. Carbon di appropriate for surrounding fire. he substance or mixture : Thermal decomposition generate : Risk of explosion if heated under containers. : In case of fire: Evacuate area. Fig : Wear gas tight chemically protect	oms and effects are desc eeded oxide. Dry powder. Water s: Carbon oxides. Nitroge confinement. Use water s ght fire remotely due to the ive clothing in combinatio	r spray. Use extinguishing media in oxides. spray or fog for cooling exposed e risk of explosion.
Symptoms/injuries 4.3. Indication of any immediate m Treat symptomatically. SECTION 5: Firefighting measure 5.1. Extinguishing media Suitable extinguishing media 5.2. Special hazards arising from t Fire hazard Explosion hazard 5.3. Advice for firefighters Firefighting instructions Protection during firefighting	d effects, both acute and delayed : The most important known sympt 2.2) and/or in section 11. medical attention and special treatment no res : Alcohol resistant foam. Carbon di appropriate for surrounding fire. the substance or mixture : Thermal decomposition generate : Risk of explosion if heated under containers. : In case of fire: Evacuate area. Fig : Wear gas tight chemically protect apparatus. For further information	oms and effects are desc eeded oxide. Dry powder. Water s: Carbon oxides. Nitroge confinement. Use water s ght fire remotely due to the ive clothing in combinatio	r spray. Use extinguishing media en oxides. spray or fog for cooling exposed e risk of explosion. n with self contained breathing
Symptoms/injuries 4.3. Indication of any immediate m Treat symptomatically. SECTION 5: Firefighting measu 5.1. Extinguishing media Suitable extinguishing media 5.2. Special hazards arising from t Fire hazard Explosion hazard 5.3. Advice for firefighters Firefighting instructions Protection during firefighting SECTION 6: Accidental release	d effects, both acute and delayed : The most important known sympt 2.2) and/or in section 11. medical attention and special treatment no res : Alcohol resistant foam. Carbon di appropriate for surrounding fire. the substance or mixture : Thermal decomposition generate : Risk of explosion if heated under containers. : In case of fire: Evacuate area. Fig : Wear gas tight chemically protect apparatus. For further information	oms and effects are desc eeded oxide. Dry powder. Water s: Carbon oxides. Nitroge confinement. Use water s ght fire remotely due to the ive clothing in combinatio in refer to section 8: "Expos	r spray. Use extinguishing media en oxides. spray or fog for cooling exposed e risk of explosion. n with self contained breathing
Symptoms/injuries 4.3. Indication of any immediate m Treat symptomatically. SECTION 5: Firefighting measu 5.1. Extinguishing media Suitable extinguishing media 5.2. Special hazards arising from t Fire hazard Explosion hazard 5.3. Advice for firefighters Firefighting instructions Protection during firefighting SECTION 6: Accidental release 6.1. Personal precautions, protect	d effects, both acute and delayed : The most important known sympt 2.2) and/or in section 11. redical attention and special treatment no res : Alcohol resistant foam. Carbon di appropriate for surrounding fire. the substance or mixture : Thermal decomposition generate : Risk of explosion if heated under containers. : In case of fire: Evacuate area. Fig : Wear gas tight chemically protect apparatus. For further information measures ive equipment and emergency procedure	oms and effects are desc eeded oxide. Dry powder. Water s: Carbon oxides. Nitroge confinement. Use water s ght fire remotely due to the ive clothing in combinatio or refer to section 8: "Expos	r spray. Use extinguishing media en oxides. spray or fog for cooling exposed e risk of explosion. n with self contained breathing
Symptoms/injuries 4.3. Indication of any immediate m Treat symptomatically. SECTION 5: Firefighting measu 5.1. Extinguishing media Suitable extinguishing media 5.2. Special hazards arising from t Fire hazard Explosion hazard 5.3. Advice for firefighters Firefighting instructions Protection during firefighting SECTION 6: Accidental release 6.1. Personal precautions, protect General measures	d effects, both acute and delayed : The most important known sympt 2.2) and/or in section 11. redical attention and special treatment no res : Alcohol resistant foam. Carbon di appropriate for surrounding fire. he substance or mixture : Thermal decomposition generate : Risk of explosion if heated under containers. : In case of fire: Evacuate area. Fig : Wear gas tight chemically protect apparatus. For further information measures ive equipment and emergency procedured : Evacuate unnecessary personnel vapor or spray.	oms and effects are desc eeded oxide. Dry powder. Water s: Carbon oxides. Nitroge confinement. Use water s ght fire remotely due to the ive clothing in combinatio or refer to section 8: "Expos	r spray. Use extinguishing media en oxides. spray or fog for cooling exposed e risk of explosion. n with self contained breathing sure controls/personal protection".
Symptoms/injuries 4.3. Indication of any immediate m Treat symptomatically. SECTION 5: Firefighting measures 5.1. Extinguishing media Suitable extinguishing media 5.2. Special hazards arising from t Fire hazard Explosion hazard 5.3. Advice for firefighters Firefighting instructions Protection during firefighting SECTION 6: Accidental release 6.1. Personal precautions, protect General measures 6.1.1. For non-emergency personne	d effects, both acute and delayed : The most important known sympt 2.2) and/or in section 11. redical attention and special treatment no res : Alcohol resistant foam. Carbon di appropriate for surrounding fire. he substance or mixture : Thermal decomposition generate : Risk of explosion if heated under containers. : In case of fire: Evacuate area. Fig : Wear gas tight chemically protect apparatus. For further information measures ive equipment and emergency procedured : Evacuate unnecessary personnel vapor or spray.	oms and effects are desc eeded oxide. Dry powder. Water s: Carbon oxides. Nitroge confinement. Use water s ght fire remotely due to the ive clothing in combinatio in refer to section 8: "Expos s. Ensure adequate air ver	r spray. Use extinguishing media en oxides. spray or fog for cooling exposed e risk of explosion. In with self contained breathing sure controls/personal protection".
Symptoms/injuries 4.3. Indication of any immediate m Treat symptomatically. SECTION 5: Firefighting measu 5.1. Extinguishing media Suitable extinguishing media 5.2. Special hazards arising from t Fire hazard Explosion hazard 5.3. Advice for firefighters Firefighting instructions Protection during firefighting SECTION 6: Accidental release 6.1. Personal precautions, protect General measures 6.1.1. For non-emergency personnel Emergency procedures	d effects, both acute and delayed : The most important known sympt 2.2) and/or in section 11. redical attention and special treatment no res : Alcohol resistant foam. Carbon di appropriate for surrounding fire. he substance or mixture : Thermal decomposition generate : Risk of explosion if heated under containers. : In case of fire: Evacuate area. Fig : Wear gas tight chemically protect apparatus. For further information measures ive equipment and emergency procedured : Evacuate unnecessary personnel vapor or spray.	oms and effects are desc eeded oxide. Dry powder. Water s: Carbon oxides. Nitroge confinement. Use water s ght fire remotely due to the ive clothing in combinatio in refer to section 8: "Expos s. Ensure adequate air ver	r spray. Use extinguishing media en oxides. spray or fog for cooling exposed e risk of explosion. In with self contained breathing sure controls/personal protection".
Symptoms/injuries 4.3. Indication of any immediate m Treat symptomatically. SECTION 5: Firefighting measu 5.1. Extinguishing media Suitable extinguishing media 5.2. Special hazards arising from t Fire hazard Explosion hazard 5.3. Advice for firefighters Firefighting instructions Protection during firefighting SECTION 6: Accidental release 6.1. Personal precautions, protect General measures 6.1.1. For non-emergency personnel Emergency procedures 6.1.2. For emergency responders	d effects, both acute and delayed : The most important known sympt 2.2) and/or in section 11. medical attention and special treatment not res : Alcohol resistant foam. Carbon di appropriate for surrounding fire. the substance or mixture : Thermal decomposition generate : Risk of explosion if heated under containers. : In case of fire: Evacuate area. Fig : Wear gas tight chemically protect apparatus. For further information measures ive equipment and emergency procedure : Evacuate unnecessary personnel vapor or spray. : Only qualified personnel equipped	oms and effects are desc eeded oxide. Dry powder. Water s: Carbon oxides. Nitroge confinement. Use water s ght fire remotely due to the ive clothing in combinatio in refer to section 8: "Expos s . Ensure adequate air ver d with suitable protective of	r spray. Use extinguishing media en oxides. spray or fog for cooling exposed e risk of explosion. In with self contained breathing sure controls/personal protection". Intilation. Do not breathe gas, fumes, equipment may intervene.
Symptoms/injuries 4.3. Indication of any immediate m Treat symptomatically. SECTION 5: Firefighting measu 5.1. Extinguishing media Suitable extinguishing media 5.2. Special hazards arising from t Fire hazard Explosion hazard 5.3. Advice for firefighters Firefighting instructions Protection during firefighting SECTION 6: Accidental release 6.1. Personal precautions, protect General measures 6.1.1. For non-emergency personnel Emergency procedures	d effects, both acute and delayed : The most important known sympt 2.2) and/or in section 11. redical attention and special treatment no res : Alcohol resistant foam. Carbon di appropriate for surrounding fire. he substance or mixture : Thermal decomposition generate : Risk of explosion if heated under containers. : In case of fire: Evacuate area. Fig : Wear gas tight chemically protect apparatus. For further information measures ive equipment and emergency procedured : Evacuate unnecessary personnel vapor or spray.	oms and effects are desc eeded oxide. Dry powder. Water s: Carbon oxides. Nitroge confinement. Use water s ght fire remotely due to the ive clothing in combinatio or refer to section 8: "Expos . Ensure adequate air ver d with suitable protective eq out suitable protective eq	r spray. Use extinguishing media en oxides. spray or fog for cooling exposed e risk of explosion. In with self contained breathing sure controls/personal protection". Intilation. Do not breathe gas, fumes, equipment may intervene.

Explosion limits

Vapor pressure

09/28/2017

Explosive properties

Oxidizing properties

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations		
6.2. Environmental precautions		
Avoid release to the environment. Notify authorities if product enters sewers or public waters.		
6.3. Methods and material for containm	nent and cleaning up	
For containment	: Stop leak if safe to do so. Dike for recovery or absorb with appropriate material.	
Methods for cleaning up	: Take up large spills with pump or vacuum and finish with dry chemical absorbent. Use explosion-proof equipment. Take up small spills with dry chemical absorbent. Sweep or shovel spills into appropriate container for disposal. Ventilate area.	
Other information	: For disposal of solid materials or residues refer to section 13 : "Disposal considerations".	
6.4. Reference to other sections		
No additional information available		
SECTION 7: Handling and storage		
7.1. Precautions for safe handling		
Precautions for safe handling	: Do not handle until all safety precautions have been read and understood. Ensure good ventilation of the work station. Do not breathe fumes, mist, spray, vapors. Wear personal protective equipment. Avoid contact with skin and eyes.	
Hygiene measures	: Handle in accordance with good industrial hygiene and safety procedures. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.	
7.2. Conditions for safe storage, includ	ling any incompatibilities	
Technical measures	: Comply with applicable regulations.	
Storage conditions	: Keep container closed when not in use. Moisture sensitive. Keep contents under inert gas.	
Incompatible materials	: Refer to Section 10 on Incompatible Materials.	
Storage area	: Store in dry, cool, well-ventilated area.	
8.1. Control parameters No additional information available		
8.2. Exposure controls		
Appropriate engineering controls	: Ensure good ventilation of the work station. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.	
Hand protection	: Protective gloves. 29 CFR 1910.138: Hand Protection.	
Eye protection	: Chemical goggles or safety glasses. Face shield. 29 CFR 1910.133: Eye and Face Protection.	
Skin and body protection	: Wear suitable protective clothing.	
Respiratory protection	: In case of inadequate ventilation wear respiratory protection. 29 CFR 1910.134: Respiratory Protection.	
Other information	: Safety shoes. 29 CFR 1910.136: Foot Protection.	
SECTION 9: Physical and chemical		
9.1. Information on basic physical and		
Physical state	: Liquid	
Color	: No data available	
Odor	: No data available	
Odor threshold	: No data available	
pH	: No data available	
Melting point	: No data available	
Freezing point	: No data available	
Boiling point	: No data available	
Flash point	: No data available	
Relative evaporation rate (butyl acetate=1)	: No data available	
Flammability (solid, gas)	: No data available	
Explosion limits	· Ne data available	

: No data available

: No data available

: No data available

EN (English US)

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Relative density	: No data available
Relative vapor density at 20 °C	: No data available
Molecular mass	: 229.27 g/mol
Solubility	: No data available
Log Pow	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available

9.2. Other information

10. No

No additional information available

SECTION 10: Stability and reactivity

10.1.	Reactivity
No addi	tional information available
10.2.	Chemical stability
The pro	duct is stable at normal handling and storage conditions.
10.3.	Possibility of hazardous reactions
No addi	tional information available
10.4.	Conditions to avoid
Keep av	vay from heat, sparks and flame.
10.5.	Incompatible materials
Strong of	oxidizing agents.

Hazardous decomposition products 10.6.

Under normal conditions of storage and use, hazardous decomposition products should not be produced. Hazardous decomposition products in case of fire, see Section 5.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity	: Not classified
Skin corrosion/irritation	: Causes skin irritation.
Serious eye damage/irritation	: Causes serious eye irritation.
Respiratory or skin sensitization	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
Specific target organ toxicity (single exposure)	: May cause respiratory irritation.
Specific target organ toxicity (repeated exposure)	: Not classified
Aspiration hazard	: Not classified

SECT	ON 12: Ecological information
12.1.	Toxicity
No addi	ional information available
12.2.	Persistence and degradability
No addi	ional information available
12.3.	Bioaccumulative potential
No addi	ional information available

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

12.4. Mobility in soil

No additional information available

12.5. Other adverse effects

No additional information available

SECTION 13: Disposal considerations	
13.1. Waste treatment methods	
	move to an authorized incinerator equipped with an afterburner and a flue gas scrubber.
	spose of contents/container in accordance with licensed collector's sorting instructions.
Additional information : Re	ecycle the material as far as possible.
SECTION 14: Transport information	
Department of Transportation (DOT)	
n accordance with DOT	
Not regulated for transport	
rdg	
No additional information available	
Transport by sea	
No additional information available	
Air transport	
No additional information available	
SECTION 15: Regulatory information	
15.1. US Federal regulations	
Substances Control Act (TSCA) inventory except for:	from listing, on the United States Environmental Protection Agency Toxic
(R)-Methyl 1-Boc-pyrrolidine-3-carboxylate	CAS No 441717-40-4 100%
	nical or chemicals in excess of the applicable de minimis concentration as specified in 40 s of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986
15.2. International regulations	
CANADA	
No additional information available	
EU-Regulations	
No additional information available	
National regulations	
No additional information available	
No additional information available	
15.3. US State regulations	ntain any substances known to the state of California to cause cancer
15.3. US State regulations	ntain any substances known to the state of California to cause cancer
15.3. US State regulations California Proposition 65 - This product does not co	ntain any substances known to the state of California to cause cancer
15.3. US State regulations California Proposition 65 - This product does not co and/or reproductive harm	ntain any substances known to the state of California to cause cancer
 5.3. US State regulations California Proposition 65 - This product does not co and/or reproductive harm SECTION 16: Other information 	ntain any substances known to the state of California to cause cancer
 15.3. US State regulations California Proposition 65 - This product does not co and/or reproductive harm SECTION 16: Other information Full text of H-phrases: 	
15.3. US State regulations California Proposition 65 - This product does not co and/or reproductive harm SECTION 16: Other information Full text of H-phrases: Eye Irrit. 2A	Serious eye damage/eye irritation Category 2A
 15.3. US State regulations California Proposition 65 - This product does not co and/or reproductive harm SECTION 16: Other information Full text of H-phrases: 	Serious eye damage/eye irritation Category 2A Skin corrosion/irritation Category 2
15.3. US State regulations California Proposition 65 - This product does not co and/or reproductive harm SECTION 16: Other information Full text of H-phrases: Eye Irrit. 2A Skin Irrit. 2	Serious eye damage/eye irritation Category 2A

H319

H335

Causes serious eye irritation

May cause respiratory irritation

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

NFPA health hazard	: 2 - Intense or continued exposure could cause temporary incapacitation or possible residual injury unless prompt medical attention is given.
NFPA fire hazard	: 1 - Must be preheated before ignition can occur.
NFPA reactivity	: 0 - Normally stable, even under fire exposure conditions, and are not reactive with water.
HMIS III Rating	
Health	: 2 Moderate Hazard - Temporary or minor injury may occur
Flammability	: 1 Slight Hazard - Materials that must be preheated before ignition will occur. Includes liquids, solids and semi solids having a flash point above 200 F. (Class IIIB)
Physical	: 0 Minimal Hazard - Materials that are normally stable, even under fire conditions, and will NOT react with water, polymerize, decompose, condense, or self-react. Non-Explosives.

SDS US (GHS HazCom 2012)

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is offered solely for your consideration, investigation, and verification. It does not represent any guarantee of the properties of the product nor that the hazard precautions or procedures described are the only ones which exist. SynQuest shall not be held liable or any damage resulting from handling or from contact with the above product.