

# Pentafluorobenzyl chloride Safety Data Sheet 17006X9 according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Date of issue: 11/28/2017 Version: 1.0

SECTION 1: Identification 1.1. Identification	
Product form	: Substance
Substance name	: Pentafluorobenzyl chloride
CAS No	: 653-35-0
Product code	: 1700-6-X9
Formula	: C7H2CIF5
Synonyms	: alpha-Chloro-2,3,4,5,6-pentafluorotoluene; 2,3,4,5,6-Pentafluorobenzyl chloride
Other means of identification	: MFCD00040864
	of the substance or mixture and uses advised against
Use of the substance/mixture	: Laboratory chemicals
	Manufacture of substances Scientific research and development
1.3. Details of the supplier of	the safety data sheet
SynQuest Laboratories, Inc. P.O. Box 309 Alachua, FL 32615 - United States of T (386) 462-0788 - F (386) 462-7097 info@synquestlabs.com - www.synqu 1.4. Emergency telephone nu	, uestlabs.com
Emergency number	: (844) 523-4086 (3E Company - Account 10069)
SECTION 2: Hazard(s) ident	ification
2.1. Classification of the subs	
Classification (GHS-US)	
Eye Dam. 1 H318 - C	Causes severe skin burns and eye damage Causes serious eye damage May cause respiratory irritation
2.2. Label elements	
GHS-US labeling	
GHS-US labeling	: GHS05 GHS07
GHS-US labeling Hazard pictograms (GHS-US)	: GHS05 GHS07 : Danger
2.2. Label elements GHS-US labeling Hazard pictograms (GHS-US) Signal word (GHS-US) Hazard statements (GHS-US)	_
GHS-US labeling Hazard pictograms (GHS-US) Signal word (GHS-US)	<ul> <li>Danger</li> <li>H302+H312+H332 - Harmful if swallowed, in contact with skin or if inhaled H314 - Causes severe skin burns and eye damage H335 - May cause respiratory irritation</li> <li>P260 - Do not breathe dust/fume/gas/mist/vapors/spray P264 - Wash skin thoroughly after handling P270 - Do not eat, drink or smoke when using this product P271 - Use only outdoors or in a well-ventilated area P280 - Wear protective gloves/protective clothing/eye protection/face protection P301+P312 - If swallowed: Call a POISON CENTER or doctor/ physician if you feel unwell P301+P330+P331 - If swallowed: rinse mouth. Do NOT induce vomiting P302+P352 - If on skin: Wash with plenty of soap and water P303+P361+P353 - If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower P304+P340 - If inhaled: Remove person to fresh air and keep comfortable for breathing P305+P351+P338 - If in eyes: Rinse cautiously with water for several minutes. Remove contact</li> </ul>
GHS-US labeling Hazard pictograms (GHS-US) Signal word (GHS-US) Hazard statements (GHS-US)	<ul> <li>Danger</li> <li>H302+H312+H332 - Harmful if swallowed, in contact with skin or if inhaled H314 - Causes severe skin burns and eye damage H335 - May cause respiratory irritation</li> <li>P260 - Do not breathe dust/fume/gas/mist/vapors/spray P264 - Wash skin thoroughly after handling P270 - Do not eat, drink or smoke when using this product P271 - Use only outdoors or in a well-ventilated area P280 - Wear protective gloves/protective clothing/eye protection/face protection P301+P312 - If swallowed: Call a POISON CENTER or doctor/ physician if you feel unwell P302+P352 - If on skin: Wash with plenty of soap and water P303+P361+P353 - If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower P304+P340 - If inhaled: Remove person to fresh air and keep comfortable for breathing</li> </ul>

# Pentafluorobenzyl chloride Safety Data Sheet

according to Federa	I Register / Vol.	77, No.	58 / Monday,	March 26, 20	012 / Rules and Regulations
---------------------	-------------------	---------	--------------	--------------	-----------------------------

	<ul> <li>P310 - Immediately call a POISON CENTER or doctor/ physician</li> <li>P321 - Specific treatment (see supplemental first aid instructions on this label)</li> <li>P330 - Rinse mouth</li> <li>P362+P364 - Take off contaminated clothing and wash it before reuse</li> <li>P363 - Wash contaminated clothing before reuse</li> <li>P403+P233 - Store in a well-ventilated place. Keep container tightly closed</li> <li>P405 - Store locked up</li> <li>P501 - Dispose of contents/container to an approved waste disposal plant</li> </ul>		
2.3. Other hazards			
Other hazards not contributing to the classification	: Lachrymator.		
2.4. Unknown acute toxicity (GHS U	IS)		
Not applicable			
SECTION 3: Composition/inform	ation on ingredients		
3.1. Substance			
Substance type	: Mono-constituent		
Name	Product identifier	%	Classification (GHS-US)
Pentafluorobenzyl chloride (Main constituent)	(CAS No) 653-35-0	<= 100	Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Dermal), H312 Acute Tox. 4 (Inhalation), H332 Skin Corr. 1B, H314 Eye Dam. 1, H318 STOT SE 3, H335
Full text of H-phrases: see section 16			
3.2. Mixture			
Not applicable			
SECTION 4: First aid measures			
4.1. Description of first aid measure	9S		
First-aid measures general	: In case of accident or if you feel unv where possible). Move the affected		
First-aid measures after inhalation	: Remove person to fresh air and kee respiration. Get immediate medical	advice/attention.	
First-aid measures after skin contact	: Wash with plenty of soap and water medical advice/attention.		-
First-aid measures after eye contact	: Immediately flush eyes thoroughly with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get immediate medical advice/attention.		
First-aid measures after ingestion	: Do NOT induce vomiting. Never give mouth out with water. Get immediat		
4.2. Most important symptoms and			
Symptoms/injuries	<ul> <li>The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11.</li> <li>Material is destructive to tissue of the mucuous membranes and upper respiratory tract. Cough,</li> </ul>		
Symptoms/injuries after inhalation	shortness of breath, headache, nau		s and upper respiratory tract. Cougn,
Treat symptomatically.	dical attention and special treatment need	led	
SECTION 5: Firefighting measure	es		
5.1. Extinguishing media			
Suitable extinguishing media	: Alcohol resistant foam. Carbon diox appropriate for surrounding fire.	de. Dry powder. Water	spray. Use extinguishing media
5.2. Special hazards arising from the			
Fire hazard	: Thermal decomposition generates:		
Explosion hazard	: Risk of explosion if heated under co containers.	nfinement. Use water s	pray or fog for cooling exposed
5.3. Advice for firefighters			
Firefighting instructions	: In case of fire: Evacuate area. Fight	fire remotely due to the	e risk of explosion.
Protection during firefighting	: Wear gas tight chemically protective apparatus. For further information re	•	0
11/28/2017	EN (English US)	SDS ID: 17006	6X9 2/7

# Pentafluorobenzyl chloride Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

6.1.	Personal precautions, protective e	quipment and emergency procedures
General	measures	: Evacuate unnecessary personnel. Ensure adequate air ventilation. Do not breathe gas, fumes, vapor or spray.
6.1.1.	For non-emergency personnel	
Emerge	ncy procedures	: Only qualified personnel equipped with suitable protective equipment may intervene.
6.1.2.	For emergency responders	
Protectiv	ve equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".
Emerge	ncy procedures	: Gas/vapor heavier than air. May accumulate in confined spaces, particularly at or below ground level.
6.2.	Environmental precautions	
Avoid re	lease to the environment. Notify author	ities if product enters sewers or public waters.
6.3.	Methods and material for containn	nent and cleaning up
For cont	ainment	: Stop leak if safe to do so. Dike for recovery or absorb with appropriate material.
Methods	s for cleaning up	Take up large spills with pump or vacuum and finish with dry chemical absorbent. Use explosion-proof equipment. Take up small spills with dry chemical absorbent. Sweep or shovel spills into appropriate container for disposal. Ventilate area.
Other in	formation	: For disposal of solid materials or residues refer to section 13 : "Disposal considerations".
6.4.	Reference to other sections	
No addit	tional information available	
SECTI	ON 7: Handling and storage	
7.1.	Precautions for safe handling	
Precauti	ions for safe handling	Do not handle until all safety precautions have been read and understood. Ensure good ventilation of the work station. Do not breathe fumes, mist, spray, vapors. Wear personal protective equipment. Avoid contact with skin and eyes.
Hygiene	measures	: Handle in accordance with good industrial hygiene and safety procedures. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.
7.2.	Conditions for safe storage, includ	ling any incompatibilities
Technic	al measures	: Comply with applicable regulations.
Storage	conditions	: Keep container closed when not in use. Moisture sensitive. Keep contents under inert gas.
Incompa	atible materials	: Refer to Section 10 on Incompatible Materials.
Storage	2702	: Store in dry, cool, well-ventilated area.

## 8.1. Control parameters

No additional information available

8.2. Exposure controls			
Appropriate engineering controls	: Ensure good ventilation of the work station. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.		
Hand protection	: Protective gloves. 29 CFR 1910.138: Hand Protection.		
Eye protection	: Chemical goggles or safety glasses. Face shield. 29 CFR 1910.133: Eye and Face Protection.		
Skin and body protection	: Wear suitable protective clothing.		
Respiratory protection	<ul> <li>In case of inadequate ventilation wear respiratory protection. 29 CFR 1910.134: Respiratory Protection.</li> </ul>		
Other information	: Safety shoes. 29 CFR 1910.136: Foot Protection.		
SECTION 9: Physical and chemical properties			
9.1. Information on basic physi	9.1. Information on basic physical and chemical properties		

3.1. Information on bas	ic physical and chemical properties		
Physical state	: Liquid		
Color	: No data available		
Odor	: No data available		
Odor threshold	: No data available		
11/28/2017	EN (English US)	SDS ID: 17006X9	3/7

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

	y, March 20, 2012 / Rules and Regulations
pH	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: 72 °C (@ 22 mm Hg)
Flash point	: No data available
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability (solid, gas)	: No data available
Explosion limits	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available
Vapor pressure	: No data available
Relative density	: No data available
Relative vapor density at 20 °C	: No data available
Specific gravity / density	: 1.59 g/ml (@ 20 °C)
Molecular mass	: 216.54 g/mol
Solubility	: No data available
Log Pow	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
9.2. Other information	
Refractive index	: 1.443 (@ 20 °C)
SECTION 10: Stability and reactivit	hr.
SECTION 10: Stability and reactivit	
No additional information available	
10.2. Chemical stability	
The product is stable at normal handling and s	torage conditions.
10.3. Possibility of hazardous reactions	;

No additional information available

10.4. **Conditions to avoid** Keep away from heat, sparks and flame.

### 10.5. Incompatible materials

Strong bases. Strong oxidizing agents.

### 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced. Hazardous decomposition products in case of fire, see Section 5.

11.1. Information on toxicological effects	
Acute toxicity	: Oral: Harmful if swallowed. Dermal: Harmful in contact with skin. Inhalation: Harmful if inhaled.
Skin corrosion/irritation	: Causes severe skin burns and eye damage.
Serious eye damage/irritation	: Causes serious eye damage.
Respiratory or skin sensitization	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
Specific target organ toxicity (single exposure)	: May cause respiratory irritation.

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Specific target organ toxicity (repeated exposure)	: Not classified
Aspiration hazard	: Not classified
Symptoms/injuries after inhalation	: Material is destructive to tissue of the mucuous membranes and upper respiratory tract. Cough,

shortness of breath, headache, nausea.

 SECTION 12: Ecological information

 12.1. Toxicity

 No additional information available

 12.2. Persistence and degradability

 No additional information available

 12.3. Bioaccumulative potential

 No additional information available

 12.4. Mobility in soil

 No additional information available

 12.5. Other adverse effects

No additional information available

SECTION 13: Disposal considera	ations
13.1. Waste treatment methods	
Waste treatment methods	: Remove to an authorized incinerator equipped with an afterburner and a flue gas scrubber.
Waste disposal recommendations	: Dispose of contents/container in accordance with licensed collector's sorting instructions.
Additional information	: Recycle the material as far as possible.
SECTION 14: Transport informat	ion

# Department of Transportation (DOT)

In accordance with DOT Transport document description

UN-No.(DOT) Proper Shipping Name (DOT) Transport hazard class(es) (DOT) Hazard labels (DOT)

Packing group (DOT)

DOT Packaging Non Bulk (49 CFR 173.xxx)

DOT Packaging Bulk (49 CFR 173.xxx)

DOT Symbols

DOT Special Provisions (49 CFR 172.102)

- : UN2922 Corrosive liquids, toxic, n.o.s., 8, III
- : UN2922
- : Corrosive liquids, toxic, n.o.s.
- : 8 Class 8 Corrosive material 49 CFR 173.136
- : 8 Corrosive



- : III Minor Danger
- : 203
- : 241
- : G Identifies PSN requiring a technical name
- : IB3 Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite (31HZ1 and 31HA2, 31HB2, 31HN2, 31HD2 and 31HH2). Additional Requirement: Only liquids with a vapor pressure less than or equal to 110 kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55 C (1.3 bar at 131 F) are authorized, except for UN2672 (also see Special Provision IP8 in Table 2 for UN2672).

T7 - 4 178.274(d)(2) Normal..... 178.275(d)(3)

TP1 - The maximum degree of filling must not exceed the degree of filling determined by the following: Degree of filling = 97 / 1 + a (tr - tf) Where: tr is the maximum mean bulk temperature during transport, and tf is the temperature in degrees celsius of the liquid during filling. TP28 - A portable tank having a minimum test pressure of 2.65 bar (265 kPa) may be used provided the calculated test pressure is 2.65 bar or less based on the MAWP of the hazardous material, as defined in 178.275 of this subchapter, where the test pressure is 1.5 times the MAWP.

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday,	March 26, 2012 / Rules and Regulations
DOT Packaging Exceptions (49 CFR 173.xxx)	: 154
DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27)	: 5L
DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75)	: 60 L
DOT Vessel Stowage Location	: B - (i) The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel carrying a number of passengers limited to not more than the larger of 25 passengers, or one passenger per each 3 m of overall vessel length; and (ii) "On deck only" on passenger vessels in which the number of passengers specified in paragraph (k)(2)(i) of this section is exceeded.
DOT Vessel Stowage Other	: 40 - Stow "clear of living quarters"
Other information	: No supplementary information available.
TDG	
No additional information available	
Transport by sea	
UN-No. (IMDG)	: 2922
Proper Shipping Name (IMDG)	: CORROSIVE LIQUID, TOXIC, N.O.S.
Class (IMDG)	: 8 - Corrosive substances
Packing group (IMDG)	: III - substances presenting low danger
Air transport	
UN-No. (IATA)	: 2922
Proper Shipping Name (IATA)	: Corrosive liquid, toxic, n.o.s.
Class (IATA)	: 8 - Corrosives
Packing group (IATA)	: III - Minor Danger

# SECTION 15: Regulatory information

# 15.1. US Federal regulations

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory except for:

Pentafluorobenzvl	oblorido
Pentatiuoropenzvi	cnioriae

This product or mixture does not contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

CAS No 653-35-0

### 15.2. International regulations

### CANADA

No additional information available

## **EU-Regulations**

No additional information available

### National regulations

No additional information available

## 15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer and/or reproductive harm

# **SECTION 16: Other information**

100%

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Full text of H-phrases:		
	Acute Tox. 4 (Dermal)	Acute toxicity (dermal) Category 4
	Acute Tox. 4 (Inhalation)	Acute toxicity (inhalation) Category 4
	Acute Tox. 4 (Oral)	Acute toxicity (oral) Category 4
	Eye Dam. 1	Serious eye damage/eye irritation Category 1
	Skin Corr. 1B	Skin corrosion/irritation Category 1B
	STOT SE 3	Specific target organ toxicity (single exposure) Category 3
	H302	Harmful if swallowed
	H312	Harmful in contact with skin
	H314	Causes severe skin burns and eye damage
	H318	Causes serious eye damage
	H332	Harmful if inhaled
	H335	May cause respiratory irritation
		<ul> <li>: 3 - Short exposure could cause serious temporary or residual injury even though prompt medical attention was given.</li> <li>: 1 - Must be preheated before ignition can occur.</li> </ul>
NFPA reactivity		: 0 - Normally stable, even under fire exposure conditions, and are not reactive with water.
HMIS III Rating		
Health		: 3 Serious Hazard - Major injury likely unless prompt action is taken and medical treatment is given
Flammability		: 1 Slight Hazard - Materials that must be preheated before ignition will occur. Includes liquids, solids and semi solids having a flash point above 200 F. (Class IIIB)
Physical		: 0 Minimal Hazard - Materials that are normally stable, even under fire conditions, and will NOT react with water, polymerize, decompose, condense, or self-react. Non-Explosives.

SDS US (GHS HazCom 2012)

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is offered solely for your consideration, investigation, and verification. It does not represent any guarantee of the properties of the product nor that the hazard precautions or procedures described are the only ones which exist. SynQuest shall not be held liable or any damage resulting from handling or from contact with the above product.