

Diethyl 2,2-difluoromalonate Safety Data Sheet 21233B1 according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Date of issue: 11/11/2016 Version: 1.0

| SECTION 1: Identification | |
|--|---|
| 1.1. Identification | |
| Product form | : Substance |
| Substance name | : Diethyl 2,2-difluoromalonate |
| CAS No | : 680-65-9 |
| Product code | : 2123-3-B1 |
| Formula | : C7H10E2O4 |
| | |
| Synonyms Other means of identification | : Diethyl 2,2-difluoropropane-1,3-dioate |
| Other means of identification | : MFCD00221617 |
| 1.2. Relevant identified uses of the | substance or mixture and uses advised against |
| Jse of the substance/mixture | : Laboratory chemicals Manufacture of substances Scientific research and development |
| I.3. Details of the supplier of the sa | ifety data sheet |
| SynQuest Laboratories, Inc. P.O. Box 309 Alachua, FL 32615 - United States of Ameri T (386) 462-0788 - F (386) 462-7097 info@synguestlabs.com - www.synguestlab | |
| 1.4. Emergency telephone number | |
| Emergency number | : (844) 523-4086 (3E Company - Account 10069) |
| SECTION 2: Hazard(s) identificat | tion |
| 2.1. Classification of the substance | |
| Classification (GHS-US) | |
| Flam. Liq. 4H227 - Combustible liquidSkin Irrit. 2H315 - Causes skin irritationEye Irrit. 2AH319 - Causes serious eye | irritation |
| Flam. Liq. 4 H227 - Combustible liquid Skin Irrit. 2 H315 - Causes skin irritatior Eye Irrit. 2A H319 - Causes serious eye STOT SE 3 H335 - May cause respirato Full text of H-phrases: see section 16 | irritation |
| Flam. Liq. 4 H227 - Combustible liquid Skin Irrit. 2 H315 - Causes skin irritation Eye Irrit. 2A H319 - Causes serious eye STOT SE 3 H335 - May cause respirato Full text of H-phrases: see section 16 2.2. Label elements | irritation |
| Flam. Liq. 4 H227 - Combustible liquid Skin Irrit. 2 H315 - Causes skin irritatior Eye Irrit. 2A H319 - Causes serious eye STOT SE 3 H335 - May cause respirato Full text of H-phrases: see section 16 | irritation |
| Flam. Liq. 4 H227 - Combustible liquid Skin Irrit. 2 H315 - Causes skin irritation Eye Irrit. 2A H319 - Causes serious eye STOT SE 3 H335 - May cause respirato Full text of H-phrases: see section 16 2.2. Label elements GHS-US labeling | irritation by irritation : $\overbrace{k}_{GHS07}^{GHS07}$: Warning : H227 - Combustible liquid H315 - Causes skin irritation |
| Flam. Liq. 4 H227 - Combustible liquid Skin Irrit. 2 H315 - Causes skin irritation Eye Irrit. 2A H319 - Causes serious eye STOT SE 3 H335 - May cause respirato Full text of H-phrases: see section 16 2.2. Label elements GHS-US labeling Hazard pictograms (GHS-US) Signal word (GHS-US) Hazard statements (GHS-US) | irritation by irritation : : : : : : : : : : : : : : : : : : |
| Flam. Liq. 4 H227 - Combustible liquid Skin Irrit. 2 H315 - Causes skin irritatior Eye Irrit. 2A H319 - Causes serious eye STOT SE 3 H335 - May cause respirato Full text of H-phrases: see section 16 2.2. Label elements GHS-US labeling Hazard pictograms (GHS-US) | irritation bry irritation : irritation : irritation : Warning : H227 - Combustible liquid H315 - Causes skin irritation H319 - Causes serious eye irritation H335 - May cause respiratory irritation |

Diethyl 2,2-difluoromalonate

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

- P370+P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish P403+P233 - Store in a well-ventilated place. Keep container tightly closed P403+P235 - Store in a well-ventilated place. Keep cool
- P405 Store locked up
- P501 Dispose of contents/container to an approved waste disposal plant

2.3. Other hazards

No additional information available

Unknown acute toxicity (GHS US) 2.4.

Not applicable

| SECTION 3: Composition/informati | on on in | gredients | | |
|---|-------------|--|------------------|---|
| 3.1. Substance | | | | |
| Substance type | : Mono | -constituent | | |
| Name | | Product identifier | % | Classification (GHS-US) |
| Diethyl 2,2-difluoromalonate (Main constituent) | | (CAS No) 680-65-9 | <= 100 | Flam. Liq. 4, H227 Skin Irrit. 2, H315 Eye Irrit. 2A, H319 STOT SE 3, H335 |
| Full text of H-phrases: see section 16 | | | | · |
| 3.2. Mixture | | | | |
| Not applicable | | | | |
| SECTION 4: First aid measures | | | | |
| 4.1. Description of first aid measures | | | | |
| First-aid measures general | | e of accident or if you feel unwell, see possible). Move the affected personn | | |
| First-aid measures after inhalation | | ove person to fresh air and keep comfo ation. Get medical advice/attention. | rtable for breat | thing. If not breathing, give artificial |
| First-aid measures after skin contact | : Wash | with plenty of soap and water. Get me | edical advice/at | tention. |
| First-aid measures after eye contact | | diately flush eyes thoroughly with wate nt and easy to do. Continue rinsing. Ge | | |
| First-aid measures after ingestion | | OT induce vomiting. Never give anythir n out with water. Get medical advice/at | | an unconscious person. Rinse |
| 4.2. Most important symptoms and effe | ects, both | acute and delayed | | |
| Symptoms/injuries | | nost important known symptoms and e nd/or in section 11. | ffects are desc | ribed in the labelling (see section |
| 4.3. Indication of any immediate medic | al attentio | n and special treatment needed | | |
| Treat symptomatically. | | | | |
| SECTION 5: Firefighting measures | | | | |
| 5.1. Extinguishing media | | | | |
| Suitable extinguishing media | : Alcoh | ol resistant foam. Carbon dioxide. Dry | powder. Water | spray. Use extinguishing media |
| | | priate for surrounding fire. | pondon nato. | |
| 5.2. Special hazards arising from the s | ubstance of | or mixture | | |
| Fire hazard | | nal decomposition generates: Carbon o | oxides. Hydrog | en fluoride. |
| Explosion hazard | | of explosion if heated under confineme iners. May form flammable/explosive v | | |
| 5.3. Advice for firefighters | | | | |
| Firefighting instructions | : In cas | se of fire: Evacuate area. Fight fire rem | otely due to the | e risk of explosion. |
| Protection during firefighting | : Wear | gas tight chemically protective clothing atus. For further information refer to se | g in combinatio | n with self contained breathing |
| SECTION 6: Accidental release mea | asuras | | | |
| 6.1. Personal precautions, protective e | | and omorgonou procedures | | |
| General measures | : Evacı | uate unnecessary personnel. Ensure a or spray. | dequate air ver | ntilation. Do not breathe gas, fumes, |
| | | | | |
| 611 For non-emergency personnel | | | | |
| 6.1.1. For non-emergency personnel Emergency procedures | : Only | qualified personnel equipped with suita | able protective | equipment may intervene. |

. . _ -.

| 6.1.2. For emergency responders | |
|--|---|
| Protective equipment | : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection". |
| Emergency procedures | Gas/vapor heavier than air. May accumulate in confined spaces, particularly at or below ground level. Consider the risk of potentially explosive atmospheres. Eliminate every possible source of ignition. |
| 6.2. Environmental precautions | |
| Avoid release to the environment. Notify | authorities if product enters sewers or public waters. |
| 6.3. Methods and material for co | ntainment and cleaning up |
| For containment | : Stop leak if safe to do so. Dike for recovery or absorb with appropriate material. |
| Methods for cleaning up | : Take up large spills with pump or vacuum and finish with dry chemical absorbent. Use explosion-proof equipment. Take up small spills with dry chemical absorbent. Sweep or shovel spills into appropriate container for disposal. Ventilate area. |
| Other information | : For disposal of solid materials or residues refer to section 13 : "Disposal considerations". |
| 6.4. Reference to other sections | |
| No additional information available | |
| SECTION 7: Handling and sto | rage |
| 7.1. Precautions for safe handlin | |
| Additional hazards when processed | : Handle empty containers with care because residual vapors are flammable. |
| Precautions for safe handling | Do not handle until all safety precautions have been read and understood. Ensure good ventilation of the work station. Do not breathe fumes, mist, spray, vapors. Wear personal protective equipment. Avoid contact with skin and eyes. Keep away from ignition sources (including static discharges). Proper grounding procedures to avoid static electricity should be followed. Use only non-sparking tools. |
| Hygiene measures | : Handle in accordance with good industrial hygiene and safety procedures. Do not eat, drink or smoke when using this product. Always wash hands after handling the product. |
| 7.2. Conditions for safe storage, | including any incompatibilities |
| Technical measures | : Comply with applicable regulations. |
| Storage conditions | : Keep container closed when not in use. Keep away from ignition sources. |
| Incompatible materials | : Refer to Section 10 on Incompatible Materials. |
| Storage area | : Store in dry, cool, well-ventilated area. |
| | s/personal protection |

| 8.2. Exposure controls | |
|----------------------------------|---|
| Appropriate engineering controls | : Ensure good ventilation of the work station. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. |
| Hand protection | : Protective gloves. 29 CFR 1910.138: Hand Protection. |
| Eye protection | : Chemical goggles or safety glasses. Face shield. 29 CFR 1910.133: Eye and Face Protection. |
| Skin and body protection | : Wear suitable protective clothing. |
| Respiratory protection | : In case of inadequate ventilation wear respiratory protection. 29 CFR 1910.134: Respiratory Protection. |
| Other information | : Safety shoes. 29 CFR 1910.136: Foot Protection. |
| | |

SECTION 9: Physical and chemical properties

| 9.1. Information on basic physical and chemical properties | | |
|--|---------------------|--|
| Physical state | : Liquid | |
| Color | : No data available | |
| Odor | : No data available | |
| Odor threshold | : No data available | |
| рН | : No data available | |
| Melting point | : No data available | |
| Freezing point | : No data available | |
| | | |

Diethyl 2,2-difluoromalonate Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

| Boiling point | : 73 - 75 °C (@ 10 mm Hg) |
|---|---------------------------|
| Flash point | : 62 °C |
| Relative evaporation rate (butyl acetate=1) | : No data available |
| Flammability (solid, gas) | : No data available |
| Explosion limits | : No data available |
| Explosive properties | : No data available |
| Oxidizing properties | : No data available |
| Vapor pressure | : 1 mm Hg (@ 53 °C) |
| Relative density | : No data available |
| Relative vapor density at 20 °C | : No data available |
| Specific gravity / density | : 1.162 g/ml (@ 25 °C) |
| Molecular mass | : 196.15 g/mol |
| Solubility | : No data available |
| Log Pow | : No data available |
| Auto-ignition temperature | : No data available |
| Decomposition temperature | : No data available |
| Viscosity | : No data available |
| Viscosity, kinematic | : No data available |
| Viscosity, dynamic | : No data available |
| 9.2. Other information | |
| Refractive index | : 1.3794 (@ 20 °C) |
| | |

| SECTION 10: Stability and reactivity | | | |
|---|--|--|--|
| 10.1. Reactivity | Reactivity | | |
| No additional information available | | | |
| 10.2. Chemical stability | | | |
| The product is stable at normal handling and | storage conditions. | | |
| 10.3. Possibility of hazardous reaction | IS | | |
| No additional information available | | | |
| 10.4. Conditions to avoid | | | |
| Keep away from heat, sparks and flame. | Keep away from heat, sparks and flame. | | |
| 10.5. Incompatible materials | | | |
| Strong bases. Strong oxidizing agents. | | | |
| 10.6. Hazardous decomposition products | | | |
| Under normal conditions of storage and use, hazardous decomposition products should not be produced. Hazardous decomposition products in case of fire, see Section 5. | | | |
| SECTION 11: Toxicological inform | nation | | |
| 11.1. Information on toxicological effe | cts | | |
| | | | |
| Acute toxicity | : Not classified | | |
| Skin corrosion/irritation | : Causes skin irritation. | | |
| Serious eye damage/irritation | : Causes serious eye irritation. | | |
| Respiratory or skin sensitization | : Not classified | | |
| Germ cell mutagenicity | : Not classified | | |
| Carcinogenicity | : Not classified | | |

| Reproductive toxicity Specific target organ toxicity (single exposure) | Not classifiedMay cause respiratory irritation. |
|---|--|
| Specific target organ toxicity (repeated exposure) | : Not classified |

Aspiration hazard

: Not classified

Diethyl 2,2-difluoromalonate Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

| SECTION 12: Ecological information | |
|---|---|
| 12.1. Toxicity | |
| No additional information available | |
| 12.2. Persistence and degradability | |
| No additional information available | |
| | |
| 12.3. Bioaccumulative potential No additional information available | |
| | |
| 12.4. Mobility in soil | |
| No additional information available | |
| 12.5. Other adverse effects | |
| No additional information available | |
| | |
| SECTION 13: Disposal consideration | 5 |
| 13.1. Waste treatment methods | |
| Waste treatment methods | : Remove to an authorized incinerator equipped with an afterburner and a flue gas scrubber. |
| Waste disposal recommendations | : Dispose of contents/container in accordance with licensed collector's sorting instructions. |
| Additional information | : Recycle the material as far as possible. |
| SECTION 14: Transport information | |
| · · · · · · | |
| Department of Transportation (DOT) In accordance with DOT | |
| Transport document description | : NA1993 Combustible liquid, n.o.s., 3, III |
| Transport document description | |
| UN-No.(DOT) | : NA1993 |
| Proper Shipping Name (DOT) | : Combustible liquid, n.o.s. |
| Transport hazard class(es) (DOT) | : 3 - Class 3 - Flammable and combustible liquid 49 CFR 173.120 |
| Packing group (DOT) | : III - Minor Danger |
| DOT Packaging Non Bulk (49 CFR 173.xxx) | : 203 |
| DOT Packaging Bulk (49 CFR 173.xxx) DOT Symbols | : 241 : D. Branar shipping name for demostic use only or to and from Canada G. Identifies PSN |
| DOT Symbols | : D - Proper shipping name for domestic use only, or to and from Canada,G - Identifies PSN requiring a technical name |
| DOT Special Provisions (49 CFR 172.102) | : IB3 - Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite (31HZ1 and 31HA2, 31HB2, 31HN2, 31HD2 and 31HH2). Additional Requirement: Only liquids |
| | with a vapor pressure less than or equal to 110 kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55 C (1.3 bar at 131 F) are authorized, except for UN2672 (also see Special Provision IP8 in Table |
| | 2 for UN2672). T1 - 1.5 178.274(d)(2) Normal 178.275(d)(2) |
| | T4 - 2.65 178.274(d)(2) Normal |
| | TP1 - The maximum degree of filling must not exceed the degree of filling determined by the following P_{a} and |
| | following: Degree of filling = 97 / 1 + a (tr - tf) Where: tr is the maximum mean bulk temperature during transport, and tf is the temperature in degrees celsius of the liquid during filling. |
| DOT Packaging Exceptions (49 CFR 173.xxx) | : 150 |
| DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27) | : 60 L |
| DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75) | : 220 L |
| DOT Vessel Stowage Location | : A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel. |
| Other information | : No supplementary information available. |
| TDG | |
| No additional information available | |
| | |

Transport by sea

No additional information available

Diethyl 2,2-difluoromalonate

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Air transport

No additional information available

SECTION 15: Regulatory information

15.1. US Federal regulations

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory except for:

| Diethyl 2,2-difluoromalonate CAS No 680-65-9 100% | Substances Control Act (15CA) inventory except for. | | |
|---|---|-----------------|------|
| | Diethyl 2.2-difluoromalonate | CAS NO 000-03-9 | 100% |

This product or mixture does not contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

15.2. International regulations

CANADA

No additional information available

EU-Regulations

No additional information available

National regulations

No additional information available

15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer and/or reproductive harm

SECTION 16: Other information

Full text of H-phrases:

| Full text of H-phrases: | |
|-------------------------|--|
| Eye Irrit. 2A | Serious eye damage/eye irritation Category 2A |
| Flam. Liq. 4 | Flammable liquids Category 4 |
| Skin Irrit. 2 | Skin corrosion/irritation Category 2 |
| STOT SE 3 | Specific target organ toxicity (single exposure) Category 3 |
| H227 | Combustible liquid |
| H315 | Causes skin irritation |
| H319 | Causes serious eye irritation |
| H335 | May cause respiratory irritation |
| NFPA health hazard | : 3 - Short exposure could cause serious temporary or residual injury even though prompt medical attention was given. |
| NFPA fire hazard | : 2 - Must be moderately heated or exposed to relatively high temperature before ignition can occur. |
| NFPA reactivity | : 0 - Normally stable, even under fire exposure conditions, and are not reactive with water. |
| HMIS III Rating | |
| Health | : 2 Moderate Hazard - Temporary or minor injury may occur |
| Flammability | 2 Moderate Hazard - Materials which must be moderately heated or exposed to high ambient temperatures before ignition will occur. Includes liquids having a flash point at or above 100 F but below 200 F. (Classes II & IIIA) |
| Physical | : 0 Minimal Hazard - Materials that are normally stable, even under fire conditions, and will NOT react with water, polymerize, decompose, condense, or self-react. Non-Explosives. |
| | |

SDS US (GHS HazCom 2012)

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is offered solely for your consideration, investigation, and verification. It does not represent any guarantee of the properties of the product nor that the hazard precautions or procedures described are the only ones which exist. SynQuest shall not be held liable or any damage resulting from handling or from contact with the above product.