# **4-Acetyldiphenylmethane** Safety Data Sheet 27171X7 according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations



1.1. Identification	
Product form	: Substance
Substance name	: 4-Acetyldiphenylmethane
CAS No	: 782-92-3
Product code	: 2717-1-X7
Formula	: C15H14O
Other means of identification	: MFCD00079700
1.2. Relevant identified uses of the	substance or mixture and uses advised against
Use of the substance/mixture	: Laboratory chemicals Manufacture of substances Scientific research and development
1.3. Details of the supplier of the sa	afety data sheet
SynQuest Laboratories, Inc. P.O. Box 309 Alachua, FL 32615 - United States of Ameri T (386) 462-0788 - F (386) 462-7097 info@synquestlabs.com - www.synquestlab	
1.4. Emergency telephone number	
Emergency number	: (844) 523-4086 (3E Company - Account 10069)
SECTION 2: Hazard(s) identificat	tion
2.1. Classification of the substance	
Skin Irrit. 2 H315 - Causes skin irritation	n
Eye Dam. 1 H318 - Causes serious eye	damage
Eye Dam. 1 H318 - Causes serious eye STOT SE 3 H335 - May cause respirato	e damage ory irritation
Eye Dam. 1H318 -Causes serious eyeSTOT SE 3H335 -May cause respiratoSTOT RE 1H372 -Causes damage to o	damage
Eye Dam. 1H318 -Causes serious eyeSTOT SE 3H335 -May cause respiratoSTOT RE 1H372 -Causes damage to o	e damage ory irritation
Eye Dam. 1 H318 - Causes serious eye STOT SE 3 H335 - May cause respirato STOT RE 1 H372 - Causes damage to o Full text of H-phrases: see section 16	e damage ory irritation
Eye Dam. 1H318 - Causes serious eyeSTOT SE 3H335 - May cause respiratoSTOT RE 1H372 - Causes damage to cFull text of H-phrases: see section 162.2.Label elements	e damage ory irritation
Eye Dam. 1 H318 - Causes serious eye STOT SE 3 H335 - May cause respirato STOT RE 1 H372 - Causes damage to o Full text of H-phrases: see section 16	e damage ory irritation
Eye Dam. 1       H318 - Causes serious eye         STOT SE 3       H335 - May cause respirato         STOT RE 1       H372 - Causes damage to o         Full text of H-phrases: see section 16         2.2.       Label elements         GHS-US labeling	e damage ory irritation
Eye Dam. 1       H318 - Causes serious eye         STOT SE 3       H335 - May cause respirato         STOT RE 1       H372 - Causes damage to o         Full text of H-phrases: see section 16         2.2.       Label elements         GHS-US labeling	e damage ory irritation
Eye Dam. 1       H318 - Causes serious eye         STOT SE 3       H335 - May cause respirato         STOT RE 1       H372 - Causes damage to o         Full text of H-phrases: see section 16         2.2.       Label elements         GHS-US labeling	e damage ory irritation
Eye Dam. 1       H318 - Causes serious eye         STOT SE 3       H335 - May cause respirato         STOT RE 1       H372 - Causes damage to o         Full text of H-phrases: see section 16         2.2.       Label elements         GHS-US labeling	e damage bry irritation organs through prolonged or repeated exposure : : :
Eye Dam. 1 H318 - Causes serious eye STOT SE 3 H335 - May cause respirato STOT RE 1 H372 - Causes damage to o Full text of H-phrases: see section 16 2.2. Label elements GHS-US labeling Hazard pictograms (GHS-US)	e damage bry irritation organs through prolonged or repeated exposure : $\begin{array}{c c} \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\$
Eye Dam. 1 H318 - Causes serious eye STOT SE 3 H335 - May cause respirato STOT RE 1 H372 - Causes damage to o Full text of H-phrases: see section 16 2.2. Label elements GHS-US labeling Hazard pictograms (GHS-US) Signal word (GHS-US)	e damage bry irritation organs through prolonged or repeated exposure : $i \rightarrow i \rightarrow$
Eye Dam. 1 H318 - Causes serious eye STOT SE 3 H335 - May cause respirato STOT RE 1 H372 - Causes damage to o Full text of H-phrases: see section 16 2.2. Label elements GHS-US labeling Hazard pictograms (GHS-US) Signal word (GHS-US)	<ul> <li>e damage bry irritation organs through prolonged or repeated exposure</li> <li>: i i i i i i i i i i i i i i i i i i</li></ul>
Eye Dam. 1 H318 - Causes serious eye STOT SE 3 H335 - May cause respirato STOT RE 1 H372 - Causes damage to o Full text of H-phrases: see section 16 2.2. Label elements GHS-US labeling Hazard pictograms (GHS-US) Signal word (GHS-US) Hazard statements (GHS-US)	e damage bry irritation organs through prolonged or repeated exposure : : : : : : : : : : : : : : : : : :
Eye Dam. 1 H318 - Causes serious eye STOT SE 3 H335 - May cause respirato STOT RE 1 H372 - Causes damage to o Full text of H-phrases: see section 16 2.2. Label elements GHS-US labeling Hazard pictograms (GHS-US) Signal word (GHS-US) Hazard statements (GHS-US)	<ul> <li>e damage bry irritation organs through prolonged or repeated exposure</li> <li>: i i i i i i i i i i i i i i i i i i</li></ul>
Eye Dam. 1 H318 - Causes serious eye STOT SE 3 H335 - May cause respirato STOT RE 1 H372 - Causes damage to o Full text of H-phrases: see section 16 2.2. Label elements GHS-US labeling Hazard pictograms (GHS-US) Signal word (GHS-US) Hazard statements (GHS-US)	<ul> <li>e damage by irritation organs through prolonged or repeated exposure</li> <li>: i i i i i i i i i i i i i i i i i i</li></ul>
Eye Dam. 1 H318 - Causes serious eye STOT SE 3 H335 - May cause respirato STOT RE 1 H372 - Causes damage to o Full text of H-phrases: see section 16 2.2. Label elements GHS-US labeling Hazard pictograms (GHS-US) Signal word (GHS-US) Hazard statements (GHS-US)	<ul> <li>e damage bry irritation organs through prolonged or repeated exposure</li> <li>: i i i i i i i i i i i i i i i i i i</li></ul>
Eye Dam. 1 H318 - Causes serious eye STOT SE 3 H335 - May cause respirato STOT RE 1 H372 - Causes damage to o Full text of H-phrases: see section 16 2.2. Label elements GHS-US labeling Hazard pictograms (GHS-US) Signal word (GHS-US) Hazard statements (GHS-US)	<ul> <li>e damage bry irritation organs through prolonged or repeated exposure</li> <li>: is a second secon</li></ul>
Eye Dam. 1 H318 - Causes serious eye STOT SE 3 H335 - May cause respirato STOT RE 1 H372 - Causes damage to o Full text of H-phrases: see section 16 2.2. Label elements GHS-US labeling Hazard pictograms (GHS-US) Signal word (GHS-US)	<ul> <li>e damage by irritation organs through prolonged or repeated exposure</li> <li>: i i i i i i i i i i i i i i i i i i</li></ul>
Eye Dam. 1 H318 - Causes serious eye STOT SE 3 H335 - May cause respirato STOT RE 1 H372 - Causes damage to o Full text of H-phrases: see section 16 2.2. Label elements GHS-US labeling Hazard pictograms (GHS-US) Signal word (GHS-US) Hazard statements (GHS-US)	<ul> <li>e damage by irritation organs through prolonged or repeated exposure</li> <li>: is a strong of the prolonged or repeated exposure</li> <li>: is a strong of the prolonged or repeated exposure</li> <li>: is a strong of the prolonged or repeated exposure</li> <li>: is a strong of the prolonged or repeated exposure</li> <li>: is a strong of the prolonged or repeated exposure</li> <li>: is a strong of the prolonged or repeated exposure</li> <li>: is a strong of the prolonged or repeated exposure</li> <li>: is a strong of the prolonged or repeated exposure</li> <li>: provide the provide the prolonged or repeated exposure</li> <li>: Provide the provide the prolonged or repeated exposure</li> <li>: Provide the provide the provide the provide the prolong of the prolong of the provide t</li></ul>
Eye Dam. 1 H318 - Causes serious eye STOT SE 3 H335 - May cause respirato STOT RE 1 H372 - Causes damage to o Full text of H-phrases: see section 16 2.2. Label elements GHS-US labeling Hazard pictograms (GHS-US) Signal word (GHS-US) Hazard statements (GHS-US)	<ul> <li>e damage by irritation organs through prolonged or repeated exposure</li> <li>: i i i i i i i i i i i i i i i i i i</li></ul>
Eye Dam. 1 H318 - Causes serious eye STOT SE 3 H335 - May cause respirato STOT RE 1 H372 - Causes damage to o Full text of H-phrases: see section 16 2.2. Label elements GHS-US labeling Hazard pictograms (GHS-US) Signal word (GHS-US) Hazard statements (GHS-US)	<ul> <li>i damage by irritation</li> <li>organs through prolonged or repeated exposure</li> <li>i i i i i i i i i i i i i i i i i i i</li></ul>
Eye Dam. 1 H318 - Causes serious eye STOT SE 3 H335 - May cause respirato STOT RE 1 H372 - Causes damage to o Full text of H-phrases: see section 16 <b>2.2. Label elements</b> <b>GHS-US labeling</b> Hazard pictograms (GHS-US) Signal word (GHS-US) Hazard statements (GHS-US)	<ul> <li>i damage by irritation organs through prolonged or repeated exposure</li> <li>i i i i i i i i i i i i i i i i i i i</li></ul>
Eye Dam. 1 H318 - Causes serious eye STOT SE 3 H335 - May cause respirato STOT RE 1 H372 - Causes damage to o Full text of H-phrases: see section 16 <b>2.2. Label elements</b> <b>GHS-US labeling</b> Hazard pictograms (GHS-US) Signal word (GHS-US) Hazard statements (GHS-US)	<ul> <li>i damage by irritation</li> <li>organs through prolonged or repeated exposure</li> <li>i i i i i i i i i i i i i i i i i i i</li></ul>
Eye Dam. 1 H318 - Causes serious eye STOT SE 3 H335 - May cause respirato STOT RE 1 H372 - Causes damage to o Full text of H-phrases: see section 16 <b>2.2. Label elements</b> <b>GHS-US labeling</b> Hazard pictograms (GHS-US) Signal word (GHS-US) Hazard statements (GHS-US)	<ul> <li>indamage by irritation organs through prolonged or repeated exposure</li> <li>i i i i i i i i i i i i i i i i i i i</li></ul>

## 4-Acetyldiphenylmethane

### Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

P405 - Store locked up P501 - Dispose of contents/container to an approved waste disposal plant 2.3. **Other hazards** No additional information available Unknown acute toxicity (GHS US) 2.4. Not applicable **SECTION 3: Composition/information on ingredients** 3.1. Substance Substance type : Mono-constituent **Product identifier Classification (GHS-US)** Name % 4-Acetyldiphenylmethane (CAS No) 782-92-3 <= 100 Skin Irrit. 2, H315 (Main constituent) Eye Dam. 1, H318 STOT SE 3, H335 STOT RE 1, H372 Full text of H-phrases: see section 16 3.2. Mixture Not applicable **SECTION 4: First aid measures Description of first aid measures** 4.1. First-aid measures general : In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible). Move the affected personnel away from the contaminated area. First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing. If not breathing, give artificial respiration. Get medical advice/attention. First-aid measures after skin contact : Wash with plenty of soap and water. Get medical advice/attention. Immediately flush eyes thoroughly with water for at least 15 minutes. Remove contact lenses, if First-aid measures after eye contact present and easy to do. Continue rinsing. Get medical advice/attention. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse First-aid measures after ingestion mouth out with water. Get medical advice/attention. 4.2. Most important symptoms and effects, both acute and delayed Symptoms/injuries : The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11. 4.3. Indication of any immediate medical attention and special treatment needed Treat symptomatically. **SECTION 5: Firefighting measures** 5.1. Extinguishing media : Alcohol resistant foam. Carbon dioxide. Dry powder. Water spray. Use extinguishing media Suitable extinguishing media appropriate for surrounding fire. 5.2. Special hazards arising from the substance or mixture Fire hazard : Thermal decomposition generates: Carbon oxides. 5.3. **Advice for firefighters Firefighting instructions** : In case of fire: Evacuate area. Protection during firefighting : Wear gas tight chemically protective clothing in combination with self contained breathing apparatus. For further information refer to section 8: "Exposure controls/personal protection". **SECTION 6: Accidental release measures** 6.1. Personal precautions, protective equipment and emergency procedures

General measures	: Evacuate unnecessary personnel. Ensure adequate air ventilation. Do not breathe dust.
6.1.1. For non-emergency personnel Emergency procedures	: Only qualified personnel equipped with suitable protective equipment may intervene.
6.1.2. For emergency responders Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".

# 4-Acetyldiphenylmethane Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

according to Federal Register / Vol. 77, No. 58 / Monda	y, March 26, 2012 / Rules and Regulations	
6.2. Environmental precautions		
Avoid release to the environment. Notify author	rities if product enters sewers or public waters.	
6.3. Methods and material for containn	nent and cleaning up	
For containment	: Stop leak if safe to do so.	
Methods for cleaning up	: Sweep or shovel spills into appropriate container for disposal. Minimize generation of dust.	
Other information	: For disposal of solid materials or residues refer to section 13 : "Disposal considerations".	
6.4. Reference to other sections		
No additional information available		
SECTION 7: Handling and storage		
7.1. Precautions for safe handling		
Precautions for safe handling	: Do not handle until all safety precautions have been read and understood. Ensure good	
Trecaduons for sale nationing	ventilation of the work station. Do not breathe dust, mist, spray. Wear personal protective equipment. Avoid contact with skin and eyes.	
Hygiene measures	: Handle in accordance with good industrial hygiene and safety procedures. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.	
7.2. Conditions for safe storage, includ	ling any incompatibilities	
Technical measures	: Comply with applicable regulations.	
Storage conditions	: Keep container closed when not in use.	
Incompatible materials	: Refer to Section 10 on Incompatible Materials.	
Storage area	: Store in dry, cool, well-ventilated area.	
SECTION 8: Exposure controls/per	sonal protection	
8.1. Control parameters	sonal protection	
No additional information available		
8.2. Exposure controls		
Appropriate engineering controls	: Ensure good ventilation of the work station. Emergency eye wash fountains and safety showers	
	should be available in the immediate vicinity of any potential exposure.	
Hand protection	: Protective gloves. 29 CFR 1910.138: Hand Protection.	
Eye protection	: Chemical goggles or safety glasses. Face shield. 29 CFR 1910.133: Eye and Face Protection.	
Skin and body protection	: Wear suitable protective clothing.	
Respiratory protection	<ul> <li>In case of inadequate ventilation wear respiratory protection. 29 CFR 1910.134: Respiratory Protection.</li> </ul>	
Other information	: Safety shoes. 29 CFR 1910.136: Foot Protection.	
SECTION 9: Physical and chemical		
9.1. Information on basic physical and		
Physical state	: Solid	
Color	: No data available	
Odor	: No data available	
Odor threshold	: No data available	
pH	: No data available	
Melting point	: 38 - 40 °C	
Freezing point	: No data available	
Boiling point	: 188 - 190 °C (@ 5 mm Hg)	
Flash point	: No data available	
Relative evaporation rate (butyl acetate=1)	: No data available	
Flammability (solid, gas)	: No data available	
Explosion limits	: No data available	
Explosive properties	: No data available	
Oxidizing properties	: No data available	
Vapor pressure	: No data available	
Relative density	: No data available	
09/24/2018	EN (English US) SDS ID: 27171X7 3/6	

# **4-Acetyldiphenylmethane** Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Relative vapor density at 20 °C	: No data available
Molecular mass	: 210.2711 g/mol
Solubility	: No data available
Log Pow	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available

#### 9.2. Other information

### No additional information available

The product is stal <b>10.3. Possibil</b> No additional infor <b>10.4. Conditio</b> Keep away from h	mation available al stability ble at normal handling and storage conditions. Iity of hazardous reactions
10.2.ChemicThe product is stal10.3.PossibilNo additional inform10.4.ConditionKeep away from here	al stability ble at normal handling and storage conditions. Iity of hazardous reactions
The product is stal <b>10.3. Possibil</b> No additional infor <b>10.4. Conditio</b> Keep away from h	ble at normal handling and storage conditions. Iity of hazardous reactions
10.3.PossibilNo additional inform10.4.ConditionKeep away from here	lity of hazardous reactions
No additional information <b>10.4.</b> Condition Keep away from he	•
<b>10.4.</b> Condition Keep away from h	mation available
Keep away from h	
	ons to avoid
10.5. Incompa	eat, sparks and flame.
	atible materials
Strong bases. Stro	ong oxidizing agents. Strong reducing agents.
10.6. Hazardo	bus decomposition products
Under normal cond fire, see Section 5.	ditions of storage and use, hazardous decomposition products should not be produced. Hazardous decomposition products in case of .

SECTION 11: Toxicological information		
11.1. Information on toxicological effects		
Acute toxicity	: Not classified	
Skin corrosion/irritation	: Causes skin irritation.	
Serious eye damage/irritation	: Causes serious eye damage.	
Respiratory or skin sensitization	: Not classified	
Germ cell mutagenicity	: Not classified	
Carcinogenicity	: Not classified	
Reproductive toxicity	: Not classified	
Specific target organ toxicity (single exposure)	: May cause respiratory irritation.	
Specific target organ toxicity (repeated exposure)	: Causes damage to organs through prolonged or repeated exposure.	
Aspiration hazard	: Not classified	

SECTION 12: Ecological information				
12.1.	Toxicity			
No add	itional information available			
12.2.	Persistence and degradability			
No add	itional information available			
12.3.	Bioaccumulative potential			
No add	itional information available			
12.4.	Mobility in soil			
No add	itional information available			
09/24/20	018	EN (English US)	SDS ID: 27171X7	4/6

## 4-Acetyldiphenylmethane

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

#### Other adverse effects 12.5.

No additional information available

SECTION 13: Disposal consideration	ons	
13.1. Waste treatment methods		
Waste treatment methods	: Remove to an authorized incinerator equipped with an	afterburner and a flue gas scrubber.
Waste disposal recommendations	: Dispose of contents/container in accordance with licer	sed collector's sorting instructions.
Additional information	: Recycle the material as far as possible.	
<b>SECTION 14: Transport information</b>	1	
Department of Transportation (DOT)		
In accordance with DOT		
Not regulated for transport		
TDG		
No additional information available		
Transport by sea		
No additional information available		
Air transport		
No additional information available		
<b>SECTION 15: Regulatory informatic</b>	on	
15.1. US Federal regulations		
	xcluded from listing, on the United States Environmental Procept for:	otection Agency Toxic
All components of this product are listed, or early a second seco		otection Agency Toxic
All components of this product are listed, or ex Substances Control Act (TSCA) inventory exc 4-Acetyldiphenylmethane This product or mixture does not contain a tox	cept for:	100% imis concentration as specified in 40
All components of this product are listed, or ex Substances Control Act (TSCA) inventory exc 4-Acetyldiphenylmethane This product or mixture does not contain a tox CFR §372.38(a) subject to the reporting requi	cept for: CAS No 782-92-3 kic chemical or chemicals in excess of the applicable de min	100% imis concentration as specified in 40
All components of this product are listed, or ex Substances Control Act (TSCA) inventory exc 4-Acetyldiphenylmethane This product or mixture does not contain a tox CFR §372.38(a) subject to the reporting requi and 40 CFR Part 372.	cept for: CAS No 782-92-3 kic chemical or chemicals in excess of the applicable de min	100% imis concentration as specified in 40
All components of this product are listed, or ex Substances Control Act (TSCA) inventory exc 4-Acetyldiphenylmethane This product or mixture does not contain a tox CFR §372.38(a) subject to the reporting requi and 40 CFR Part 372. <b>15.2. International regulations</b> <b>CANADA</b> No additional information available <b>EU-Regulations</b>	cept for: CAS No 782-92-3 kic chemical or chemicals in excess of the applicable de min	100% imis concentration as specified in 40
All components of this product are listed, or ex Substances Control Act (TSCA) inventory exc 4-Acetyldiphenylmethane This product or mixture does not contain a tox CFR §372.38(a) subject to the reporting requi and 40 CFR Part 372. <b>15.2. International regulations</b> <b>CANADA</b> No additional information available	cept for: CAS No 782-92-3 kic chemical or chemicals in excess of the applicable de min	100% imis concentration as specified in 40
All components of this product are listed, or ex Substances Control Act (TSCA) inventory exc 4-Acetyldiphenylmethane This product or mixture does not contain a tox CFR §372.38(a) subject to the reporting requi and 40 CFR Part 372. <b>15.2. International regulations</b> <b>CANADA</b> No additional information available <b>EU-Regulations</b>	cept for: CAS No 782-92-3 kic chemical or chemicals in excess of the applicable de min	100% imis concentration as specified in 40
All components of this product are listed, or ex Substances Control Act (TSCA) inventory exc 4-Acetyldiphenylmethane This product or mixture does not contain a tox CFR §372.38(a) subject to the reporting requi and 40 CFR Part 372. <b>15.2. International regulations</b> <b>CANADA</b> No additional information available <b>EU-Regulations</b> No additional information available <b>National regulations</b>	cept for: CAS No 782-92-3 kic chemical or chemicals in excess of the applicable de min	100% imis concentration as specified in 40

### **SECTION 16: Other information**

Full text of H-phrases:

Eye Dam. 1	Serious eye damage/eye irritation Category 1
Skin Irrit. 2	Skin corrosion/irritation Category 2
STOT RE 1	Specific target organ toxicity (repeated exposure) Category 1
STOT SE 3	Specific target organ toxicity (single exposure) Category 3
H315	Causes skin irritation
H318	Causes serious eye damage
H335	May cause respiratory irritation
H372	Causes damage to organs through prolonged or repeated exposure

## 4-Acetyldiphenylmethane

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

NFPA health hazard	: 2 - Intense or continued exposure could cause temporary incapacitation or possible residual injury unless prompt medical attention is given.
NFPA fire hazard	: 0 - Materials that will not burn.
NFPA reactivity	: 0 - Normally stable, even under fire exposure conditions, and are not reactive with water.
HMIS III Rating	
Health	: 2 Moderate Hazard - Temporary or minor injury may occur
Flammability	: 0 Minimal Hazard - Materials that will not burn
Physical	: 0 Minimal Hazard - Materials that are normally stable, even under fire conditions, and will NOT react with water, polymerize, decompose, condense, or self-react. Non-Explosives.

SDS US (GHS HazCom 2012)

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is offered solely for your consideration, investigation, and verification. It does not represent any guarantee of the properties of the product nor that the hazard precautions or procedures described are the only ones which exist. SynQuest shall not be held liable or any damage resulting from handling or from contact with the above product.