

2-Fluoro-4-(methylsulfonyl)aniline Safety Data Sheet 86693X1 according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Date of issue: 04/04/2016 Version: 1.0

Signal word (GHS-US) Hazard statements (GHS-US) Precautionary statements (GHS-US)	 GHS07 Warning H315 - Causes skin irritation H319 - Causes serious eye irritation H335 - May cause respiratory irritation P261 - Avoid breathing dust, mist, spray P264 - Wash skin thoroughly after handling P271 - Use only outdoors or in a well-ventilated area P280 - Wear protective gloves/protective clothing/eye protecti P302+P352 - If on skin: Wash with plenty of soap and water P304+P340 - If inhaled: Remove person to fresh air and keep P305+P351+P338 - If in eyes: Rinse cautiously with water for lenses, if present and easy to do. Continue rinsing P312 - Call a POISON CENTER or doctor/physician if you fee P321 - Specific treatment (see supplemental first aid instructio P332+P313 - If skin irritation occurs: Get medical advice/atter P337+P313 - If eye irritation persists: Get medical advice/atter P362+P364 - Take off contaminated clothing and wash it befor P403+P233 - Store in a well-ventilated place. Keep container 	comfortable for breathing several minutes. Remove contact I unwell ons on this label) tion ntion re reuse
Hazard statements (GHS-US)	 Warning H315 - Causes skin irritation H319 - Causes serious eye irritation H335 - May cause respiratory irritation P261 - Avoid breathing dust, mist, spray P264 - Wash skin thoroughly after handling P271 - Use only outdoors or in a well-ventilated area P280 - Wear protective gloves/protective clothing/eye protecti P302+P352 - If on skin: Wash with plenty of soap and water P304+P340 - If inhaled: Remove person to fresh air and keepp P305+P351+P338 - If in eyes: Rinse cautiously with water for lenses, if present and easy to do. Continue rinsing P312 - Call a POISON CENTER or doctor/physician if you fee P321 - Specific treatment (see supplemental first aid instruction 	comfortable for breathing several minutes. Remove contact I unwell ons on this label)
Hazard statements (GHS-US)	 Warning H315 - Causes skin irritation H319 - Causes serious eye irritation H335 - May cause respiratory irritation P261 - Avoid breathing dust, mist, spray P264 - Wash skin thoroughly after handling P271 - Use only outdoors or in a well-ventilated area P280 - Wear protective gloves/protective clothing/eye protecti P302+P352 - If on skin: Wash with plenty of soap and water P304+P340 - If inhaled: Remove person to fresh air and keep P305+P351+P338 - If in eyes: Rinse cautiously with water for lenses, if present and easy to do. Continue rinsing 	comfortable for breathing several minutes. Remove contact
Hazard statements (GHS-US)	 Warning H315 - Causes skin irritation H319 - Causes serious eye irritation H335 - May cause respiratory irritation P261 - Avoid breathing dust, mist, spray P264 - Wash skin thoroughly after handling P271 - Use only outdoors or in a well-ventilated area P280 - Wear protective gloves/protective clothing/eye protecti P302+P352 - If on skin: Wash with plenty of soap and water P304+P340 - If inhaled: Remove person to fresh air and keep P305+P351+P338 - If in eyes: Rinse cautiously with water for 	comfortable for breathing
Hazard statements (GHS-US)	 Warning H315 - Causes skin irritation H319 - Causes serious eye irritation H335 - May cause respiratory irritation P261 - Avoid breathing dust, mist, spray P264 - Wash skin thoroughly after handling P271 - Use only outdoors or in a well-ventilated area P280 - Wear protective gloves/protective clothing/eye protecti P302+P352 - If on skin: Wash with plenty of soap and water 	
Hazard statements (GHS-US)	 Warning H315 - Causes skin irritation H319 - Causes serious eye irritation H335 - May cause respiratory irritation P261 - Avoid breathing dust, mist, spray P264 - Wash skin thoroughly after handling P271 - Use only outdoors or in a well-ventilated area 	on/face protection
Hazard statements (GHS-US)	 Warning H315 - Causes skin irritation H319 - Causes serious eye irritation H335 - May cause respiratory irritation P261 - Avoid breathing dust, mist, spray 	
Hazard statements (GHS-US)	 Warning H315 - Causes skin irritation H319 - Causes serious eye irritation H335 - May cause respiratory irritation 	
0 ()	: Warning : H315 - Causes skin irritation	
Signal word (GHS-US)		
	GHS07	
Hazard pictograms (GHS-US)		
GHS-US labeling		
2.2. Label elements		
Full text of H-phrases: see section 16		
Eye Irrit. 2A H319 - Causes serious eye ir STOT SE 3 H335 - May cause respiratory		
Skin Irrit. 2 H315 - Causes skin irritation		
Classification (GHS-US)		
2.1. Classification of the substance of		
SECTION 2: Hazard(s) identification	on	
Emergency number	: (844) 523-4086 (3E Company - Account 10069)	
Initiality of the strategy of the strat		
T (386) 462-0788 - F (386) 462-7097 info@synguestlabs.com - www.synguestlabs		
P.O. Box 309 Alachua, FL 32615 - United States of Americ	a	
SynQuest Laboratories, Inc.		
1.3. Details of the supplier of the safe		
	Manufacture of substances Scientific research and development	
Use of the substance/mixture	: Laboratory chemicals	
1.2. Relevant identified uses of the s	ubstance or mixture and uses advised against	
Other means of identification	: MFCD06800756	
Formula	: C7H8FNO2S	
	: 832755-13-2 : 8669-3-X1	
	: 2-Fluoro-4-(methylsulfonyl)aniline	
Substance name CAS No Product code		
CAS No	: Substance	

2-Fluoro-4-(methylsulfonyl)aniline Safety Data Sheet

nday March 26, 2012 / Pul nd Regulatio

2.3. Other hazards				
lo additional information available				
.4. Unknown acute toxicity (GHS U	5)			
lot applicable				
SECTION 3: Composition/informa	tion on ingredier	nts		
3.1. Substance				
Substance type	: Mono-constitue	ent		
Name	Produc	t identifier	%	Classification (GHS-US)
2-Fluoro-4-(methylsulfonyl)aniline		832755-13-2	<= 100	Skin Irrit. 2, H315
(Main constituent)	(112112)			Eye Irrit. 2A, H319 STOT SE 3, H335
Full text of H-phrases: see section 16				
3.2. Mixture				
Not applicable				
SECTION 4: First aid measures				
1.1. Description of first aid measure				
First-aid measures general		dent or if you feel unwell, e). Move the affected pers		immediately (show the label contaminated area.
First-aid measures after inhalation		n to fresh air and keep co t medical advice/attentior		ng. If not breathing, give artificial
First-aid measures after skin contact	•	nty of soap and water. Ge		
First-aid measures after eye contact	present and ea	isy to do. Continue rinsing	g. Get medical advice	
First-aid measures after ingestion		e vomiting. Never give an water. Get medical advic	, , ,	n unconscious person. Rinse
4.2. Most important symptoms and e	ffects, both acute an	d delayed		
Symptoms/injuries	: The most impo 2.2) and/or in s	,	nd effects are describ	ed in the labelling (see section
4.3. Indication of any immediate me	lical attention and sp	ecial treatment needed		
Freat symptomatically.				
	S			
SECTION 5: Firefighting measure	S			
SECTION 5: Firefighting measure	: Alcohol resista		Dry powder. Water s	pray. Use extinguishing media
SECTION 5: Firefighting measure 5.1. Extinguishing media Suitable extinguishing media	: Alcohol resista appropriate for	surrounding fire.	Dry powder. Water s	pray. Use extinguishing media
SECTION 5: Firefighting measure 5.1. Extinguishing media Suitable extinguishing media 5.2. Special hazards arising from the	: Alcohol resista appropriate for substance or mixtur	surrounding fire. e		pray. Use extinguishing media n fluoride. Nitrogen oxides. Sulfur
SECTION 5: Firefighting measure 5.1. Extinguishing media Suitable extinguishing media 5.2. Special hazards arising from the Fire hazard	: Alcohol resista appropriate for substance or mixtur : Thermal decon	surrounding fire. e		
SECTION 5: Firefighting measure 5.1. Extinguishing media Suitable extinguishing media 5.2. Special hazards arising from the Fire hazard 5.3. Advice for firefighters	: Alcohol resista appropriate for substance or mixtur : Thermal decon	surrounding fire. e nposition generates: Cart		
Suitable extinguishing media 5.2. Special hazards arising from the Fire hazard	 Alcohol resista appropriate for substance or mixtur Thermal decon oxides. In case of fire: Wear gas tight 	surrounding fire. e nposition generates: Carb Evacuate area. chemically protective clo	bon oxides. Hydroger	
SECTION 5: Firefighting measure 5.1. Extinguishing media Suitable extinguishing media 5.2. Special hazards arising from the Fire hazard 5.3. Advice for firefighters Firefighting instructions Protection during firefighting SECTION 6: Accidental release measure	 Alcohol resista appropriate for substance or mixtur Thermal decon oxides. In case of fire: Wear gas tight apparatus. For 	surrounding fire. e nposition generates: Carb Evacuate area. chemically protective clo further information refer	bon oxides. Hydroger	fluoride. Nitrogen oxides. Sulfur
SECTION 5: Firefighting measure 5.1. Extinguishing media Suitable extinguishing media 5.2. Special hazards arising from the Fire hazard 5.3. Advice for firefighters Firefighting instructions Protection during firefighting SECTION 6: Accidental release measure	 Alcohol resista appropriate for substance or mixtur Thermal decon oxides. In case of fire: Wear gas tight apparatus. For 	surrounding fire. e nposition generates: Carb Evacuate area. chemically protective clo further information refer	bon oxides. Hydroger	fluoride. Nitrogen oxides. Sulfur
SECTION 5: Firefighting measure 5.1. Extinguishing media Suitable extinguishing media 5.2. Special hazards arising from the Fire hazard 5.3. Advice for firefighters Firefighting instructions Protection during firefighting SECTION 6: Accidental release measure 5.1. Personal precautions, protective	 Alcohol resista appropriate for substance or mixtur Thermal deconoxides. In case of fire: Wear gas tight apparatus. For easures equipment and eme 	surrounding fire. e nposition generates: Cart Evacuate area. chemically protective clo further information refer	bon oxides. Hydroger thing in combination to section 8: "Exposu	fluoride. Nitrogen oxides. Sulfur
SECTION 5: Firefighting measure 5.1. Extinguishing media Suitable extinguishing media 5.2. Special hazards arising from the Fire hazard 5.3. Advice for firefighters Firefighting instructions Protection during firefighting SECTION 6: Accidental release measures 5.1. Personal precautions, protective General measures	 Alcohol resista appropriate for substance or mixtur Thermal deconoxides. In case of fire: Wear gas tight apparatus. For easures equipment and eme 	surrounding fire. e nposition generates: Cart Evacuate area. chemically protective clo further information refer	bon oxides. Hydroger thing in combination to section 8: "Exposu	o fluoride. Nitrogen oxides. Sulfur with self contained breathing re controls/personal protection".
SECTION 5: Firefighting measure 5.1. Extinguishing media Suitable extinguishing media 5.2. Special hazards arising from the Fire hazard 5.3. Advice for firefighters Firefighting instructions Protection during firefighting SECTION 6: Accidental release measures 5.1. For non-emergency personnel	 Alcohol resista appropriate for substance or mixtur Thermal deconoxides. In case of fire: Wear gas tight apparatus. For easures equipment and eme Evacuate unne 	surrounding fire. e nposition generates: Cart Evacuate area. chemically protective clo further information refer	oon oxides. Hydroger thing in combination to section 8: "Exposu re adequate air venti	ation. Do not breathe dust.
SECTION 5: Firefighting measure 5.1. Extinguishing media Suitable extinguishing media 5.2. Special hazards arising from the Fire hazard 5.3. Advice for firefighters Firefighting instructions Protection during firefighting SECTION 6: Accidental release m 5.1. Personal precautions, protective General measures 5.1.1. For non-emergency personnel Emergency procedures	 Alcohol resista appropriate for substance or mixtur Thermal deconoxides. In case of fire: Wear gas tight apparatus. For easures equipment and eme Evacuate unne 	surrounding fire. e nposition generates: Carb Evacuate area. chemically protective clo further information refer rgency procedures ecessary personnel. Ensu	oon oxides. Hydroger thing in combination to section 8: "Exposu re adequate air venti	ation. Do not breathe dust.
SECTION 5: Firefighting measure 5.1. Extinguishing media Suitable extinguishing media 5.2. Special hazards arising from the Fire hazard 5.3. Advice for firefighters Firefighting instructions Protection during firefighting SECTION 6: Accidental release m 6.1. Personal precautions, protective General measures 6.1.1. For non-emergency personnel Emergency procedures	 Alcohol resista appropriate for substance or mixtur Thermal deconoxides. In case of fire: Wear gas tight apparatus. For easures equipment and eme Evacuate unnes Only qualified point Do not attempt 	surrounding fire. e nposition generates: Cart Evacuate area. chemically protective clo further information refer to rgency procedures accessary personnel. Ensu bersonnel equipped with s	pon oxides. Hydroger thing in combination to section 8: "Exposu re adequate air venti suitable protective equi	ation. Do not breathe dust.

2-Fluoro-4-(methylsulfonyl)aniline

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

6.3. Methods and material for	containment and cleaning up
For containment	: Stop leak if safe to do so.
Methods for cleaning up	: Sweep or shovel spills into appropriate container for disposal. Minimize generation of dust.
Other information	: For disposal of solid materials or residues refer to section 13 : "Disposal considerations".
6.4. Reference to other sectio	ns
No additional information available	
SECTION 7: Handling and st	torage
7.1. Precautions for safe hand	lling
Precautions for safe handling	Do not handle until all safety precautions have been read and understood. Ensure good ventilation of the work station. Do not breathe dust, mist, spray. Wear personal protective equipment. Avoid contact with skin and eyes.
Hygiene measures	: Handle in accordance with good industrial hygiene and safety procedures. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.
7.2. Conditions for safe storage	ge, including any incompatibilities
Technical measures	: Comply with applicable regulations.
Storage conditions	: Keep container closed when not in use.
Incompatible materials	: Refer to Section 10 on Incompatible Materials.
Storage area	: Store in dry, cool, well-ventilated area.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No additional information available

8.2. Exposure controls	
Appropriate engineering controls	: Ensure good ventilation of the work station. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.
Hand protection	: Protective gloves. 29 CFR 1910.138: Hand Protection.
Eye protection	: Chemical goggles or safety glasses. Face shield. 29 CFR 1910.133: Eye and Face Protection.
Skin and body protection	: Wear suitable protective clothing.
Respiratory protection	: In case of inadequate ventilation wear respiratory protection. 29 CFR 1910.134: Respiratory Protection.
Other information	: Safety shoes. 29 CFR 1910.136: Foot Protection.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical a	Ind chemical properties
Physical state	: Solid
Color	: No data available
Odor	: No data available
Odor threshold	: No data available
рН	: No data available
Melting point	: 145 - 147 °C
Freezing point	: No data available
Boiling point	: No data available
Flash point	: No data available
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability (solid, gas)	: No data available
Explosion limits	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available
Vapor pressure	: No data available
Relative density	: No data available
Relative vapor density at 20 °C	: No data available
Molecular mass	: 189.21 g/mol

2-Fluoro-4-(methylsulfonyl)aniline Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and

according to Federal Register / Vol. 77, No. 58 / Monday,	
Solubility	: No data available
Log Pow	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
9.2. Other information	
No additional information available	
SECTION 10: Stability and reactivity	
10.1. Reactivity	
No additional information available	
10.2. Chemical stability	
The product is stable at normal handling and sto	rage conditions.
10.3. Possibility of hazardous reactions	
No additional information available	
10.4. Conditions to avoid	
Keep away from heat, sparks and flame.	
10.5. Incompatible materials	
Strong oxidizing agents.	
10.6. Hazardous decomposition products	
Under normal conditions of storage and use, haz fire, see Section 5.	zardous decomposition products should not be produced. Hazardous decomposition products in case of
SECTION 11: Toxicological informat	ion
11.1. Information on toxicological effects	
Acute toxicity	: Not classified
Skin corrosion/irritation	: Causes skin irritation.
Serious eye damage/irritation	: Causes serious eye irritation.
Respiratory or skin sensitization	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
Specific target organ toxicity (single exposure)	: May cause respiratory irritation.
Specific target organ toxicity (repeated exposure)	: Not classified
Aspiration hazard	: Not classified
SECTION 12: Ecological information	

12.1.	Toxicity			
No add	itional information available			
12.2.	Persistence and degradability			
No add	itional information available			
12.3.	Bioaccumulative potential			
No add	itional information available			
12.4.	Mobility in soil			
No add	itional information available			
12.5.	Other adverse effects			
No add	itional information available			
12/08/20	16	EN (English US)	SDS ID: 86693X1	4/6

2-Fluoro-4-(methylsulfonyl)aniline

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 13: Disposal consideration	ons
13.1. Waste treatment methods	
Waste treatment methods	: Remove to an authorized incinerator equipped with an afterburner and a flue gas scrubber.
Waste disposal recommendations	: Dispose of contents/container in accordance with licensed collector's sorting instructions.
Additional information	: Recycle the material as far as possible.

SECTION 14: Transport information

Department of Transportation (DOT)

In accordance with DOT Not regulated for transport

TDG

No additional information available

Transport by sea

No additional information available

Air transport

No additional information available

SECTION 15: Regulatory information

15.1. US Federal regulations

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory except for:

2-Fluoro-4-(methylsulfonyl)aniline	CAS No 832755-13-2	100%

This product or mixture does not contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

15.2. International regulations

CANADA

No additional information available

EU-Regulations

No additional information available

National regulations

No additional information available

15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer and/or reproductive harm

SECTION 16: Other information

Full text of H-phrases:

Eye Irrit. 2A	Serious eye damage/eye irritation Category 2A
Skin Irrit. 2	Skin corrosion/irritation Category 2
STOT SE 3	Specific target organ toxicity (single exposure) Category 3
H315	Causes skin irritation
H319	Causes serious eye irritation
H335	May cause respiratory irritation

2-Fluoro-4-(methylsulfonyl)aniline

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

NFPA health hazard	: 3 - Short exposure could cause serious temporary or residual injury even though prompt medical attention was given.
NFPA fire hazard	: 0 - Materials that will not burn.
NFPA reactivity	: 0 - Normally stable, even under fire exposure conditions, and are not reactive with water.
HMIS III Rating	
Health	: 2 Moderate Hazard - Temporary or minor injury may occur
Flammability	: 0 Minimal Hazard - Materials that will not burn
Physical	: 0 Minimal Hazard - Materials that are normally stable, even under fire conditions, and will NOT react with water, polymerize, decompose, condense, or self-react. Non-Explosives.

SDS US (GHS HazCom 2012)

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is offered solely for your consideration, investigation, and verification. It does not represent any guarantee of the properties of the product nor that the hazard precautions or procedures described are the only ones which exist. SynQuest shall not be held liable or any damage resulting from handling or from contact with the above product.