

Revision number: 3 Revision date: 08/15/2016

# 1. IDENTIFICATION

Product name: Product code: Hydroxylamine Sulfate H0196

For laboratory research purposes.

Not for drug or household use.

**TCI AMERICA** 

SAFETY DATA SHEET

Emergency telephone number:

Transportation Emergencies:

+1-703-527-3887 (International)

Environmental Health Safety and Security

**Responsible department:** 

TCI America (8:00am - 5:00pm) PST

Chemical Emergencies:

+1-503-286-7624

Chemtrec 24-Hour +1-800-424-9300 (U.S.A.)

+1-503-286-7624

**TCI** America

Product use: Restrictions on use:


#### Company:

TCI America 9211 N. Harborgate Street Portland, OR 97203 U.S.A. Telephone: +1-800-423-8616 / +1-503-283-1681 Fax: +1-888-520-1075 / +1-503-283-1987 e-mail: sales-US@TCIchemicals.com www.TCIchemicals.com

# 2. HAZARD(S) IDENTIFICATION

2. HAZARD(S) IDENTIFICATION	
OSHA Haz Com: CFR 1910.1200:	Acute Toxicity - Oral [Category 4] Acute Toxicity - Dermal [Category 4] Skin Corrosion/Irritation [Category 2] Eye Damage/Irritation [Category 2A] Sensitization - Skin [Category 1] Carcinogenicity [Category 2] Specific Target Organ Toxicity (Single Exposure) [Category 1] Specific Target Organ Toxicity (Single Exposure) [Category 2] Specific Target Organ Toxicity (Repeated Exposure) [Category 2] Corrosive to Metals [Category 1] Aquatic Hazard (Acute) [Category 1]
Signal word:	Danger!
Hazard Statement(s):	Causes serious eye irritation Causes skin irritation Harmful if swallowed Harmful in contact with skin May be corrosive to metals May cause an allergic skin reaction Suspected of causing cancer Very toxic to aquatic life Causes damage to: Blood May cause damage to organs: Central Nervous System May cause damage to organs: Hematopoietic System through prolonged or repeated exposure.

Pictogram(s) or Symbol(s):



Precautionary Statement(s): [Prevention]

Do not eat, drink or smoke when using this product. Wash hands and face thoroughly after handling. Wear protective gloves and protective clothing. Wear protective gloves. Wear eye and face protection. Avoid breathing dusts or mists. Contaminated work clothing must not be allowed out of the workplace. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wear protective gloves, protective clothing, eye protection and face protection. Do not breathe dusts or mists. Wash all exposed skin thoroughly after handling. Keep only in original container.

# 2. HAZARD(S) IDENTIFICATION [Response] If swallowed: Immediately call a poison center or doctor. Rinse mouth. If on skin: Wash with plenty of water. Call a poison center or doctor if you feel unwell. Take off contaminated clothing and wash it before reuse. If skin irritation or rash occurs: Get medical advice/attention. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice or attention. If skin irritation occurs: Get medical advice/attention. Wash contaminated clothing before reuse. If exposed or concerned: Get medical advice or attention. If exposed: Call a poison center or doctor. If exposed or concerned: Call a poison center or doctor. Get medical advice or attention if you feel unwell. Absorb spillage to prevent material damage. [Storage] Store locked up. Store in corrosive resistant container with a resistant inner liner. [Disposal] Dispose of contents and container in accordance with US EPA guidelines for the classification and determination of hazardous waste listed in 40 CFR 261.3. (See Section 13)

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance/Mixture: Components: Percent: CAS Number: Molecular Weight: Chemical Formula: Synonyms:	Substance Hydroxylamine Sulfate > $98.0\%(T)$ 10039-54-0 164.13 H <sub>6</sub> N <sub>2</sub> O <sub>2</sub> ·H <sub>2</sub> SO <sub>4</sub> Hydroxylammonium Sulfate
4. FIRST-AID MEASURES	
Inhalation:	May cause coughing, difficult breathing and nausea. Call emergency medical service. Effects of exposure (inhalation) to substance may be delayed. Inhalation of vapors or contact with substance will result in contamination and potential harmful effects. Move victim to fresh air. Give artificial respiration if victim is not breathing. Administer oxygen if breathing is difficult. Keep victim warm and quiet. Treat symptomatically and supportively. Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves.
Skin contact:	Call a poison center or doctor if you feel unwell. Effects of exposure (skin contact) to substance may be delayed. Remove and wash contaminated clothing before re-use. Remove and isolate contaminated clothing and shoes. In case of contact with substance, immediately flush skin with running water for at least 20 minutes. Treat symptomatically and supportively. Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves.
Eye contact:	IMMEDIATELY flush eyes with running water for at least 15 minutes, keeping eyelids open. Contact with material may irritate or burn eyes. Call emergency medical service. Move victim to fresh air. Check for and remove any contact lenses. Keep victim warm and quiet. Treat symptomatically and supportively. Effects of exposure to substance may be delayed. Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves.
Ingestion:	Harmful if swallowed. Do not induce vomiting with out medical advice. Effects of exposure (ingestion) to substance may be delayed. Call a physician or Poison Control Center immediately. Do not use mouth-to-mouth method if victim ingested the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Loosen tight clothing such as a collar, tie, belt or waistband. If a person vomits place them in the recovery position so that vomit will not reenter the mouth and throat. Rinse mouth. Keep victim warm and quiet. Treat symptomatically and supportively. Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves.
Symptoms/effects:	
Acute: Delayed:	Redness. May cause skin sensitization.
Immediate medical attention:	WARNING: It might be hazardous to the person providing aid to give mouth-to-mouth respiration, because the inhaled material is harmful. CAUTION: Victim may be a source of contamination. If breathing has stopped, perform artificial respiration. Use first aid treatment according to the nature of the injury. Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves.
5. FIRE-FIGHTING MEASURES	
Suitable extinguishing media:	Dry chemical, $CO_2$ , water spray, or alcohol-resistant foam. Consult with local fire authorities before attempting large scale fire fighting operations

attempting large scale fire fighting operations.

Specific hazards arising from the chemical

### 5. FIRE-FIGHTING MEASURES

Hazardous combustion	products:
Other specific hazards:	

These products include: Nitrogen oxides Sulfur oxides Closed containers may explode from heat of a fire.

#### Special precautions for fire-fighters:

Use water spray or fog; do not use straight streams. Dike fire-control water for later disposal; do not scatter the material. Containers may explode when heated. Move containers from fire area if you can do it without risk.

#### Special protective equipment for fire-fighters:

Wear positive pressure self-contained breathing apparatus (SCBA). Structural fire fighters' protective clothing provides limited protection in fire situations ONLY; it may not be effective in spill situations. Wear chemical protective clothing which is specifically recommended by the manufacturer. It may provide little or no thermal protection.

#### 6. ACCIDENTAL RELEASE MEASURES

Personal precautions:	Avoid contact with skin, eyes, and clothing. Keep people away from and upwind of spill/leak. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing (Section 8). Warn unnecessary personnel to move away. Stop leak if you can do it without risk. Ensure adequate ventilation. Isolate the hazard area and deny entry to unnecessary and unprotected personnel.
Personal protective equipment:	Wear eye protection (splash goggles) and face protection (full length face shield). Wear protective clothing (chemical resistant suit and chemical resistant boots). Dust respirator. Be sure to use a MSHA/NIOSH approved respirator or equivalent. Wear protective gloves (nitrile).
Emergency procedures:	Prevent dust cloud. Do not clean-up or dispose except under supervision of a specialist. In case of a spill and/or a leak, always shut off any sources of ignition, ventilate the area, and excercise caution. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Warn personnel to move away. Prevent entry into sewers, basements or confined areas; dike if needed.

#### Methods and materials for containment and cleaning up:

ELIMINATE all ignition sources (no smoking, flares, sparks, or flames in immediate area). Stop leak if without risk. Absorb with an inert material and put the spilled material in an appropriate waste disposal container. Use clean non-sparking tools to collect absorbed material. Dike far ahead of spill; use dry sand to contain the flow of material. Ventilate the area.

#### **Environmental precautions:**

Keep away from living quarters. Environmental hazard. Do not let product enter drains. Prevent further leakage or spillage if safe to do so. Water runoff can cause environmental damage. Prevent entry into sewers, basements or confined areas; dike if needed.

7. HANDLING AND STORAGE	
Precautions for safe handling:	Avoid inhalation of vapor or mist. Manipulate under an adequate fume hood. Do not ingest. Avoid contact with skin and eyes. Avoid contact with skin. Avoid exposure - obtain special instructions before use. Avoid prolonged or repeated exposure. Normal measures for preventive fire protection. May corrode metallic surfaces. Good general ventilation should be sufficient to control airborne levels. Keep container dry. Handle and open container with care. Wear suitable protective clothing, gloves and eye/face protection. When using do not eat, drink, or smoke. Keep away from sources of ignition.
Conditions for safe storage:	Store locked up. Keep containers tightly closed in a cool, well-ventilated place. Store in corrosive resistant container with a resistant inner liner. Keep away from incompatibles. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Avoid prolonged storage periods. Store under inert gas (e.g. Argon). Hygroscopic material, store in a tightly sealed container.
Storage incompatibilities:	Bases, Store away from oxidizing agents

### 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure limits: No data available

#### Appropriate engineering controls:

Handle only in a fully enclosed system and equipment. Good general ventilation should be sufficient to control airborne levels. Ventilation is normally required when handling or using this product. Eyewash fountains should be provided in areas where there is any possibility that workers could be exposed to the substance. Follow safe industrial engineering/laboratory practices when handling any chemical.

Personal protective equipment	
Respiratory protection:	Dust respirator. Be sure to use a MSHA/NIOSH approved respirator or equivalent.
Hand protection:	Nitrile gloves.
Eye protection:	Safety glasses.
Skin and body protection:	Lab coat.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state (20°C):	Solid
Form:	Crystal - Powder
Color:	White
Odor:	No data available

#### Page 4 of 6

# 9. PHYSICAL AND CHEMICAL PROPERTIES

Odor threshold:	No data available		
Melting point/freezing point:	170°C (338°F)	pH:	No data available
Boiling point/range:	No data available	Vapor pressure:	No data available
Decomposition temperature:	No data available	Vapor density:	No data available
Relative density:	No data available	Dynamic Viscosity:	No data available
Kinematic Viscosity:	No data available		
Partition coefficient: n-octanol/water (log P <sub>ow</sub> )	No data available	Evaporation rate: (Butyl Acetate = 1)	No data available
Flash point:	No data available	Autoignition temper	rature: No data available
Flammability (solid, gas):	No data available	Flammability or explosive limits:	
		Lower:	No data available
		Upper:	No data available
Solubility(ies):			

Solubility(ies): Water: Soluble (63.7g/100mL, 25°C) Insoluble: Alcohols

# 10. STABILITY AND REACTIVITY

Reactivity:	Corrodes in contact with metals.
Chemical Stability:	Stable under recommended storage conditions. (See Section 7)
Possibility of Hazardous Reactions:	No hazardous reactivity has been reported.
Conditions to avoid:	Avoid excessive heat and light.
Incompatible materials:	Oxidizing agents
Hazardous Decomposition Products:	No data available

# **11. TOXICOLOGICAL INFORMATION**

#### RTECS Number: NC5425000

Acute Toxicity: orl-rat LD50:842 mg/kg

Skin corrosion/irritation: No data available

Serious eye damage/irritation: No data available

Respiratory or skin sensitization: No data available

Germ cell mutagenicity: cyt-dmg-orl 5000 ppm

#### Carcinogenicity:

No data available

IARC: No data available

Reproductive toxicity: No data available

Routes of Exposure:

Inhalation, Eye contact, Ingestion, Skin contact.

NTP:

# Symptoms related to exposure:

Overexposure may result in serious illness or death. Skin contact may result in inflammation; characterized by itching, scaling, reddening, or occasionally blistering. Skin contact may result in redness, pain or dry skin. Eye contact may result in redness or pain. Skin contact may result in sensitization. Readily absorbed through skin. Potential Health Effects:

No data available

skn-rbt LDLo:100 mg/kg

OSHA:

No data available

Skin and eye contact may result in irritation. Target organ(s):

Causes damage to: Blood May cause damage to organs: Central Nervous System May cause damage to organs: Hematopoietic System through prolonged or repeated exposure.

Fish:						
	Ecotoxicity Fish		mg/L (Pimephales promelas)			
Crustacea: Algae: Persistence and degradability: Bioaccumulative potential (BCF):		No data available				
			g/L (Scenedesmus subspicatus)			
		No data available	9			
		No data available	No data available			
Nobillity in soil:		No data available	9			
Partition coefficie		No data available	e			
n-octanol/water (			_			
Soil adsorption (	Koc):	No data available No data available				
lenry's Law: constant (PaM <sup>3</sup> /n	nol)		5			
	CONSIDERATIONS					
Disposal of prod		Recycle to proce	ss if possible. It is the generator	r's responsibility to comply with Federal, State and Local		
				ve or mix material with a combustible solvent and burn in		
				er and scrubber system. This section is intended to provide		
		assistance but de	oes not replace these laws, nor	does compliance in accordance with this section ensure		
				EPA guidelines for Identification and Listing of Hazardous		
			Waste are listed in 40 CFR Parts 261. The product should not be allowed to enter the environment, drains,			
Disposal of conta	ninari	water ways, or the soil.				
Other considerat			Dispose of as unused product. Do not re-use empty containers. Observe all federal, state and local regulations when disposing of the substance.			
44 TD 410000						
14. IRANSPOF	RT INFORMATION					
	RT INFORMATION					
DOT (US)		ame:	Class or Division:	Packing Group:		
DOT (US) JN number:	<b>RT INFORMATION</b> Proper Shipping Na Hydroxylamine sulfa		<b>Class or Division:</b> 8 Corrosive material	Packing Group:		
14. TRANSPOF DOT (US) JN number: JN2865 ATA	Proper Shipping N					
DOT (US) IN number: IN2865 ATA	Proper Shipping N	te				
DOT (US) JN number: JN2865 ATA JN number:	<b>Proper Shipping N</b> a Hydroxylamine sulfa	te ame:	8 Corrosive material			
DOT (US) JN number: JN2865 ATA JN number: JN2865 MDG	<b>Proper Shipping N</b> a Hydroxylamine sulfa <b>Proper Shipping N</b> a Hydroxylamine sulpl	ame: nate	8 Corrosive material Class or Division: 8 Corrosive material	III Packing Group: III		
DOT (US) IN number: IN2865 ATA IN number: IN2865 MDG IN number:	Proper Shipping Na Hydroxylamine sulfa Proper Shipping Na Hydroxylamine sulpl Proper Shipping Na	te ame: nate ame:	8 Corrosive material Class or Division: 8 Corrosive material Class or Division:	III Packing Group: III Packing Group:		
DOT (US) JN number: JN2865 ATA JN number: JN2865	<b>Proper Shipping N</b> a Hydroxylamine sulfa <b>Proper Shipping N</b> a Hydroxylamine sulpl	te ame: nate ame:	8 Corrosive material Class or Division: 8 Corrosive material	III Packing Group: III		
DOT (US) JN number: JN2865 ATA JN number: JN2865 MDG JN number:	Proper Shipping Na Hydroxylamine sulfa Proper Shipping Na Hydroxylamine sulpl Proper Shipping Na	te ame: nate ame:	8 Corrosive material Class or Division: 8 Corrosive material Class or Division:	III Packing Group: III Packing Group:		
DOT (US) JN number: JN2865 ATA JN number: JN2865 MDG JN number: JN2865 EmS number:	Proper Shipping Na Hydroxylamine sulfa Proper Shipping Na Hydroxylamine sulpl Proper Shipping Na	te ame: nate ame: nate	8 Corrosive material Class or Division: 8 Corrosive material Class or Division:	III Packing Group: III Packing Group:		
DOT (US) JN number: JN2865 ATA JN number: JN2865 MDG JN number: JN2865 EmS number: I5. REGULATC	<b>Proper Shipping N</b> Hydroxylamine sulfa <b>Proper Shipping N</b> Hydroxylamine sulpl <b>Proper Shipping N</b> Hydroxylamine sulpl	te ame: nate F-A, S-B	8 Corrosive material Class or Division: 8 Corrosive material Class or Division: 8 Corrosive material	III Packing Group: III Packing Group:		

SARA 313:	Not Listed
SARA 302:	Not Listed

# State Regulations

# State Right-to-Know

Massachusetts	Not Listed
New Jersey	Not Listed
Pennsylvania	Not Listed
California Proposition 65:	Not Listed

Other Information	
NFPA Rating:	HMIS Classification:
Health: 2	Health: 2
Flammability: 0	Flammability: 0
Instability: 0	Physical: 0
International Inventories	
WHMIS hazard class:	D2A: Materials causing other toxic effects. (Very Toxic) D2B: Materials causing other toxic effects. (Toxic)
EC-No:	233-118-8

#### Revision date: 08/15/2016

**Revision number: 3** 

TCI chemicals are for research purposes only and are NOT intended for use as drugs, food additives, households, or pesticides. The information herein is believed to be correct, but does not claim to be all inclusive and should be used only as a guide. Neither the above named supplier nor any of its affiliates or subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All chemical reagents must be handled with the recognition that their chemical, physiological, toxicological, and hazardous properties have not been fully investigated or determined. All chemical reagents should be handled only by individuals who are familiar with their potential hazards and who have been fully trained in proper safety, laboratory, and chemical handling procedures. Although certain hazards are described herein, we can not guarantee that these are the only hazards which exist. Our SDS are based only on data available at the time of shipping and are subject to change without notice as new information is obtained. Avoid long storage periods since the product is subject to degradation with age and may become more dangerous or hazardous. It is the responsibility of the user to request updated SDS for products that are stored for extended periods. Disposal of unused product must be undertaken by qualified personnel who are knowledgeable in all applicable regulations and follow all pertinent safety precautions including the use of appropriate protective equipment (e.g. protective goggles, protective clothing, breathing equipment, face mask, fume hood). For proper handling and disposal, always comply with federal, state and local regulations.