

Revision number: 2 Revision date: 10/06/2014

1. IDENTIFICATION

Product name: Product code: 6-Bromo-3-pyridinecarboxaldehyde B3491

For laboratory research purposes.

Not for drug or household use.

TCI AMERICA

SAFETY DATA SHEET

Product use: Restrictions on use:

Company:

TCI America 9211 N. Harborgate Street Portland, OR 97203 U.S.A. Telephone: +1-800-423-8616 / +1-503-283-1681 Fax: +1-888-520-1075 / +1-503-283-1987 e-mail: sales-US@TCIchemicals.com www.TCIchemicals.com

2. HAZARD(S) IDENTIFICATION

OSHA Haz Com: CFR 1910.1200:

Skin Corrosion/Irritation [Category 2] Eye Damage/Irritation [Category 2A]

Signal word:

Warning!

None

Hazard Statement(s):

Causes serious eye irritation Causes skin irritation

Pictogram(s) or Symbol(s):



Precautionary Statement(s): [Prevention] [Response]

> [Storage] [Disposal]

Wash hands and face thoroughly after handling. Wear protective gloves. Wear eye and face protection. If on skin: Wash with plenty of water. If skin irritation or rash occurs: Get medical advice/attention. Take off contaminated clothing and wash it before reuse. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice or attention. None

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance/Mixture: Components: Percent: CAS Number: Molecular Weight: Chemical Formula: Synonyms: Substance 6-Bromo-3-pyridinecarboxaldehyde >98.0%(GC) 149806-06-4 186.01 C₆H₄BrNO 2-Bromo-5-formylpyridine , 6-Bromonicotinaldehyde

Page 1 of 5

Emergency telephone number: Chemical Emergencies: TCI America (8:00am - 5:00pm) PST +1-503-286-7624 Transportation Emergencies: Chemtrec 24-Hour +1-800-424-9300 (U.S.A.) +1-703-527-3887 (International) **Responsible department:** TCI America Environmental Health Safety and Security +1- 503-286-7624

| sin ot breating. Administer oxygen if breating is difficult. Keep victim warm and quiet. Treat symptomatically and supportively. Ensure that medical personnel are aware of the material(s) involved at take precautions to protect themselves. Skin contact: If skin inflation occurs get medical advice/attention. Remove and wash contaminated clothing before reuse. In case of contact with substance, immediately flush skin with running water for at least 20 minutes. The substance immediately flush skin with running water for at least 20 minutes. The substance immediately flush skin with running water for at least 20 minutes. The substance immediately flush skin with running water for at least 15 minutes, keeping eyelids open. Contact with material(s) involved and take precautions to protect themselves. Immediate water is the substance immediately flush skin with running water for at least 15 minutes, keeping eyelids open. Contact with material(s) involved and take precautions to protect themselves. Ingestion: Do not induce vonting with out medical advice. If swallowed, seek medical advice immediately and supportively. Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves. Symptoms/effects: Acute: Redness. Acute: Redness. No data available Immediate medical attention: If breathing has stopped, perform antificial respiration. Use first aid treatment according to the nature of the material(s) involved and take precautions to protect themselves. Specific hazards arising from the ehemical Hazardsus combination products: Dor channel areaware of the material(s) involved and take precautio | 4. FIRST-AID MEASURES | | |
|--|---|--|--|
| Skin contact: If skin irritation occurs get medical advice/attention. Remove and weak contaminated clothing before re-use. In case of contact with substance, immediately thick skin with running water for at least 20 minutes. Eye contact: Index of the material(5) involved and take precautions to protect themselves. IMMEDIATELY flush eyes with running water for at least 15 minutes, keeping eyelids open. Contact with material any initiate or turn eyes. Call emergency medical service. More vicinit to ters ain. Check for a remove any contact tenses. Keep vicitim warm and quiet. Tract symptomatically and supportively. Effect exposure to substance may be delayed. Ensure that medical personnel are aware of the material(5) involved and take precautions to protect themselves. Ingestion: Do not induce vomining with our medical advice. If swallowed, seek medical advice in the cabinary on the protein registration with the sid of a pocket make equipped with a one-way value or other propare get printing with the sid of a pocket make equipped with a one-way value or other propare get printing with our medical personnel are aware of the material(s) involved and take precautions to protect themselves. Symptoms/effects: Acute: Redness. Acute: No data available Immediate medical attention: If breathing has stopped, perform artificial respiration. Use first aid treatment according to the nature of the injury. Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves. Symptoms/effects: Acute: Redness. Oblayed: No data available | Inhalation: | symptomatically and supportively. Ensure that medical personnel are aware of the material(s) involved and | |
| Eye contact: IMMEDIATELY flush eyes with running water for at least 15 minutes, keeping eyelids open. Contact with material may initiate or burn eyes. Call emergency medical service. Move vicitin to fresh at: Check for a remove any contact lenses. Keep vicitim warm and quiet. Trest symptomatically and supportively. Effects exposure to substance may be delayed. Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves. Ingestion: Do not induce vortuniting with out meaks equipped with a one-way valve or other proper respiratory medical device. Lossen tight clothing such as a collar, tie, beth or valistband. If a person vortus place the in the recovery position so that vortuni will not reneater the mouth and throat. Rnese mouth. Keep vicitim wa and quiet. Treat symptomatically and supportively. Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves. Symptoms/effects: Acute: Redness. Acute: Redness. Delayed: No data available Immediate medical attention: If breathing has stopped, perform artificial respiration. Use first aid treatment according to the nature of themselves. 5. FIRE-FIGHTING MEASURES Dy chemical, CO ₂ , sand, earth, water spray or regular foam Consult with local fire authorities before attempting large scale fire fighting operations. Specific hazards arising from the chemical treatments. These products include: Carbon oxides Nitrogen oxides Halogenated compounds Chemisers. Specific hazards arising from the chemical presention was explode whe meaterespires or the r | Skin contact: | If skin irritation occurs get medical advice/attention. Remove and wash contaminated clothing before re- use. In case of contact with substance, immediately flush skin with running water for at least 20 minutes. Treat symptomatically and supportively. Ensure that medical personnel are aware of the material(s) | |
| Ingestion: Do not induce vomiting with out medical advice. If swallowed, seek medical advice immediately and show artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Loosen tight clothing such as a collar, tie, beit or waitshand. If a person vomits place the in the recovery position so that vomit will not reenter the mouth and throat. Rinse mouth. Keep victim wa and quiet. Treat symptomatically and supportively. Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves. Symptoms/effects: Acute: Redness. Acute: Redness. Delayed: No data available If breathing has stopped, perform artificial respiration. Use first aid treatment according to the nature of t injury. Ensure that medical personnel are aware of the material(s) involved and take precautions to prote themselves. 5. FIRE-FIGHTING MEASURES Dry chemical, CO ₂ , sand, earth, water spray or regular foam Consult with local fire authorities before attempting large scale fire fighting operations. Specific hazards arising from the chemical tage scale fire fighting operations. These products include: Carbon oxides Nitrogen oxides Halogenated compounds Closed containers may explode from het of a fire. Specific hazards arising from the chemical splot bereating apparture traits may explode from het of a fire. Specific hazards: Specific hazards in the area if you can do it without risk. Specifically recommended by the manufacturer. It may roy to be effective equipment to fire-fighteres: War po | Eye contact: | IMMEDIATELY flush eyes with running water for at least 15 minutes, keeping eyelids open. Contact with material may irritate or burn eyes. Call emergency medical service. Move victim to fresh air. Check for and remove any contact lenses. Keep victim warm and quiet. Treat symptomatically and supportively. Effects of exposure to substance may be delayed. Ensure that medical personnel are aware of the material(s) | |
| Acute: Delayed: Redness. No data available Immediate medical attention: If breathing has stopped, perform artificial respiration. Use first aid treatment according to the nature of the injury. Ensure that medical personnel are aware of the material(s) involved and take precautions to prote themselves. 5. FIRE-FIGHTING MEASURES Dry chemical, CO2, sand, earth, water spray or regular foam Consult with local fire authorities before attempting large scale fire fighting operations. Specific hazards arising from the chemical Hazardous combustion products: These products include: Carbon oxides Nitrogen oxides Halogenated compounds Closed containers may explode from heat of a fire. Specific hazards: Dive draining the area if you can do it without risk. Specifical precautions for fire-fighters: Use and the inference of the resting protective clothing provides limited protection in fire situation. Wear positive pressure self-contained breathing apparatus (SCBA). Structural fire fighters' protective clothing provides limited protection in fire situation. ONLY: It may not be effective in spill situations. Wear chemical protective clothing which is specifically recommended by the manufacturer. It may provide little or no thermal protection. 6. ACCIDENTAL RELEASE MEASURES Personal precautions: Avoid contact with skin, eyes, and clothing. Keep people away from and upwind of spill/leak. Do not too: damaged containers or spilled material unless wearing appropriate protective clothing (Section 8). Warm unnecessary personnel to move away. Stop leak if you can do it without risk. Ensure adequate ve | Ingestion: | Do not induce vomiting with out medical advice. If swallowed, seek medical advice immediately and show the container or label. Do not use mouth-to-mouth method if victim ingested the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Loosen tight clothing such as a collar, tie, belt or waistband. If a person vomits place them in the recovery position so that vomit will not reenter the mouth and throat. Rinse mouth. Keep victim warm and quiet. Treat symptomatically and supportively. Ensure that medical personnel are aware of the | |
| Delayed: No data available If breathing has stopped, perform artificial respiration. Use first aid treatment according to the nature of t injury. Ensure that medical personnel are aware of the material(s) involved and take precautions to prote themselves. 5. FIRE-FIGHTING MEASURES Suitable extinguishing media: Dry chemical, CO ₂ , sand, earth, water spray or regular foam Consult with local fire authorities before attempting large scale fire fighting operations. Specific hazards arising from the chemical lazardous combustion products:: These products include: Carbon oxides Nitrogen oxides Halogenated compounds Closed containers may explode from heat of a fire. Specific hazards: These products include: Carbon oxides Nitrogen oxides Halogenated compounds Closed containers may explode from heat of a fire. Special precautions for fire-fighters: Jse water spray or fog; do not use straight streams. Dike fire-control water for later disposal; do not scatter the material. Containers may explode when eated. Move containers from fire area if you can do it without risk. Special protective equipment for fire-fighters: Wear opsitive pressure self-contained breathing apparatus (SCBA). Structural fire fighters' protective clothing provides limited protection in fire situation NLY; it may not be effective in spill situations. Wear chemical protective clothing which is specifically recommended by the manufacturer. It may rovide little or no thermal protection. B. ACCIDENTAL RELEASE MEASURES Avoid contact with skin, eyes, and clothing. Keep people away from and upwind of spill/leak. Do not toou damaged containers or spilled material unleses wearing appropriat | Symptoms/effects: | | |
| injury. Ensure that medical personnel are aware of the material(s) involved and take precautions to prote themselves. 5. FIRE-FIGHTING MEASURES Suitable extinguishing media: Dry chemical, CO2, sand, earth, water spray or regular foam Consult with local fire authorities before attempting large scale fire fighting operations. Specific hazards arising from the chemical tazardous combustion products: These products include: Carbon oxides Nitrogen oxides Halogenated compounds Closed containers may explode from heat of a fire. Special precautions for fire-fighters: Jase and reae if you can do it without risk. Special protective equipment for fire-fighters: No ot and it without risk. Special protective in spill situations. Wear chemical protective clothing which is specifically recommended by the manufacturer. It may provide little or no thermal protection. Stack ACCIDENTAL RELEASE MEASURES Personal precautions: Avoid contact with skin, eyes, and clothing. Keep people away from and upwind of spill/leak. Do not touc damaged containers or spilled material unless wearing appropriate protective clothing (Section 8). War unnocessary personnel to move away. Stop leak if you can do it without risk. Ensure adequate ventilatio Isolate the hazard area and deny entry to unnecessary and unprotected personnel. Personal protective equipment: Avoid contact with skin, eyes, and clothing. Keep people away from and upwind of spill/leak. Do not touc damaged containers or spilled material unless wearing appropriate protective clothing (Section 8). War ununcessary personnel to move away. Stop leak if you can do it witho | | | |
| Suitable extinguishing media: Dry chemical, CO2, sand, earth, water spray or regular foam Consult with local fire authorities before attempting large scale fire fighting operations. Specific hazards arising from the chemical Insee products include: Carbon oxides Nitrogen oxides Halogenated compounds Closed containers may explode from heat of a fire. Special precautions for fire-fighters: See vater spray or fog; do not use straight streams. Dike fire-control water for later disposal; do not scatter the material. Containers may explode where eated. Move containers from fire area if you can do it without risk. Special protective equipment for fire-fighters: Wear positive pressure self-contained breathing apparatus (SCBA). Structural fire fighters' protective clothing provides limited protection in fire situations. Wear chemical protective clothing which is specifically recommended by the manufacturer. It may provide little or no thermal protection. 6. ACCIDENTAL RELEASE MEASURES Personal precautions: Avoid contact with skin, eyes, and clothing. Keep people away from and upwind of spill/leak. Do not tour damaged containers or spilled material unless wearing appropriate protective clothing (Section 8). Warn unnecessary personnel to move away. Stop leak if you can do it without risk. Ensure adequate ventilatio Isolate the hazard area and deny entry to unnecessary and unprotected personnel. Personal protective equipment: Wear eye protection (splash goggles) and face protection (full length face shield). Lab coat. Dust respirator. Be sure to use a MSHA/NIOSH approved respirator or equivalent. Wear protective gloves <td>mmediate medical attention:</td> <td colspan="2">If breathing has stopped, perform artificial respiration. Use first aid treatment according to the nature of the injury. Ensure that medical personnel are aware of the material(s) involved and take precautions to protec themselves.</td> | mmediate medical attention: | If breathing has stopped, perform artificial respiration. Use first aid treatment according to the nature of the injury. Ensure that medical personnel are aware of the material(s) involved and take precautions to protec themselves. | |
| Specific hazards arising from the chemical Hazardous combustion products: These products include: Carbon oxides Nitrogen oxides Halogenated compounds Closed containers may explode from heat of a fire. Special precautions for fire-fighters: Jse water spray or fog; do not use straight streams. Dike fire-control water for later disposal; do not scatter the material. Containers may explode where eated. Move containers from fire area if you can do it without risk. Special protective equipment for fire-fighters: Wear positive pressure self-contained breathing apparatus (SCBA). Structural fire fighters' protective clothing provides limited protection in fire situation on thermal protection. Structural fire fighters: Vear on the effective in spiil situations. Wear chemical protective clothing which is specifically recommended by the manufacturer. It may provide little or no thermal protection. Structural precautions: Avoid contact with skin, eyes, and clothing. Keep people away from and upwind of spiil/leak. Do not touc damaged containers or spilled material unless wearing appropriate protective clothing (Section 8). Warn unnecessary personnel to move away. Stop leak if you can do it without risk. Ensure adequate ventilation isolate the hazard area and deny entry to unnecessary and unprotected personnel. Vear eye protection (splash gogges) and face protection (full length face shield). Lab coat. Dust respirator. Be sure to use a MSHA/NIOSH approved respirator or equivalent. Wear protective gloves | 5. FIRE-FIGHTING MEASURES | | |
| Tazardous combustion products: These products include: Carbon oxides Nitrogen oxides Halogenated compounds Other specific hazards: Closed containers may explode from heat of a fire. Special precautions for fire-fighters: Jacobia Structural for later disposal; do not scatter the material. Containers may explode when eated. Move containers from fire area if you can do it without risk. Special protective equipment for fire-fighters: Wear opositive pressure self-contained breathing apparatus (SCBA). Structural fire fighters' protective clothing provides limited protection in fire situation. DNLY; it may not be effective in spill situations. Wear chemical protective clothing which is specifically recommended by the manufacturer. It may provide little or no thermal protection. 6. ACCIDENTAL RELEASE MEASURES Personal precautions: Avoid contact with skin, eyes, and clothing. Keep people away from and upwind of spill/leak. Do not touc damaged containers or spilled material unless wearing appropriate protective clothing (Section 8). Warn unnecessary personnel to move away. Stop leak if you can do it without risk. Ensure adequate ventilation is solate the hazard area and deny entry to unnecessary and unprotected personnel. Vear eye protection (splash goggles) and face protection (full length face shield). Lab coat. Dust respirator. Be sure to use a MSHA/NIOSH approved respirator or equivalent. Wear protective gloves | Suitable extinguishing media: | | |
| Other specific hazards: Closed containers may explode from heat of a fire. Special precautions for fire-fighters: Jse water spray or fog; do not use straight streams. Dike fire-control water for later disposal; do not scatter the material. Containers may explode when eated. Move containers from fire area if you can do it without risk. Special protective equipment for fire-fighters: Near positive pressure self-contained breathing apparatus (SCBA). Structural fire fighters' protective clothing provides limited protection in fire situation DNLY; it may not be effective in spill situations. Wear chemical protective clothing which is specifically recommended by the manufacturer. It may browide little or no thermal protection. 6. ACCIDENTAL RELEASE MEASURES Personal precautions: Avoid contact with skin, eyes, and clothing. Keep people away from and upwind of spill/leak. Do not touc damaged containers or spilled material unless wearing appropriate protective clothing (Section 8). Warn unnecessary personnel to move away. Stop leak if you can do it without risk. Ensure adequate ventilatio Isolate the hazard area and deny entry to unnecessary and unprotected personnel. Personal protective equipment: Wear eye protection (splash goggles) and face protection (full length face shield). Lab coat. Dust respirator. Be sure to use a MSHA/NIOSH approved respirator or equivalent. Wear protective gloves | | nical | |
| Use water spray or fog; do not use straight streams. Dike fire-control water for later disposal; do not scatter the material. Containers may explode when heated. Move containers from fire area if you can do it without risk. Special protective equipment for fire-fighters: Wear positive pressure self-contained breathing apparatus (SCBA). Structural fire fighters' protective clothing provides limited protection in fire situation DNLY; it may not be effective in spill situations. Wear chemical protective clothing which is specifically recommended by the manufacturer. It may provide little or no thermal protection. 5. ACCIDENTAL RELEASE MEASURES Personal precautions: Avoid contact with skin, eyes, and clothing. Keep people away from and upwind of spill/leak. Do not touc damaged containers or spilled material unless wearing appropriate protective clothing (Section 8). Warn unnecessary personnel to move away. Stop leak if you can do it without risk. Ensure adequate ventilatio Isolate the hazard area and deny entry to unnecessary and unprotected personnel. Wear eye protection (splash goggles) and face protection (full length face shield). Lab coat. Dust respirator. Be sure to use a MSHA/NIOSH approved respirator or equivalent. Wear protective gloves | | | |
| DNLY; it may not be effective in spill situations. Wear chemical protective clothing which is specifically recommended by the manufacturer. It may provide little or no thermal protection. 6. ACCIDENTAL RELEASE MEASURES Personal precautions: Avoid contact with skin, eyes, and clothing. Keep people away from and upwind of spill/leak. Do not touc damaged containers or spilled material unless wearing appropriate protective clothing (Section 8). Warn unnecessary personnel to move away. Stop leak if you can do it without risk. Ensure adequate ventilation isolate the hazard area and deny entry to unnecessary and unprotected personnel. Wear eye protection (splash goggles) and face protection (full length face shield). Lab coat. Dust respirator. Be sure to use a MSHA/NIOSH approved respirator or equivalent. Wear protective gloves | Use water spray or fog; do not use straig neated. Move containers from fire area if Special protective equipment for fire-f | you can do it without risk. ighters: | |
| Personal precautions: Avoid contact with skin, eyes, and clothing. Keep people away from and upwind of spill/leak. Do not touc damaged containers or spilled material unless wearing appropriate protective clothing (Section 8). Warn unnecessary personnel to move away. Stop leak if you can do it without risk. Ensure adequate ventilatio Isolate the hazard area and deny entry to unnecessary and unprotected personnel. Personal protective equipment: Wear eye protection (splash goggles) and face protection (full length face shield). Lab coat. Dust respirator. Be sure to use a MSHA/NIOSH approved respirator or equivalent. Wear protective gloves | ONLY; it may not be effective in spill situ | | |
| damaged containers or spilled material unless wearing appropriate protective clothing (Section 8). Warn unnecessary personnel to move away. Stop leak if you can do it without risk. Ensure adequate ventilation Isolate the hazard area and deny entry to unnecessary and unprotected personnel. Wear eye protection (splash goggles) and face protection (full length face shield). Lab coat. Dust respirator. Be sure to use a MSHA/NIOSH approved respirator or equivalent. Wear protective gloves | 6. ACCIDENTAL RELEASE MEAS | URES | |
| Personal protective equipment: Isolate the hazard area and deny entry to unnecessary and unprotected personnel. Wear eye protection (splash goggles) and face protection (full length face shield). Lab coat. Dust respirator. Be sure to use a MSHA/NIOSH approved respirator or equivalent. Wear protective gloves | Personal precautions: | Avoid contact with skin, eyes, and clothing. Keep people away from and upwind of spill/leak. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing (Section 8). Warn unnecessary personnel to move away. Stop leak if you can do it without risk. Ensure adequate ventilation | |
| | Personal protective equipment: | Isolate the hazard area and deny entry to unnecessary and unprotected personnel. Wear eye protection (splash goggles) and face protection (full length face shield). Lab coat. Dust | |

Emergency procedures: Prevent dust cloud. In case of a spill and/or a leak, always shut off any sources of ignition, ventilate the area, and excercise caution. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Warn personnel to move away. Prevent entry into sewers, basements or confined areas; dike if needed.

Methods and materials for containment and cleaning up:

ELIMINATE all ignition sources (no smoking, flares, sparks, or flames in immediate area). Stop leak if without risk. Ventilate the area. Absorb with an inert material and put the spilled material in an appropriate waste disposal container. Use clean non-sparking tools to collect absorbed material. **Environmental precautions:**

Prevent further leakage or spillage if safe to do so. Water runoff can cause environmental damage. Prevent entry into sewers, basements or confined areas; dike if needed.

TCI AMERICA

| 7. HANDLING AND STORAGE | |
|--------------------------------|---|
| Precautions for safe handling: | Avoid inhalation of vapor or mist. Avoid contact with skin and eyes. Good general ventilation should be sufficient to control airborne levels. Keep container dry. Handle and open container with care. Wear suitable protective clothing, gloves and eye/face protection. When using do not eat, drink, or smoke. Keep away from sources of ignition. |
| Conditions for safe storage: | Keep only in the original container in a cool well-ventilated place. Keep away from incompatibles. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Avoid prolonged storage periods. |
| Storage incompatibilities: | Store away from oxidizing agents |

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure limits: No data available

Appropriate engineering controls:

Good general ventilation should be sufficient to control airborne levels. Ventilation is normally required when handling or using this product. Eyewash fountains should be provided in areas where there is any possibility that workers could be exposed to the substance. Follow safe industrial engineering/laboratory practices when handling any chemical.

Personal protective equipment

Respiratory protection: Hand protection: Eye protection: Skin and body protection: Dust respirator. Be sure to use a MSHA/NIOSH approved respirator or equivalent. Nitrile gloves. Safety glasses. Lab coat.

9. PHYSICAL AND CHEMICAL PROPERTIES

| Physical state (20°C): Form: Color: Odor: Odor threshold: | Solid Crystal - Powder White - Pale yellow No data available No data available | | |
|--|---|--|--|
| Melting point/freezing point: Boiling point/range: Decomposition temperature: Relative density: Kinematic Viscosity: | 102°C (216°F) No data available No data available No data available No data available | pH: Vapor pressure: Vapor density: Dynamic Viscosity: | No data available No data available No data available No data available |
| Partition coefficient: n-octanol/water (log Pow) | No data available | Evaporation rate: (Butyl Acetate = 1) | No data available |
| Flash point: Flammability (solid, gas): | No data available No data available | Autoignition temperature: Flammability or explosive limits: Lower: No data avai Upper: No data avai | |

Solubility(ies):

Soluble: Methanol

10. STABILITY AND REACTIVITY

Reactivity: Chemical Stability: Possibility of Hazardous Reactions: Conditions to avoid: Incompatible materials: Hazardous Decomposition Products: Not Available. Air sensitive. No hazardous reactivity has been reported. Avoid excessive heat and light. Oxidizing agents No data available

11. TOXICOLOGICAL INFORMATION

| 6-Bromo-3-pyridinecarboxaldehyde | TCI AMERICA | Page 4 of 5 |
|---|---|--|
| Acute Toxicity: No data available | | |
| Skin corrosion/irritation: No data available | | |
| Serious eye damage/irritation: No data available | | |
| Respiratory or skin sensitization: No data available | | |
| Germ cell mutagenicity: No data available | | |
| Carcinogenicity: | | |
| No data available | | |
| IARC: No data available | NTP: No data available OS | HA: No data available |
| Reproductive toxicity: No data available | | |
| or dry skin. Eye contact may result in redne Potential Health Effects: | | . Skin contact may result in redness, pain |
| Skin and eye contact may result in irritation Target organ(s): | No data available | |
| 12. ECOLOGICAL INFORMATION | | |
| Ecotoxicity Fish: | No data available | |
| Crustacea: Algae: | No data available No data available | |
| Persistence and degradability: Bioaccumulative potential (BCF): Mobillity in soil: Partition coefficient: n-octanol/water (log Pow) Soil adsorption (Koc): Henry's Law: constant (PaM ³ /mol) | No data available No data available No data available No data available No data available No data available | |
| | | |
| 13. DISPOSAL CONSIDERATIONS Disposal of product: Disposal of container: Other considerations: | Recycle to process if possible. It is the generator's responsibility to comply with Federal, State and Local rules and regulations. You may be able to dissolve or mix material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber system. This section is intended to provide assistance but does not replace these laws, nor does compliance in accordance with this section ensure regulatory compliance according to the law. US EPA guidelines for Identification and Listing of Hazardous Waste are listed in 40 CFR Parts 261. The product should not be allowed to enter the environment, drains, water ways, or the soil. Dispose of as unused product. Do not re-use empty containers. Observe all federal, state and local regulations when disposing of the substance. | |
| 14. TRANSPORT INFORMATION | | |
| DOT (US) | Non-hazardous for transportation. | |
| ΙΑΤΑ | Non-hazardous for transportation. | |
| IMDG | Non-hazardous for transportation. | |
| | | |

TCI AMERICA

15. REGULATORY INFORMATION

Toxic Substance Control Act (TSCA 8b.):

This product is NOT on the EPA Toxic Substances Control Act (TSCA) inventory. The following notices are required by 40 CFR 720.36 (C) for those products not on the inventory list:

(i) These products are supplied solely for use in research and development by or under the supervision of a technically qualified individual as defined in 40 CFR 720.0 et sec.

(ii) The health risks of these products have not been fully determined. Any information that is or becomes available will be supplied on a SDS sheet.

US Federal Regulations

CERCLA Hazardous substance and Reportable Quantity:

| SARA 313: | Not Listed |
|-----------|------------|
| SARA 302: | Not Listed |

State Regulations

State Right-to-Know

| Massachusetts | Not Listed |
|----------------------------|------------|
| New Jersey | Not Listed |
| Pennsylvania | Not Listed |
| California Proposition 65: | Not Listed |

Other Information

NFPA Rating:

International Inventories WHMIS hazard class:

D2B: Materials causing other toxic effects. (Toxic)

16. OTHER INFORMATION

Revision date: 10/06/2014

Revision number: 2

TCI chemicals are for research purposes only and are NOT intended for use as drugs, food additives, households, or pesticides. The information herein is believed to be correct, but does not claim to be all inclusive and should be used only as a guide. Neither the above named supplier nor any of its affiliates or subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All chemical reagents must be handled with the recognition that their chemical, physiological, toxicological, and hazardous properties have not been fully investigated or determined. All chemical reagents should be handled only by individuals who are familiar with their potential hazards and who have been fully trained in proper safety, laboratory, and chemical handling procedures. Although certain hazards are described herein, we can not guarantee that these are the only hazards which exist. Our SDS are based only on data available at the time of shipping and are subject to change without notice as new information is obtained. Avoid long storage periods since the product is subject to degradation with age and may become more dangerous or hazardous. It is the responsibility of the user to request updated SDS for products that are stored for extended periods. Disposal of unused product must be undertaken by qualified personnel who are knowledgeable in all applicable regulations and follow all pertinent safety precautions including the use of appropriate protective equipment (e.g. protective gogles, protective clothing, breathing equipment, face mask, fume hood). For proper handling and disposal, always comply with federal, state and local regulations.

HMIS Classification:

2 0 0