

Revision number: 2 Revision date: 10/06/2014

1. **IDENTIFICATION**

Product name:	
Product code:	

sales-US@TCIchemicals.com www.TCIchemicals.com

(S)-1-Phenyl-2-propanol P1780

Product use: Restrictions on use:

Fax:

Company: TCI America 9211 N. Harborgate Street Portland, OR 97203 U.S.A. Telephone: +1-800-423-8616 / +1-503-283-1681 +1-888-520-1075 / +1-503-283-1987 e-mail:

For laboratory research purposes. Not for drug or household use.

TCI AMERICA

SAFETY DATA SHEET

Emergency telephone number:
Chemical Emergencies:
TCI America (8:00am - 5:00pm) PST
+1-503-286-7624
Transportation Emergencies:
Chemtrec 24-Hour
+1-800-424-9300 (U.S.A.)
+1-703-527-3887 (International)
Responsible department:
TCI America
Environmental Health Safety and Security
+1- 503-286-7624

2. HAZARD(S) IDENTIFICATION OSHA Haz Com: CFR 1910.1200: Flammable Liquids [Category 4] Signal word: Warning! Hazard Statement(s): Combustible liquid Pictogram(s) or Symbol(s): None Precautionary Statement(s): Keep away from heat, sparks, open flames or other hot surfaces. - No smoking. Wear protective gloves, [Prevention] eye protection and face protection. In case of fire: Use dry chemical, CO2, water spray or alcohol-resistant foam to extinguish. [Response] Store in well-ventilated place. Keep cool. [Storage] [Disposal] Dispose of contents and container in accordance with US EPA guidelines for the classification and determination of hazardous waste listed in 40 CFR 261.3. (See Section 13)

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance/Mixture:	Substance	
Components:	(S)-1-Phenyl-2-propanol	
Percent:	>96.0%(GC)	
CAS Number:	1517-68-6	
Molecular Weight:	136.19	
Chemical Formula:	C ₉ H ₁₂ O	
4. FIRST-AID MEASURES		

Inhalation:	Call emergency medical service. Move victim to fresh air. Give artificial respiration if victim is not breathing. Administer oxygen if breathing is difficult. Keep victim warm and quiet. Treat symptomatically and supportively. Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves.
Skin contact:	Call a poison center or doctor if you feel unwell. In case of contact with substance, immediately flush skin with running water for at least 20 minutes. Treat symptomatically and supportively. Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves.

4. FIRST-AID MEASURES	
Eye contact:	In case of contact with substance, immediately flush eyes with running water for at least 20 minutes. If eye irritation persists get medical advice/attention. Move victim to fresh air. Check for and remove any contact lenses. Keep victim warm and quiet. Treat symptomatically and supportively. Effects of exposure to substance may be delayed. Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves.
Ingestion:	If swallowed, seek medical advice immediately and show the container or label. Loosen tight clothing such as a collar, tie, belt or waistband. If a person vomits place them in the recovery position so that vomit will not reenter the mouth and throat. Rinse mouth. Keep victim warm and quiet. Treat symptomatically and supportively. Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves.
Symptoms/effects:	
Acute: Delayed:	No data available No data available
Immediate medical attention:	If breathing has stopped, perform artificial respiration. Use first aid treatment according to the nature of the injury. Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves.
5. FIRE-FIGHTING MEASURES	
Suitable extinguishing media:	Dry chemical, CO_2 , water spray, or alcohol-resistant foam. Consult with local fire authorities before attempting large scale fire fighting operations.

Specific hazards arising from the chemical Haza rdous combustio producte

products include: Carbon oxides
containers may explode from heat of a fire.

Special precautions for fire-fighters:

Oth

CAUTION: All these products have a very low flash point: Use of water spray when fighting fire may be inefficient. Use water spray or fog; do not use straight streams. Do not use straight streams. Runoff to sewer may create fire or explosion hazard. Containers may explode when heated. Move containers from fire area if you can do it without risk.

Special protective equipment for fire-fighters:

Wear positive pressure self-contained breathing apparatus (SCBA). Structural fire fighters' protective clothing provides limited protection in fire situations ONLY; it may not be effective in spill situations. Wear chemical protective clothing which is specifically recommended by the manufacturer. It may provide little or no thermal protection.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions:	Use spark-proof tools and explosion-proof equipment. Remove all sources of ignition. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing (Section 8). Warn unnecessary personnel to move away. Stop leak if you can do it without risk. Ensure adequate ventilation. Isolate the hazard area and deny entry to unnecessary and unprotected personnel.
Personal protective equipment:	Splash goggles. Lab coat. Vapor respirator. Be sure to use a MSHA/NIOSH approved respirator or equivalent. Wear protective gloves (nitrile).
Emergency procedures:	Isolate area until gas has dispersed. In case of a spill and/or a leak, always shut off any sources of ignition, ventilate the area, and excercise caution. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Warn personnel to move away. Prevent entry into sewers, basements or confined areas; dike if needed.

Methods and materials for containment and cleaning up:

ELIMINATE all ignition sources (no smoking, flares, sparks, or flames in immediate area). All equipment used when handling the product must be grounded. Stop leak if without risk. Ventilate the area. Absorb with an inert material and put the spilled material in an appropriate waste disposal container. Use clean non-sparking tools to collect absorbed material.

Environmental precautions:

Prevent further leakage or spillage if safe to do so. Water runoff can cause environmental damage. Prevent entry into sewers, basements or confined areas; dike if needed.

7. HANDLING AND STORAGE

Precautions for safe handling: Do NOT breath gas, fumes, vapor, or spray. Avoid contact with skin and eyes. Keep away from heat and sources of ignition. Use explosion-proof equipment. Use only non-sparking hand tool when handling this product. Ground all equipment containing material. Take measures to prevent build up of electrostatic charge. Good general ventilation should be sufficient to control airborne levels. Keep container dry. Handle and open container with care. Wear suitable protective clothing, gloves and eye/face protection. When using do not eat, drink, or smoke. Keep away from sources of ignition.

7. HANDLING AND STORAGE Conditions for safe storage: Keep only in the original containar in a cool well-wentilated place. Keep away from sources of ignition is offer and use away from heat sparse, spen flame, or any other igniton source. Keep away from sources of ignition is normality required must be carefully resealed and kept upright to prevent leakage. Avoid protonged storage partods. Storage incompatibilities: Combustible substances, Store away from oxidizing agents 8. EXPOSURE CONTROLS / PERSONAL PROTECTION Exposure limits: No data available Appropriate engineering controls: Combustible substances. Ventilation is normally required when handling or using this product. Eyewas fountains should be sufficient to control airborne levels. Ventilation is normally required when handling or using this product. Eyewas fountains should be sufficient to control airborne levels. Ventilation is normally required when handling or using this product. Eyewas fountains should be sufficient to control airborne levels. Ventilation is normally required when handling or using this product. Eyewas fountains should be provided in areas where it any possibility that workers could be exposed to the substance. Follow safe industrial engineering/laboratory protection: Vapor respirator. Be sure to use a MSHA/NIOSH approved respirator or equivalent. Head protection: Splash goggles. Skin and body protection: Vapor respirator. Be sure to use a MSHA/NIOSH approved respirator or equivalent. Head protection: Splash goggles. Splash goggles. Skin and body protection: Vapor respirator. Be sure t	(S)-1-Phenyl-2-propanol	TCI AMER	TCI AMERICA Page 3 of 5		
Store and use away from heat, sparks, open fame, or any other ignition source. Keep away from incompatible. Consistences which are opened must be carefully resealed and kept upright to prevent leakage. Avoid prolonged storage periods. A EXPOSURE CONTROLS / PERSONAL PROTECTION A EXPOSURE CONTROLS / PERSONAL PROTECTION A EXPOSURE CONTROLS / PERSONAL PROTECTION A EXPOSURE controls: Bood general version is outroid a valiable A EXPOSURE controls: Bood general version is outroid and intervent there is any possibility that workers could be exposed to the substance. Follow safe industrial angineering/aboratory practices when handling any chemical. A Exposure limits: Vapor respirator, Be sure to use a MSHA/NIOSH approved respirator or equivalent. Wear protection: Vapor respirator, Be sure to use a MSHA/NIOSH approved respirator or equivalent. Wear protection: Vapor respirator, Be sure to use a MSHA/NIOSH approved respirator or equivalent. Wear protection: A PHYSICAL AND CHEMICAL PROPERTIES Mysical state (20*C): Liquid Corre: Clear Vapor respirator practices a valiable Wear protection: No data available Vapor respirator is clear Vapor pressure: No data available Vapor respirator practices is not available Wear protection: A PHYSICAL AND CHEMICAL PROPERTIES Mysical state (20*C): No data available Vapor respirator rate: No data available Vapor (Isos) No data available Vapor	. HANDLING AND STORAG	E			
S. EXPOSURE CONTROLS / PERSONAL PROTECTION Exposure limits: No data available New York of the substance. Follow safe industrial ngineering/laboratory practices when handling any chemical. Personal protection: No data available New York of the substance. Follow safe industrial ngineering/laboratory practices when handling any chemical. Personal protection: No data available New York of the substance. Follow safe industrial No data available New York of the substance. Follow safe industrial No data available New York of the substance. Follow safe industrial No data available New York of the substance. Follow safe industrial New York of the substance of the substance. Follow safe industrial New York of the substance of the substance of the substance. Follow safe industrial New York of the substance of the substance of the substance of the substance of the substance. No data available New York of the substance	Conditions for safe storage:	Store and use away fr incompatibles. Contai	om heat, sparks, open flame, or any ners which are opened must be care	other ignition source. Keep away from	
ixposure limits: No data available ixporopriate engineering controls: Bood available ood general ventilation should be provided in areas where there is any possibility that workers could be exposed to the substance. Follow safe industrial ngineering/aboratory practices when handling any chemical. Versonal protective equipment tespiratory protection: Vapor respirator. Be sure to use a MSHA/NIOSH approved respirator or equivalent. tand protection: Wear protective gloves. ve protection: Splash goggles. kin and body protection: Liquid corr Cloar 2P. PHYSICAL AND CHEMICAL PROPERTIES *hysical state (20°C): Liquid corr Cloar available Mort threshold: No data available Vapor threshold: No data available vapor density: No data available vapor density: 0.99 tarition coefficient: No data available vapor density: No data available vapor density: No data available tarition coefficient: No data available tarition coefficient: No data available vapor density: No data available tarit	torage incompatibilities:			S	
Appropriate engineering controls: Soci general ventilation should be sufficient to control airborne levels. Ventilation is normally required when handling or using this product. Eyewas should be provided in areas where there is any possibility that workers could be exposed to the substance. Follow safe industrial ingineering/laboratory practices when handling any chemical. Versional protection: Vapor respirator. Be sure to use a MSHA/NIOSH approved respirator or equivalent. Wear protective gloves. Sylpash goggles. Versional protection: Wap treberion: Sylpash goggles. Stabe coat. D. PHYSICAL AND CHEMICAL PROPERTIES Physical state (20°C): Liquid coat. No data available No data available Metting point/freezing point: No data available Vapor density: No data available	B. EXPOSURE CONTROLS /	PERSONAL PROTECTION			
södd general vertilistion "should be sufficient to control airborne levels. Ventiliation is normally required when handling or using this product. Eyewast untrains should be provided in areas where there is any possibility that workers could be exposed to the substance. Follow safe industrial ngineering/laboratory practices when handling any chemical. Versional protective equipment Vapor respirator. Be sure to use a MSHA/NIOSH approved respirator or equivalent. Wear protective gloves. Wear protective gloves. Versional protection: Wear protective gloves. Versional state (20°C): Liquid Versional state (20°C): Liquid Vortice: Colories - Very pale yellow Voor: No data available Voor: No data available Velor threshold: No data available Velor threshold: No data available Vapor respirator: No data available Vapor density: No data available Velor threshold: No data available Vapor density: No data available	xposure limits:	No data available			
Respiratory protection: Vapor respirator. Be sure to use a MSHA/NIOSH approved respirator or equivalent. Wear protection: Wear protective gloves. Sylash goggels. Splash goggels. Skin and body protection: Lab coat. D. PHYSICAL AND CHEMICAL PROPERTIES "hysical state (20°C): Liquid Corr: Coloress - Very pale yellow No data available No data available Alting point/freezing point: No data available Vapor threshold: No data available Vapor pressure: No data available Vapor density: No data available Partition coefficient: No data available Provectanol/water (log Pow) No data available Vapor density: No data available Upper: No data available Vapor density: No data available Partition coefficient: No data available Provectanol/water (log Pow) No data available Clasta	Good general ventilation should be ountains should be provided in are	e sufficient to control airborne leve eas where there is any possibility			
land protection: Wear protective gloves. Splash goggles. kin and body protection: Lab coat.	Personal protective equipment				
Spiration: Splash goggles. Skin and body protection: Lab coat. P. PHYSICAL AND CHEMICAL PROPERTIES Physical state (20°C): Liquid Form: Clear Color: Colorless - Very pale yellow Odor: No data available Volor: No data available Volor threshold: No data available Vapor pressure: No data available Soling point/range: 104°C (219°F)/2kPa Vapor density: No data available Partitio coefficient: No data available Vactanol/Water (log Pow) Stor (185°F) Autoignition temperature: No data available Vapor: No data available Flammability or explosive limits: Lower: No data available Partitio coefficient: No data available Flammability or explosive limits: Lower: No data availa				d respirator or equivalent.	
skin and body protection: Lab coat.			5.		
hysical state (20°C): Liquid form: Clear color: Colorless - Very pale yellow bdor No data available bdor: No data available bdor: No data available bdor: No data available bdor: No data available bdiling point/range: 104°C (219°F)/2kPa vapor pressure: No data available becomposition temperature: No data available vapor density: No data available becomposition temperature: No data available vapor density: No data available becomposition temperature: No data available vapor density: No data available vapor density: No data available vapor density: No data available vapor anci Viscosity: No data available varition coefficient: No data available e-octanol/water (log Pow) Ko data available valashpoint: 85°C (185°F) 'ammability (solid, gas): No data available valashpoint: 85°C (185°F) Autoignition temperature: No data					
orm: Clear Clear Colories - Very pale yellow No data available No data available No data available Vapor pressure: No data available Vapor gressure: No data available Vapor density: No data available Vapor density: No data available PH: No data available Vapor gressure: No data available Vapor density: No data available Pynamic Viscosity: No data available artition coefficient: No data available artition coefficient: No data available cotanol/water (log P _{ow}) Iash point: 85°C (185°F) Iammability (solid, gas): No data available Pile Soft (185°F) C. STABILITY AND REACTIVITY eactivity: No data available. hemical Stability: Stable under recommended storage conditions. (See Section 7) ossibility of Hazardous Reactions: In use, may form flammabile/explosive vapor-air mixture. Avoid excessive heat and light. Compatible materials: Oxidizing agents Oxidizing agents	. PHYSICAL AND CHEMICA	AL PROPERTIES			
Color:::::::::::::::::::::::::::::::::::	hysical state (20°C):	Liquid			
bdor: No data available No data available hdor threshold: No data available PH: No data available helting point/frage: 104°C (219°F)/2kPa Vapor pressure: No data available helting point/range: 104°C (219°F)/2kPa Vapor density: No data available helting point/range: 0.99 Dynamic Viscosity: No data available inematic Viscosity: No data available Dynamic Viscosity: No data available artition coefficient: No data available Evaporation rate: No data available -octanol/water (log Pow) Ro data available Flammability or explosive limits: Lower: No data available lash point: 85°C (185°F) Autoignition temperature: No data available Flammability or explosive limits: Lower: No data available Upper: No data available olubility(ies):					
dor threshold: No data available lefting point/freezing point: No data available pH: No data available ooling point/range: 104°C (219°F)/2kPa Vapor pressure: No data available ecomposition temperature: No data available Vapor density: No data available elative density: 0.99 Dynamic Viscosity: No data available inematic Viscosity: No data available Evaporation rate: No data available artition coefficient: No data available Evaporation rate: No data available octanol/water (log Pow) 85°C (185°F) Autoignition temperature: No data available lash point: 85°C (185°F) Autoignition temperature: No data available lammability (solid, gas): No data available Flammability or explosive limits: Lower: No data available Upper: No data available olubility(ise): Not Available. Stable under recommended storage conditions. (See Section 7) In use, may form flammable/explosive vapor-air mixture. ooditions to avoid: Novid excessive heat and light. Oxidizing agents Oxidizing agents			yellow		
oiling point/range: 104°C (219°F)/2kPa Vapor pressure: No data available ecomposition temperature: No data available Vapor density: No data available elative density: 0.99 Dynamic Viscosity: No data available inematic Viscosity: No data available Dynamic Viscosity: No data available artition coefficient: No data available Evaporation rate: No data available octanol/water (log Pow) No data available Btoy of the enterials: No data available lash point: 85°C (185°F) Autoignition temperature: No data available lash point: 85°C (185°F) Autoignition temperature: No data available lammability (solid, gas): No data available Flammability or explosive limits: Lower: No data available Upper: No data available olubility(ies): Vot Available. Stable under recommended storage conditions. (See Section 7) ossibility of Hazardous Reactions: Not Available. Stable under recommended storage conditions. (See Section 7) ostidility: Not Avoid excessive heat and light. Oxidizing agents Oxidizing agents					
Decomposition temperature: No data available Vapor density: No data available Lefative density: 0.99 Dynamic Viscosity: No data available Variation coefficient: No data available Evaporation rate: No data available Partition coefficient: No data available Evaporation rate: No data available Portanol/water (log Pow) No data available Evaporation rate: No data available Iash point: 85°C (185°F) Autoignition temperature: No data available Iammability (solid, gas): No data available Flammability or explosive limits: Lower: No data available Upper: No data available volubility(ies): Volubility (solid, gas): Not Available. Stable under recommended storage conditions. (See Section 7) Cossibility of Hazardous Reactions: In use, may form flammable/explosive vapor-air mixture. Avoid excessive heat and light. conditions to avoid: Oxidizing agents Oxidizing agents	lelting point/freezing point:	No data available	pH:	No data available	
elative density: 0.99 Dynamic Viscosity: No data available inematic Viscosity: No data available artition coefficient: No data available -octanol/water (log Pow) Associated available -octanol/water (log Pow) Associated available -octanol/water (log Pow) No data available -octanol				No data available	
inematic Viscosity: No data available artition coefficient: No data available octanol/water (log Pow) lash point: 85°C (185°F) lammability (solid, gas): No data available ammability (solid, gas): No data available bolubility(ies): CO. STABILITY AND REACTIVITY eeactivity: Not Available. hemical Stability: Stable under recommended storage conditions. (See Section 7) not so available in the materials: Not Available. Stable under recommended storage conditions. (See Section 7) In use, may form flammable/explosive vapor-air mixture. Avoid excessive heat and light. Oxidizing agents					
arition coefficient: -octanol/water (log Pow) No data available Evaporation rate: (Butyl Acetate = 1) No data available lash point: lammability (solid, gas): 85°C (185°F) No data available Autoignition temperature: Flammability or explosive limits: Lower: No data available No data available olubility(ies): No data available. Flammability or explosive limits: Lower: No data available olubility(ies): Not Available. olubility: Stable under recommended storage conditions. (See Section 7) In use, may form flammable/explosive vapor-air mixture. Avoid excessive heat and light. Oxidizing agents	•		Dynamic Viscosity:	No data available	
-octanol/water (log Pow) (Butyl Acetate = 1) lash point: 85°C (185°F) Autoignition temperature: No data available lammability (solid, gas): No data available Flammability or explosive limits: Lower: No data available Upper: No data available olubility(ies): 0. STABILITY AND REACTIVITY Vot Available. seactivity: Not Available. Stable under recommended storage conditions. (See Section 7) nossibility of Hazardous Reactions: In use, may form flammable/explosive vapor-air mixture. avoid excessive heat and light. Oxidizing agents	-		Evaporation rate:	No data available	
Iammability (solid, gas): No data available Flammability or explosive limits: Lower: No data available Upper: No data available Upper: No data available olubility(ies):	-octanol/water (log Pow)				
Lower: No data available Upper: No data available Solubility(ies): Not Available. Reactivity: Not Available. Schemical Stability: Stable under recommended storage conditions. (See Section 7) Possibility of Hazardous Reactions: In use, may form flammable/explosive vapor-air mixture. Avoid excessive heat and light. Oxidizing agents	-				
Image: Constraint of the sector of the se	lammability (solid, gas):	No data available	, , ,		
IO. STABILITY AND REACTIVITY Reactivity: Not Available. Schemical Stability: Stable under recommended storage conditions. (See Section 7) Possibility of Hazardous Reactions: In use, may form flammable/explosive vapor-air mixture. Conditions to avoid: Avoid excessive heat and light. Compatible materials: Oxidizing agents			Upper: No d	lata available	
Reactivity: Not Available. Chemical Stability: Stable under recommended storage conditions. (See Section 7) rossibility of Hazardous Reactions: In use, may form flammable/explosive vapor-air mixture. Conditions to avoid: Avoid excessive heat and light. ncompatible materials: Oxidizing agents	olubility(ies):				
hemical Stability: Stable under recommended storage conditions. (See Section 7) Possibility of Hazardous Reactions: In use, may form flammable/explosive vapor-air mixture. conditions to avoid: Avoid excessive heat and light. ncompatible materials: Oxidizing agents	0. STABILITY AND REACTI	VITY			
Possibility of Hazardous Reactions: In use, may form flammable/explosive vapor-air mixture. Conditions to avoid: Avoid excessive heat and light. Incompatible materials: Oxidizing agents					
Conditions to avoid: Avoid excessive heat and light. ncompatible materials: Oxidizing agents					
ncompatible materials: Oxidizing agents					
lazardous Decomposition Products: No data available			Oxidizing agents		
	azardous Decomposition Prod				
1. TOXICOLOGICAL INFORMATION					

(S)-1-Phenyl-2-propanol	TCI AMERICA	Page 4 of 5	
Acute Toxicity: No data available			
Skin corrosion/irritation: No data available			
Serious eye damage/irritation: No data available			
Respiratory or skin sensitization: No data available			
Germ cell mutagenicity: No data available			
Carcinogenicity:			
No data available			
IARC: No data available	NTP: No data available	OSHA: No data available	
Reproductive toxicity: No data available			
Routes of Exposure: Inhalation, Eye contact, Ingestion. Symptoms related to exposure: Inhalation, Eye contact, Ingestion. No specific information is available in our data base regarding the toxic effects of this material for humans. However, exposure to any chemical should be kept to a minimum. Always follow safe industrial hygiene practices and wear proper protective equipment when handling this compound. Potential Health Effects: No specific information available; skin and eye contact may result in irritation. May be harmful if inhaled or ingested. Target organ(s): No data available			

12. ECOLOGICAL INFORMATION

Ecotoxicity Fish: Crustacea: Algae:	No data available No data available No data available
Persistence and degradability: Bioaccumulative potential (BCF): Mobillity in soil: Partition coefficient: n-octanol/water (log Pow) Soil adsorption (Koc): Henry's Law: constant (PaM ³ /mol)	No data available No data available No data available No data available No data available No data available

13. DISPOSAL CONSIDERATI Disposal of product:	ONS Recycle to process if possible. It is the generator's responsibility to comply with Federal, State and Local rules and regulations. You may be able to dissolve or mix material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber system. This section is intended to provide assistance but does not replace these laws, nor does compliance in accordance with this section ensure regulatory compliance according to the law. US EPA guidelines for Identification and Listing of Hazardous Waste are listed in 40 CFR Parts 261. The product should not be allowed to enter the environment, drains, water ways, or the soil.	
Disposal of container:	Dispose of as unused product. Do not re-use empty containers.	
Other considerations:	Observe all federal, state and local regulations when disposing of the substance.	
14. TRANSPORT INFORMATIO	ON	
DOT (US)	Non-hazardous for transportation.	
ΙΑΤΑ	Non-hazardous for transportation.	
IMDG	Non-hazardous for transportation.	

15. REGULATORY INFORMATION

Toxic Substance Control Act (TSCA 8b.):

This product is NOT on the EPA Toxic Substances Control Act (TSCA) inventory. The following notices are required by 40 CFR 720.36 (C) for those products not on the inventory list:

(i) These products are supplied solely for use in research and development by or under the supervision of a technically qualified individual as defined in 40 CFR 720.0 et sec.

(ii) The health risks of these products have not been fully determined. Any information that is or becomes available will be supplied on a SDS sheet.

US Federal Regulations

SARA 313:

SARA 302:

CERCLA Hazardous substance and Reportable Quantity:

Not Listed
Not Listed

State Regulations

State Right-to-Know

Massachusetts	Not Listed
New Jersey	Not Listed
Pennsylvania	Not Listed
California Proposition 65:	Not Listed

Other Information

NFPA Rating:

Flammability: 2 Instability: 0	Health:	0		
Instability: 0	Flammability:	2		
	Instability:	0		

International Inventories

WHMIS hazard class:

16. OTHER INFORMATION

Revision date: 10/06/2014

Revision number: 2

TCI chemicals are for research purposes only and are NOT intended for use as drugs, food additives, households, or pesticides. The information herein is believed to be correct, but does not claim to be all inclusive and should be used only as a guide. Neither the above named supplier nor any of its affiliates or subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All chemical reagents must be handled with the recognition that their chemical, physiological, toxicological, and hazardous properties have not been fully investigated or determined. All chemical reagents should be handled only by individuals who are familiar with their potential hazards and who have been fully trained in proper safety, laboratory, and chemical handling procedures. Although certain hazards are described herein, we can not guarantee that these are the only hazards which exist. Our SDS are based only on data available at the time of shipping and are subject to change without notice as new information is obtained. Avoid long storage periods since the product is subject to degradation with age and may become more dangerous or hazardous. It is the responsibility of the user to request updated SDS for products that are stored for extended periods. Disposal of unused product must be undertaken by qualified personnel who are knowledgeable in all applicable regulations and follow all pertinent safety precautions including the use of appropriate protective equipment (e.g. protective gogles, protective clothing, breathing equipment, face mask, fume hood). For proper handling and disposal, always comply with federal, state and local regulations.

HMIS Classification: Health:

Flammability:

Physical:

B3: Combustible Liquid.

0

2 0