

Revision number: 2 Revision date: 10/06/2014

1. IDENTIFICATION

Product name: Product code: 4-(Chloromethyl)styrene (stabilized with TBC + ONP + 2-Nitro-p-cresol) C1792

Emergency telephone number:

Transportation Emergencies:

+1-703-527-3887 (International) Responsible department:

Environmental Health Safety and Security

TCI America (8:00am - 5:00pm) PST

Chemical Emergencies:

+1-503-286-7624

Chemtrec 24-Hour +1-800-424-9300 (U.S.A.)

TCI America

+1-503-286-7624

For laboratory research purposes.

Not for drug or household use.

TCI AMERICA

SAFETY DATA SHEET

Product use: Restrictions on use:

Company:

TCI America 9211 N. Harborgate Street Portland, OR 97203 U.S.A. Telephone: +1-800-423-8616 / +1-503-283-1681 Fax: +1-888-520-1075 / +1-503-283-1987 e-mail: sales-US@TCIchemicals.com www.TCIchemicals.com

2. HAZARD(S) IDENTIFICATION

OSHA Haz Com: CFR 1910.1200: Acute Toxicity - Oral [Category 4] Acute Toxicity - Dermal [Category 4] Acute Toxicity - Inhalation [Category 4] Eye Damage/Irritation [Category 1] Sensitization - Skin [Category 1] Corrosive to Metals [Category 1] Skin Corrosion/Irritation [Category 1C]

Danger!

Signal word:

Hazard Statement(s):

Causes serious eye damage Causes severe skin burns and eye damage Harmful if swallowed Harmful in contact with skin Harmful if inhaled May be corrosive to metals May cause an allergic skin reaction

Pictogram(s) or Symbol(s):



Precautionary Statement(s): [Prevention]

[Response]

Do not eat, drink or smoke when using this product. Wash hands and face thoroughly after handling. Wear protective gloves and protective clothing. Avoid breathing fume, mist, vapors or spray. Use only outdoors or in a well-ventilated area. Do not breathe dusts or mists. Wear protective gloves, protective clothing, eye protection and face protection. Wear eye protection. Wear face protection (full length face shield). Avoid breathing dusts or mists. Contaminated work clothing must not be allowed out of the workplace. Wear protective gloves. Keep only in original container.

If swallowed: Immediately call a poison center or doctor. Rinse mouth. If on skin: Wash with plenty of water. Call a poison center or doctor if you feel unwell. Take off contaminated clothing and wash it before reuse. If inhaled: Remove person to fresh air and keep comfortable for breathing. If swallowed: Rinse mouth. Do NOT induce vomiting. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower. Wash contaminated clothing before reuse. Immediately call a poison center or doctor. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If skin irritation occurs: Get medical advice/attention. Absorb spillage to prevent material damage.

Store locked up. Store in corrosive resistant container with a resistant inner liner. Dispose of contents and container in accordance with US EPA guidelines for the classification and determination of hazardous waste listed in 40 CFR 261.3. (See Section 13)

Hazards not otherwise classified: [HNOC] May cause polimerization. Lachrymator

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance/Mixture:	Substance
Components:	4-(Chloromethyl)styrene (stabilized with TBC + ONP + 2-Nitro-p-cresol)
Percent:	>90.0%(GC)
CAS Number:	1592-20-7
Molecular Weight:	152.62
Chemical Formula:	CaHaCl
Synonyms:	4-Vinylbenzyl Chloride (stabilized with TBC + ONP + 2-Nitro-p-cresol)
Stabilizers:	2-Nitro-p-cresol Ortho-Nitrophenol 4-tert-butylcatechol
4. FIRST-AID MEASURES	
Inhalation:	May cause coughing, difficult breathing and nausea. Immediately call a poison center or doctor. Effects of exposure (inhalation) to substance may be delayed. Inhalation of vapors or contact with substance will result in contamination and potential harmful effects. Move victim to fresh air. Give artificial respiration if victim is not breathing. Administer oxygen if breathing is difficult. Keep victim warm and quiet. Treat symptomatically and supportively. Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves.
Skin contact:	For severe burns, immediate medical attention is required. Immediately call a poison center or doctor. Effects of exposure (skin contact) to substance may be delayed. Remove and wash contaminated clothing before re-use. Remove and isolate contaminated clothing and shoes. In case of contact with substance, immediately flush skin with running water for at least 20 minutes. Treat symptomatically and supportively. Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves.
Eye contact:	IMMEDIATELY flush eyes with running water for at least 15 minutes, keeping eyelids open. Eye contact with vapors or substance may cause severe injury, burns, or death. Call emergency medical service. Move victim to fresh air. Check for and remove any contact lenses. Keep victim warm and quiet. Treat symptomatically and supportively. Effects of exposure to substance may be delayed. Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves.
Ingestion:	Harmful if swallowed. Do not induce vomiting with out medical advice. Effects of exposure (ingestion) to substance may be delayed. Call a physician or Poison Control Center immediately. Do not use mouth-to-mouth method if victim ingested the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Loosen tight clothing such as a collar, tie, belt or waistband. If a person vomits place them in the recovery position so that vomit will not reenter the mouth and throat. Rinse mouth. Keep victim warm and quiet. Treat symptomatically and supportively. Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves.
Symptoms/effects:	
Acute: Delayed:	Pain. Redness. May cause skin sensitization.
Immediate medical attention:	WARNING: It might be hazardous to the person providing aid to give mouth-to-mouth respiration, because the inhaled material is harmful. WARNING: It might be hazardous to the person providing aid to give mouth-to-mouth respiration, because the inhaled material is corrosive. CAUTION: Victim may be a source of contamination. For severe burns, immediate medical attention is required. If breathing has stopped, perform artificial respiration. Use first aid treatment according to the nature of the injury. Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves.
5. FIRE-FIGHTING MEASURES	
Suitable extinguishing media:	Dry chemical, CO ₂ or water spray. Consult with local fire authorities before attempting large scale fire fighting operations.
Specific bazards arising from the shami	
Specific hazards arising from the chemi Hazardous combustion products:	cal These products include: Carbon oxides Halogenated compounds
•	WARNING: Highly toxic HCl gas is produced during combustion.
Other specific hazards:	warding comparing toxic ricing as is produced during comparation.

5. FIRE-FIGHTING MEASURES

Special precautions for fire-fighters:

Use water spray or fog; do not use straight streams. Dike fire-control water for later disposal; do not scatter the material. Containers may explode when heated. Move containers from fire area if you can do it without risk.

Special protective equipment for fire-fighters:

Wear positive pressure self-contained breathing apparatus (SCBA). Structural fire fighters' protective clothing provides limited protection in fire situations ONLY; it may not be effective in spill situations. Wear chemical protective clothing which is specifically recommended by the manufacturer. It may provide little or no thermal protection.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions:	Avoid contact with skin, eyes, and clothing. Keep people away from and upwind of spill/leak. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing (Section 8). Warn unnecessary personnel to move away. Stop leak if you can do it without risk. Ensure adequate ventilation. Isolate the hazard area and deny entry to unnecessary and unprotected personnel.
Personal protective equipment:	Wear eye protection (splash goggles) and face protection (full length face shield). Wear protective clothing (chemical resistant suit and chemical resistant boots). Vapor respirator. Be sure to use a MSHA/NIOSH approved respirator or equivalent. Wear protective gloves (nitrile).
Emergency procedures:	In case of a spill and/or a leak, always shut off any sources of ignition, ventilate the area, and excercise caution. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Warn personnel to move away. Prevent entry into sewers, basements or confined areas; dike if needed.

Methods and materials for containment and cleaning up:

ELIMINATE all ignition sources (no smoking, flares, sparks, or flames in immediate area). Stop leak if without risk. Absorb with an inert material and put the spilled material in an appropriate waste disposal container. Use clean non-sparking tools to collect absorbed material. Ventilate the area. **Environmental precautions:**

Keep away from living quarters. Prevent further leakage or spillage if safe to do so. Water runoff can cause environmental damage. Prevent entry into sewers, basements or confined areas; dike if needed.

Precautions for safe handling:	Do NOT breath gas, fumes, vapor, or spray. Manipulate under an adequate fume hood. Do not ingest. Avoid contact with skin and eyes. Avoid contact with skin. May corrode metallic surfaces. Good general ventilation should be sufficient to control airborne levels. Keep container dry. Handle and open container
Conditions for safe storage:	with care. Wear suitable protective clothing, gloves and eye/face protection. When using do not eat, drink or smoke. Keep away from sources of ignition. Store in corrosive resistant container with a resistant inner liner. Keep containers tightly closed in a cool,
	well-ventilated place. Store locked up. Keep away from incompatibles. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Avoid prolonged storage periods. Store under inert gas (e.g. Argon). Moisture sensitive. Store in a freezer.
Storage incompatibilities:	Bases, Store away from oxidizing agents

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure limits:

No data available

Appropriate engineering controls:

Good general ventilation should be sufficient to control airborne levels. Ventilation is normally required when handling or using this product. Eyewash fountains should be provided in areas where there is any possibility that workers could be exposed to the substance. Follow safe industrial engineering/laboratory practices when handling any chemical.

Personal protective equipment	
Respiratory protection:	Vapor respirator. Be sure to use a MSHA/NIOSH approved respirator or equivalent.
Hand protection:	Wear protective gloves.
Eye protection:	Splash goggles.
Skin and body protection:	Lab coat.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state (20°C):	Liquid
Form:	Clear
Color:	Yellow
Odor:	No data available
Odor threshold:	No data available

ONP + 2-Nitro-p-cresol)						
9. PHYSICAL AND CHEMICA			به الما م		No data available	
leiting point/freezing point:	No data available	2	pH:	_		
oiling point/range:	229°C (444°F)		Vapor pressure		No data available	
ecomposition temperature:	No data available	9	Vapor density:	•.	No data available	
elative density:	1.08		Dynamic Viscos	sity:	No data available	
inematic Viscosity:	No data available	9				
artition coefficient: -octanol/water (log P _{ow})	No data available	9	Evaporation rate (Butyl Acetate =		No data available	
Flash point: Flammability (solid, gas):	103°C (217°F) No data available	9	Autoignition ter Flammability or Lower:	explosive limits:	No data available Ible	
			Upper:	Upper: No data available		
Solubility(ies): Water: Insoluble (0.07 Soluble: Many organic						
0. STABILITY AND REACTI						
eactivity:	Corrodes	in contact w	vith metals			
Chemical Stability:			ure sensitive. Light sensitiv	ve.		
Possibility of Hazardous Reaction	ons: No hazar	dous reactiv	ity has been reported.			
Conditions to avoid:			osure to moisture. Heat s	ensitive. Moisture se	ensitive.	
ncompatible materials:	Oxidizing				-	
lazardous Decomposition Prod						
1. TOXICOLOGICAL INFOR	MATION					
Acute Toxicity: No data available Skin corrosion/irritation: No data available						
Serious eye damage/irritation: lo data available						
Respiratory or skin sensitizatior No data available	1:					
Germ cell mutagenicity: No data available						
Carcinogenicity:						
lo data available						
IARC: No data available		NTP: N	o data available	OSHA:	No data available	
Reproductive toxicity: lo data available						
coutes of Exposure: ymptoms related to exposure: verexposure may result in seriou			ct, Ingestion, Skin contact. ay produce burrns. Skin c		inflammation; characteriz	ed by itchin
caling, reddening, or occasionally bsorbed through skin. Inflammati Potential Health Effects:	v blistering. Eye conta	act can result	t in corneal damage or blir	ndness. Skin contact		

Potential Health Effects: No specific information available; skin and eye contact may result in irriatation. May be harmful if inhaled or ingested. Target organ(s): No data available

12. ECOLOGICAL INFORMATION

Ecotoxicity Fish:

No data available

12. ECOLOGICAL INFORMATION

n-octanol/water (log Pow)

Soil adsorption (Koc):

No data available

Henry's Law: constant (PaM³/mol)	No data available
13. DISPOSAL CONSIDERATIONS	5
Disposal of product:	Recycle to process if possible. It is the generator's responsibility to comply with Federal, State and Local rules and regulations. You may be able to dissolve or mix material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber system. This section is intended to provide assistance but does not replace these laws, nor does compliance in accordance with this section ensure regulatory compliance according to the law. US EPA guidelines for Identification and Listing of Hazardous Waste are listed in 40 CFR Parts 261. The product should not be allowed to enter the environment, drains, water ways, or the soil.
Disposal of container: Other considerations:	Dispose of as unused product. Do not re-use empty containers. Observe all federal, state and local regulations when disposing of the substance.

14. TRANSPORT INFORMATION

DOT (US) UN number: UN3265	Proper Shipping Name: Corrosive liquid, acidic, organic, n.o.s.	Class or Division: 8 Corrosive material	Packing Group:
IATA UN number: UN3265	Proper Shipping Name: Corrosive liquid, acidic, organic, n.o.s.	Class or Division: 8 Corrosive material	Packing Group:
IMDG UN number: UN3265	Proper Shipping Name: Corrosive liquid, acidic, organic, n.o.s.	Class or Division: 8 Corrosive material	Packing Group:
EmS number:	F-A, S-B		

15. REGULATORY INFORMATION

Toxic Substance Control Act (TSCA 8b.): This product is ON the EPA Toxic Substances Control Act (TSCA) inventory.

US Federal Regulations

CERCLA Hazardous substance and Reportable Quantity:			
SARA 313:	Not Listed		
SARA 302:	Not Listed		

State Regulations

State Right-to-Know

Massachusetts	Not Listed
New Jersey	Not Listed
Pennsylvania	Not Listed
California Proposition 65:	Not Listed

Other Information

NFPA Rating:

HMIS	Classification:

Health:	3	Health:	3
Flammability:	1	Flammability:	1
Instability:	1	Physical:	1

ONP + 2-Nitro-p-cresol)		
15. REGULATORY INFORMAT	TION	
International Inventories		
WHMIS hazard class:	E: Corrosive material.	
	D2A: Materials causing other toxic effects. (Very Toxic)	
	D2B: Materials causing other toxic effects. (Toxic)	
EC-No:	216-471-2	

16. OTHER INFORMATION

Revision date: 10/06/2014

Revision number: 2

TCI chemicals are for research purposes only and are NOT intended for use as drugs, food additives, households, or pesticides. The information herein is believed to be correct, but does not claim to be all inclusive and should be used only as a guide. Neither the above named supplier nor any of its affiliates or subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All chemical reagents must be handled with the recognition that their chemical, physiological, toxicological, and hazardous properties have not been fully investigated or determined. All chemical reagents should be handled only by individuals who are familiar with their potential hazards and who have been fully trained in proper safety, laboratory, and chemical handling procedures. Although certain hazards are described herein, we can not guarantee that these are the only hazards which exist. Our SDS are based only on data available at the time of shipping and are subject to change without notice as new information is obtained. Avoid long storage periods since the product is subject to degradation with age and may become more dangerous or hazardous. It is the responsibility of the user to request updated SDS for products that are stored for extended periods. Disposal of unused product must be undertaken by qualified personnel who are knowledgeable in all applicable regulations and follow all pertinent safety precautions including the use of appropriate protective equipment (e.g. protective goggles, protective clothing, breathing equipment, face mask, fume hood). For proper handling and disposal, always comply with federal, state and local regulations.