

Revision number: 3 Revision date: 08/15/2016

1. IDENTIFICATION

Product name: Product code: 1-Heptanethiol H0029

Product use: Restrictions on use:

Company:

CI America 9211 N. Harborgate Street Portland, OR 97203 U.S.A. Telephone: +1-800-423-8616 / +1-503-283-1681 Fax: +1-888-520-1075 / +1-503-283-1987 e-mail: sales-US@TCIchemicals.com www.TCIchemicals.com

2. HAZARD(S) IDENTIFICATION

OSHA Haz Com: CFR 1910.1200:

Skin Corrosion/Irritation [Category 2] Eye Damage/Irritation [Category 2A] Specific Target Organ Toxicity (Single Exposure) [Category 3] Flammable Liquids [Category 3]

TCI AMERICA

SAFETY DATA SHEET

Signal word:

Hazard Statement(s):

Warning!

Causes serious eye irritation Causes skin irritation Flammable liquid and vapor May cause respiratory irritation.

Pictogram(s) or Symbol(s):



Precautionary Statement(s): [Prevention] Wash hands and face thoroughly after handling. Wear protective gloves. Wear eye and face protection. Avoid breathing fume, mist, vapors or spray. Use only outdoors or in a well-ventilated area. Keep away from heat, sparks, open flames or other hot surfaces. - No smoking. Keep container tightly closed. Ground or bond container and receiving equipment. Use explosion-proof electrical, ventilating, lighting, and equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Wear protective gloves, eye protection and face protection. [Response] If on skin: Wash with plenty of water. If skin irritation or rash occurs: Get medical advice/attention. Take off contaminated clothing and wash it before reuse. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice or attention. If inhaled: Remove person to fresh air and keep comfortable for breathing. Call a poison center or doctor if you feel unwell. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower. In case of fire: Use dry chemical, CO2, water spray or alcoholresistant foam to extinguish. [Storage] Store in a well-ventilated place. Keep container tightly closed. Store locked up. Store in a well-ventilated place. Keep cool. Dispose of contents and container in accordance with US EPA guidelines for the classification and [Disposal] determination of hazardous waste listed in 40 CFR 261.3. (See Section 13)

For laboratory research purposes. Not for drug or household use.

Emergency telephone number: Chemical Emergencies: TCI America (8:00am - 5:00pm) PST +1-503-286-7624 Transportation Emergencies: Chemtrec 24-Hour +1-800-424-9300 (U.S.A.) +1-703-527-3887 (International) Responsible department: TCI America Environmental Health Safety and Security +1- 503-286-7624

TCI AMERICA

2. HAZARD(S) IDENTIFICATION

3. COMPOSITION/INFORMATION	ON INGREDIENTS
Substance/Mixture: Components: Percent: CAS Number: Molecular Weight: Chemical Formula: Synonyms:	Substance 1-Heptanethiol >98.0%(GC) 1639-09-4 132.27 $C_7H_{16}S$ Heptyl Mercaptan
4. FIRST-AID MEASURES	
Inhalation:	Call a poison center or doctor if you feel unwell. Effects of exposure (inhalation) to substance may be delayed. Inhalation of vapors or contact with substance will result in contamination and potential harmful effects. Move victim to fresh air. Give artificial respiration if victim is not breathing. Administer oxygen if breathing is difficult. Keep victim warm and quiet. Treat symptomatically and supportively. Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves.
Skin contact:	Call a poison center or doctor if you feel unwell. Effects of exposure (skin contact) to substance may be delayed. Remove and wash contaminated clothing before re-use. Remove and isolate contaminated clothing and shoes. In case of contact with substance, immediately flush skin with running water for at least 20 minutes. Treat symptomatically and supportively. Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves.
Eye contact:	IMMEDIATELY flush eyes with running water for at least 15 minutes, keeping eyelids open. Contact with material may irritate or burn eyes. Call emergency medical service. Move victim to fresh air. Check for and remove any contact lenses. Keep victim warm and quiet. Treat symptomatically and supportively. Effects o exposure to substance may be delayed. Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves.
Ingestion:	Do not induce vomiting with out medical advice. Effects of exposure (ingestion) to substance may be delayed. Call a physician or Poison Control Center immediately. Do not use mouth-to-mouth method if victim ingested the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Loosen tight clothing such as a collar, tie, belt or waistband. If a person vomits place them in the recovery position so that vomit will not reenter the mouth and throat. Rinse mouth. Keep victim warm and quiet. Treat symptomatically and supportively. Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves.
Symptoms/effects:	
Acute: Delayed:	Redness. May have effects on the respiratory tract.
Immediate medical attention:	If breathing has stopped, perform artificial respiration. Use first aid treatment according to the nature of the injury. Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves.
5. FIRE-FIGHTING MEASURES	
Suitable extinguishing media:	Dry chemical, CO ₂ , water spray, or alcohol-resistant foam. Consult with local fire authorities before attempting large scale fire fighting operations.
Specific hazards arising from the che Hazardous combustion products: Other specific hazards:	mical These products include: Carbon oxides Sulfur oxides Closed containers may explode from heat of a fire.
have a very low flash point: Use of wate explosion hazard. Containers may explo Special protective equipment for fire -	th streams. Dike fire-control water for later disposal; do not scatter the material. CAUTION: All these products r spray when fighting fire may be inefficient. Do not use straight streams. Runoff to sewer may create fire or de when heated. Move containers from fire area if you can do it without risk. fighters:

Wear positive pressure self-contained breathing apparatus (SCBA). Structural fire fighters' protective clothing provides limited protection in fire situations ONLY; it may not be effective in spill situations. Wear chemical protective clothing which is specifically recommended by the manufacturer. It may provide little or no thermal protection.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions:	Avoid contact with skin, eyes, and clothing. Keep people away from and upwind of spill/leak. Use spark- proof tools and explosion-proof equipment. Remove all sources of ignition. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing (Section 8). Warn unnecessary personnel to move away. Stop leak if you can do it without risk. Ensure adequate ventilation Isolate the hazard area and deny entry to unnecessary and unprotected personnel.
Personal protective equipment:	Wear eye protection (splash goggles) and face protection (full length face shield). Lab coat. Vapor respirator. Be sure to use a MSHA/NIOSH approved respirator or equivalent. Wear protective gloves (nitrile).
Emergency procedures:	Isolate area until gas has dispersed. Do not clean-up or dispose except under supervision of a specialist. In case of a spill and/or a leak, always shut off any sources of ignition, ventilate the area, and excercise caution. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Warn personnel to move away. Prevent entry into sewers, basements or confined areas; dike if needed.

Methods and materials for containment and cleaning up:

ELIMINATE all ignition sources (no smoking, flares, sparks, or flames in immediate area). All equipment used when handling the product must be grounded. Stop leak if without risk. Ventilate the area. Absorb with an inert material and put the spilled material in an appropriate waste disposal container. Use clean non-sparking tools to collect absorbed material.

Environmental precautions:

Keep away from living quarters. Prevent further leakage or spillage if safe to do so. Water runoff can cause environmental damage. Prevent entry into sewers, basements or confined areas; dike if needed.

7. HANDLING AND STORAGE	
Precautions for safe handling:	Do NOT breath gas, fumes, vapor, or spray. Avoid contact with skin and eyes. Keep away from heat and sources of ignition. Use explosion-proof equipment. Use only non-sparking hand tool when handling this product. Ground all equipment containing material. Take measures to prevent build up of electrostatic charge. Good general ventilation should be sufficient to control airborne levels. Keep container dry. Handle and open container with care. Wear suitable protective clothing, gloves and eye/face protection. When using do not eat, drink, or smoke. Keep away from sources of ignition.
Conditions for safe storage: Storage incompatibilities:	Store locked up. Keep containers tightly closed in a cool, well-ventilated place. Keep away from sources of ignition. Store and use away from heat, sparks, open flame, or any other ignition source. Keep away from incompatibles. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Avoid prolonged storage periods. Store under inert gas (e.g. Argon). Combustible substances, Store away from oxidizing agents

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure limits:

No data available

Appropriate engineering controls:

Good general ventilation should be sufficient to control airborne levels. Ventilation is normally required when handling or using this product. Eyewash fountains should be provided in areas where there is any possibility that workers could be exposed to the substance. Follow safe industrial engineering/laboratory practices when handling any chemical.

Personal protective equipment	
Respiratory protection:	Vapor respirator. Be sure to use a MSHA/NIOSH approved respirator or equivalent.
Hand protection:	Wear protective gloves.
Eye protection:	Splash goggles.
Skin and body protection:	Lab coat.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state (20°C):	Liquid
Form:	Clear
Color:	Colorless - Almost colorless
Odor:	No data available
Odor threshold:	No data available
Melting point/freezing point:	-43°C (-45°F)
Boiling point/range:	177°C (351°F)

Decomposition temperature: Relative density: **Kinematic Viscosity:**

Partition coefficient: n-octanol/water (log Pow) No data available 0.84 No data available 3.7

pH: Vapor pressure: Vapor density: **Dynamic Viscosity:**

Evaporation rate: (Butyl Acetate = 1)

No data available No data available No data available No data available

No data available

TCI AMERICA

0. PHYSICAL AND CHEMIC Tash point:			Autoignition	omn	oraturo:	No data available	
lammability (solid, gas):	46°C (115°F) No data available		Flammability	Autoignition temperature: No data available Flammability or explosive limits: Lower: 0.9%			
			Upp	er:	No data availa	ble	
olubility(ies):							
0. STABILITY AND REAC	ΓΙνΙΤΥ						
eactivity: chemical Stability: cossibility of Hazardous Reac conditions to avoid: ncompatible materials: lazardous Decomposition Pro	tions: I /	n use, may form Avoid excessive l	als, Bases, Reducing agents	air m	ixture.	ıts	
1. TOXICOLOGICAL INFO	RMATION						
TECS Number: MJ1400000							
acute Toxicity: pr-mus LD50:200 mg/kg							
ikin corrosion/irritation: lo data available							
erious eye damage/irritation: lo data available							
espiratory or skin sensitization lo data available	on:						
Germ cell mutagenicity: Io data available							
arcinogenicity:							
o data available							
IARC: No data available		NTP:	No data available		OSHA:	No data available	
Reproductive toxicity: lo data available							
coutes of Exposure: Symptoms related to exposure kin contact may result in inflam r dry skin. Eye contact may res Potential Health Effects: kin and eye contact may result	: mation; charao ult in redness o	cterized by itchin or pain. Inhalatio	n causes irritation of the lun	casior gs an	d respiratory syste		ness, pair
arget organ(s): lay cause respiratory irritation.							

Ecotoxicity			
Fish:	No data available		
Crustacea:	No data available		
Algae:	No data available		
Persistence and degradability:	No data available		
Bioaccumulative potential (BCF):	No data available		
Mobillity in soil:	No data available		
Partition coefficient:	3.7		
n-octanol/water (log Pow) Soil adsorption (Koc):	No data available		

TCI AMERICA

Page 5 of 6

Henry's Law: constant (PaM ³ /mol)		No data available	No data available				
	CONSIDERATIONS						
Disposal of product: Disposal of container: Other considerations:		Recycle to process if possible. It is the generator's responsibility to comply with Federal, State and Local rules and regulations. You may be able to dissolve or mix material with a combustible solvent and burn in chemical incinerator equipped with an afterburner and scrubber system. This section is intended to provide assistance but does not replace these laws, nor does compliance in accordance with this section ensure regulatory compliance according to the law. US EPA guidelines for Identification and Listing of Hazardous Waste are listed in 40 CFR Parts 261. The product should not be allowed to enter the environment, drains water ways, or the soil. Dispose of as unused product. Do not re-use empty containers. Observe all federal, state and local regulations when disposing of the substance.					
14. TRANSPOR	RT INFORMATION						
DOT (US) JN number: JN3336	Proper Shipping Name: Mercaptans, liquid, flammable, n.o.s.		Class or Division: 3 Flammable liquid	Packing Group:			
ATA JN number: JN3336	Proper Shipping Name: Mercaptans, liquid, flammable, n.o.s.		Class or Division: 3 Flammable liquid	Packing Group: III			
MDG JN number: JN3336	Proper Shipping Name: Mercaptans, liquid, flammable, n.o.s.		Class or Division : 3 Flammable liquid	Packing Group: III			
EmS number:		F-E, S-D					
	Control Act (TSCA 8b.) I the EPA Toxic Substant		CA) inventory.				
	ous substance and Rep :	oortable Quantity: Not Listed Not Listed					
CERCLA Hazardo SARA 313 SARA 302 State Regulations	bus substance and Rep : : <u>s</u>	Not Listed					
CERCLA Hazardo SARA 313 SARA 302 State Regulations State Right-to-Kn Massachu New Jerse Pennsylva	ous substance and Rep : : <u>s</u> ow setts ∌y ania	Not Listed					
CERCLA Hazardo SARA 313 SARA 302 State Regulations State Right-to-Kn Massachu New Jerse Pennsylva California Propos	bus substance and Rep : : s s ww setts y ania sition 65:	Not Listed Not Listed Not Listed Not Listed Not Listed	HMIS Classification				
CERCLA Hazardo SARA 313 SARA 302 State Regulations State Right-to-Kn Massachu New Jerse Pennsylva California Propos	bus substance and Rep : : s pow setts y ania sition 65: 1 0	Not Listed Not Listed Not Listed Not Listed Not Listed	Flammability:				
SARA 313 SARA 302 State Regulations State Right-to-Kn Massachu New Jerse Pennsylva California Propos Other Information NFPA Rating: Health: Flammability:	bus substance and Rep : : bow setts y ania sition 65: 1 0 2 0 2 0 entories	Not Listed Not Listed Not Listed Not Listed Not Listed Not Listed	Health: Flammability: Physical:	2			

Revision date: 08/15/2016

16. OTHER INFORMATION

Revision number: 3

TCI chemicals are for research purposes only and are NOT intended for use as drugs, food additives, households, or pesticides. The information herein is believed to be correct, but does not claim to be all inclusive and should be used only as a guide. Neither the above named supplier nor any of its affiliates or subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All chemical reagents must be handled with the recognition that their chemical, physiological, toxicological, and hazardous properties have not been fully investigated or determined. All chemical reagents should be handled only by individuals who are familiar with their potential hazards and who have been fully trained in proper safety, laboratory, and chemical handling procedures. Although certain hazards are described herein, we can not guarantee that these are the only hazards which exist. Our SDS are based only on data available at the time of shipping and are subject to change without notice as new information is obtained. Avoid long storage periods since the product is subject to degradation with age and may become more dangerous or hazardous. It is the responsibility of the user to request updated SDS for products that are stored for extended periods. Disposal of unused product must be undertaken by qualified personnel who are knowledgeable in all applicable regulations and follow all pertinent safety precautions including the use of appropriate protective equipment (e.g. protective gogles, protective clothing, breathing equipment, face mask, fume hood). For proper handling and disposal, always comply with federal, state and local regulations.