

**Revision number: 3** Revision date: 10/06/2014

#### 1. **IDENTIFICATION**

Product name: Product code:

6-tert-Butyl-o-cresol B0728

#### Product use: Restrictions on use:

Company: TCI Amer 9211 N. H Portland, Telephon +1-800-42 Fax: +1-888-52 e-mail: sales-US www.TClo

# 2. HAZARD

**OSHA Haz C** Signal word:

Hazard Statement(s):

Causes serious eye damage Causes severe skin burns and eye damage

Pictogram(s) or Symbol(s):



**Precautionary Statement(s):** [Prevention]

[Response]

[Storage] [Disposal]

protective clothing, eye protection and face protection. Wear eye protection. Wear face protection (full length face shield). If swallowed: Rinse mouth. Do NOT induce vomiting. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower. Wash contaminated clothing before reuse. If inhaled: Remove person to fresh air and keep comfortable for breathing. Immediately call a poison center or doctor. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Store locked up. Dispose of contents and container in accordance with US EPA guidelines for the classification and determination of hazardous waste listed in 40 CFR 261.3. (See Section 13)

Do not breathe dusts or mists. Use only outdoors or in a well-ventilated area. Wear protective gloves,

Hazards not otherwise classified: [HNOC] May be harmful if in contact with skin. May be harmful if swallowed.

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance/Mixture: Components:

Substance 6-tert-Butyl-o-cresol

For laboratory research purposes. Not for drug or household use.

ny: erica Harborgate Street J, OR 97203 U.S.A. ne: 423-8616 / +1-503-283-1681 520-1075 / +1-503-283-1987 S@TCIchemicals.com Ichemicals.com	Emergency telephone number: Chemical Emergencies: TCI America (8:00am - 5:00pm) PST +1-503-286-7624 Transportation Emergencies: Chemtrec 24-Hour +1-800-424-9300 (U.S.A.) +1-703-527-3887 (International) Responsible department: TCI America Environmental Health Safety and Security +1- 503-286-7624		
D(S) IDENTIFICATION			
Com: CFR 1910.1200:	Eye Damage/Irritation [Category 1] Skin Corrosion/Irritation [Category 1B]		
d:	Danger!		

**TCI AMERICA** 

SAFETY DATA SHEET

ercent:	>99.0%(GC)			
AS Number:	2219-82-1 164.25 C <sub>11</sub> H <sub>16</sub> O			
olecular Weight:				
hemical Formula:				
nonyms:	2-tert-Butyl-6-methylphenol			
-				
FIRST-AID MEASURES				
Inhalation: Skin contact:	Immediately call a poison center or doctor. Effects of exposure (inhalation) to substance may be delayed Move victim to fresh air. Give artificial respiration if victim is not breathing. Administer oxygen if breathing difficult. Keep victim warm and quiet. Treat symptomatically and supportively. Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves. For severe burns, immediate medical attention is required. Immediately call a poison center or doctor.			
Eye contact:	Remove and wash contaminated clothing before re-use. In case of contact with substance, immediately flush skin with running water for at least 20 minutes. Treat symptomatically and supportively. Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves. IMMEDIATELY flush eyes with running water for at least 15 minutes, keeping eyelids open. Eye contact with vapors or substance may cause severe injury, burns, or death. Call emergency medical service. Mov victim to fresh air. Check for and remove any contact lenses. Keep victim warm and quiet. Treat			
Ingestion:	symptomatically and supportively. Effects of exposure to substance may be delayed. Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves. Do not induce vomiting with out medical advice. Call a physician or Poison Control Center immediately. D not use mouth-to-mouth method if victim ingested the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Loosen tight clothing such as a collar, tie, belt or waistband. If a person vomits place them in the recovery position so that vomit will not reenter the mouth and throat. Rinse mouth. Keep victim warm and quiet. Treat symptomatically and supportively. Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves.			
ymptoms/effects:				
Acute: Delayed:	Pain. Redness. No data available			
nmediate medical attention:	WARNING: It might be hazardous to the person providing aid to give mouth-to-mouth respiration, becaus the inhaled material is corrosive. For severe burns, immediate medical attention is required. If breathing has stopped, perform artificial respiration. Use first aid treatment according to the nature of the injury. Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves.			
FIRE-FIGHTING MEASURES				
uitable extinguishing media:	Dry chemical, $CO_2$ or water spray. Consult with local fire authorities before attempting large scale fire fighting operations.			
pecific hazards arising from the ch	emical			
azardous combustion products: ther specific hazards:	These products include: Carbon oxides Closed containers may explode from heat of a fire.			
eated. Move containers from fire area pecial protective equipment for fire				
NLY; it may not be effective in spill sit ovide little or no thermal protection.	uations. Wear chemical protective clothing which is specifically recommended by the manufacturer. It may			

Personal precautions:	Avoid contact with skin, eyes, and clothing. Keep people away from and upwind of spill/leak. Do not touch
-	damaged containers or spilled material unless wearing appropriate protective clothing (Section 8). Warn
	unnecessary personnel to move away. Stop leak if you can do it without risk. Ensure adequate ventilation.
	Isolate the hazard area and deny entry to unnecessary and unprotected personnel.
Personal protective equipment:	Wear eye protection (splash goggles) and face protection (full length face shield). Lab coat. Dust
	respirator. Be sure to use a MSHA/NIOSH approved respirator or equivalent. Wear protective gloves
	(nitrile).

**Emergency procedures:** 

**TCI AMERICA** 

## 6. ACCIDENTAL RELEASE MEASURES

Prevent dust cloud. In case of a spill and/or a leak, always shut off any sources of ignition, ventilate the area, and excercise caution. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Warn personnel to move away. Prevent entry into sewers, basements or confined areas; dike if needed.

#### Methods and materials for containment and cleaning up:

ELIMINATE all ignition sources (no smoking, flares, sparks, or flames in immediate area). Stop leak if without risk. Ventilate the area. Absorb with an inert material and put the spilled material in an appropriate waste disposal container. Use clean non-sparking tools to collect absorbed material. **Environmental precautions:** 

Prevent further leakage or spillage if safe to do so. Water runoff can cause environmental damage. Prevent entry into sewers, basements or confined areas; dike if needed.

7. HANDLING AND STORAGE	
Precautions for safe handling:	Avoid inhalation of vapor or mist. Manipulate under an adequate fume hood. Avoid contact with skin and eyes. Good general ventilation should be sufficient to control airborne levels. Keep container dry. Handle and open container with care. Wear suitable protective clothing, gloves and eye/face protection. When using do not eat, drink, or smoke. Keep away from sources of ignition.
Conditions for safe storage:	Store locked up. Keep containers tightly closed in a cool, well-ventilated place. Keep away from incompatibles. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Avoid prolonged storage periods. Store under inert gas (e.g. Argon).
Storage incompatibilities:	Acids, Bases, Store away from oxidizing agents

# 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure limits:

# Appropriate engineering controls:

Good general ventilation should be sufficient to control airborne levels. Ventilation is normally required when handling or using this product. Eyewash fountains should be provided in areas where there is any possibility that workers could be exposed to the substance. Follow safe industrial engineering/laboratory practices when handling any chemical.

Personal protective equipment	
Respiratory protection:Dust respirator. Be sure to use a MSHA/NIOSH app.Hand protection:Nitrile gloves.Eye protection:Safety glasses.Skin and body protection:Wear protective clothing (lab coat and chemical resis)	

No data available

## 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state (20°C): Form: Color: Odor: Odor threshold:	Solid Crystal - Lump Very pale yellow - Reddish No data available No data available	yellow		
Melting point/freezing point: Boiling point/range: Decomposition temperature: Relative density: Kinematic Viscosity:	28°C (Freezing point) (82°F) No data available No data available No data available No data available No data available	pH: Vapor pressure: Vapor density: Dynamic Viscosity:		No data available No data available 5.7 No data available
Partition coefficient: n-octanol/water (log Pow)	No data available	Evaporation rate: (Butyl Acetate = 1)		No data available
Flash point: Flammability (solid, gas):	107°C (225°F) No data available	Autoignition temper Flammability or expl Lower:		No data available able
Solubility(ies): Water: Insoluble		Upper:	No data availa	able

Soluble: Benzene, Ethanol, Hexane

# **10. STABILITY AND REACTIVITY**

Reactivity:

Not Available.

## 10. STABILITY AND REACTIVITY

Chemical Stability: Possibility of Hazardous Reactions: Conditions to avoid: Incompatible materials: Hazardous Decomposition Products:

11. TOXICOLOGICAL INFORMATION

Air sensitive. Light sensitive. Moisture sensitive. No hazardous reactivity has been reported. Air sensitive. Exposure to air. Exposure to light. Exposure to moisture. Light sensitive. Moisture sensitive. Oxidizing agents No data available

RTECS Number: SK1578200

Acute Toxicity: ivn-mus LD50:120 mg/kg

Skin corrosion/irritation: No data available

Serious eye damage/irritation: No data available

Respiratory or skin sensitization: No data available

Germ cell mutagenicity: No data available

#### Carcinogenicity:

No data available

IARC: No data available

No data available

**OSHA:** No data available

# Reproductive toxicity:

**Routes of Exposure:** 

Soil adsorption (Koc): Henry's Law:

constant (PaM<sup>3</sup>/mol)

No data available

Inhalation, Eye contact, Ingestion, Skin contact.

NTP:

Symptoms related to exposure:

Skin contact may produce burrns. Skin contact may result in inflammation; characterized by itching, scaling, reddening, or occasionally blistering. Eye contact can result in corneal damage or blindness. Overexposure may result in serious illness or death. Potential Health Effects:

May be harmful if inhaled or ingested. Overexposure may result in serious illness or death. **Target organ(s):** No data available

## 12. ECOLOGICAL INFORMATION

Ecotoxicity Fish: Crustacea: Algae:	96h LC50:62 mg/L (Oryzias latipes) No data available No data available
Persistence and degradability: Bioaccumulative potential (BCF): Mobillity in soil: Partition coefficient: n-octanol/water (log Pow)	9 % (by BOD) 43 (conc. 200 ug/L), 42 (conc. 20 ug/L) No data available No data available

No data available No data available

o-tert-Dutyr-o-cresor					
13. DISPOSAL	CONSIDERATIONS				
rules and re chemical ind assistance b regulatory c Waste are li water ways, Disposal of container: Dispose of a		les and regulations. You may be able to disso remical incinerator equipped with an afterburn sistance but does not replace these laws, no gulatory compliance according to the law. US aste are listed in 40 CFR Parts 261. The pro- ater ways, or the soil. spose of as unused product. Do not re-use e	process if possible. It is the generator's responsibility to comply with Federal, State and Local gulations. You may be able to dissolve or mix material with a combustible solvent and burn in cinerator equipped with an afterburner and scrubber system. This section is intended to provide but does not replace these laws, nor does compliance in accordance with this section ensure ompliance according to the law. US EPA guidelines for Identification and Listing of Hazardous sted in 40 CFR Parts 261. The product should not be allowed to enter the environment, drain or the soil. as unused product. Do not re-use empty containers. federal, state and local regulations when disposing of the substance.		
14. TRANSPOR	T INFORMATION				
<b>DOT (US)</b> UN number: UN2430	Proper Shipping Name Alkylphenols, solid, n.o.s		Packing Group:		
<b>ATA</b> JN number: JN2430	Proper Shipping Name Alkylphenols, solid, n.o.s		Packing Group: II		
MDG JN number: JN2430	Proper Shipping Name Alkylphenols, solid, n.o.s		Packing Group:		
EmS number:	F	А, S-B			
15. REGULATO	RY INFORMATION				
This product is ON <b>US Federal Regul</b>	ations ous substance and Reporta : N	Control Act (TSCA) inventory. <b>ble Quantity:</b> of Listed of Listed			
State Regulations State Right-to-Kn	—				

HMIS Classification:

Flammability:

3

1

0

Health:

Physical:

Massachusetts	Not Listed
New Jersey	Not Listed
Pennsylvania	Not Listed
California Proposition 65:	Not Listed

# **Other Information**

# **NFPA Rating:**

Health:3Flammability:1Instability:0

#### International Inventories

WHMIS hazard class:	
Canada: DSL	
EC-No:	

E: Corrosive material. On DSL 218-734-7

# 16. OTHER INFORMATION

Revision date: 10/06/2014 Revision number: 3

## 16. OTHER INFORMATION

TCI chemicals are for research purposes only and are NOT intended for use as drugs, food additives, households, or pesticides. The information herein is believed to be correct, but does not claim to be all inclusive and should be used only as a guide. Neither the above named supplier nor any of its affiliates or subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All chemical reagents must be handled with the recognition that their chemical, physiological, toxicological, and hazardous properties have not been fully investigated or determined. All chemical reagents should be handled only by individuals who are familiar with their potential hazards and who have been fully trained in proper safety, laboratory, and chemical handling procedures. Although certain hazards are described herein, we can not guarantee that these are the only hazards which exist. Our SDS are based only on data available at the time of shipping and are subject to change without notice as new information is obtained. Avoid long storage periods since the product is subject to degradation with age and may become more dangerous or hazardous. It is the responsibility of the user to request updated SDS for products that are stored for extended periods. Disposal of unused product must be undertaken by qualified personnel who are knowledgeable in all applicable regulations and follow all pertinent safety precautions including the use of appropriate protective equipment (e.g. protective gogles, protective clothing, breathing equipment, face mask, fume hood). For proper handling and disposal, always comply with federal, state and local regulations.