

Revision number: 2 Revision date: 10/06/2014

1. IDENTIFICATION

Product name: Product code: 2-lodofluorene 10793

Product use: Restrictions on use:

Company:

Vertiand, OR 97203 U.S.A. Telephone: +1-800-423-8616 / +1-503-283-1681 Fax: +1-888-520-1075 / +1-503-283-1987 e-mail: sales-US@TCIchemicals.com www.TCIchemicals.com

2. HAZARD(S) IDENTIFICATION

OSHA Haz Com: CFR 1910.1200:

Eye Damage/Irritation [Category 2B] Aquatic Hazard (Acute) [Category 2] Aquatic Hazard (Long-Term) [Category 2]

Signal word:

Warning!

Hazard Statement(s):

Causes eye irritation Toxic to aquatic life Toxic to aquatic life with long lasting effects

Pictogram(s) or Symbol(s):



Precautionary Statement(s): [Prevention] [Response]

> [Storage] [Disposal]

Wash hands and face thoroughly after handling. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice or attention. None None

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance/Mixture: Components:	Substance 2-Iodofluorene
Percent:	>95.0%(GC)
CAS Number:	2523-42-4
Molecular Weight:	292.12
Chemical Formula:	C ₁₃ H ₉ I

For laboratory research purposes. Not for drug or household use.

TCI AMERICA

SAFETY DATA SHEET

Emergency telephone number: Chemical Emergencies: TCI America (8:00am - 5:00pm) PST +1-503-286-7624 Transportation Emergencies: Chemtrec 24-Hour +1-800-424-9300 (U.S.A.) +1-703-527-3887 (International) Responsible department: TCI America Environmental Health Safety and Security +1- 503-286-7624

Inhalation:	Call emergency medical service. Move victim to fresh air. Give artificial respiration if victim is not breathing. Administer oxygen if breathing is difficult. Keep victim warm and quiet. Treat symptomatically and supportively. Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves.
Skin contact:	Call a poison center or doctor if you feel unwell. Remove and wash contaminated clothing before re-use. In case of contact with substance, immediately flush skin with running water for at least 20 minutes. Treat symptomatically and supportively. Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves.
Eye contact:	IMMEDIATELY flush eyes with running water for at least 15 minutes, keeping eyelids open. Contact with material may irritate or burn eyes. Call emergency medical service. Move victim to fresh air. Check for and remove any contact lenses. Keep victim warm and quiet. Treat symptomatically and supportively. Effects of exposure to substance may be delayed. Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves.
Ingestion:	Do not induce vomiting with out medical advice. If swallowed, seek medical advice immediately and show the container or label. Loosen tight clothing such as a collar, tie, belt or waistband. If a person vomits place them in the recovery position so that vomit will not reenter the mouth and throat. Rinse mouth. Keep victim warm and quiet. Treat symptomatically and supportively. Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves.
Symptoms/effects:	
Acute: Delayed:	Redness. No data available
Immediate medical attention:	If breathing has stopped, perform artificial respiration. Use first aid treatment according to the nature of the injury. Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves.
5. FIRE-FIGHTING MEASURES	

Suitable extinguishing media:

Dry chemical, CO₂, sand, earth, water spray or regular foam Consult with local fire authorities before attempting large scale fire fighting operations.

Specific hazards arising from the chemical

Hazardous combustion products: Other specific hazards:

These products include: Carbon oxides Halogenated compounds Closed containers may explode from heat of a fire.

Special precautions for fire-fighters:

Use water spray or fog; do not use straight streams. Dike fire-control water for later disposal; do not scatter the material. Containers may explode when heated. Move containers from fire area if you can do it without risk.

Special protective equipment for fire-fighters:

Wear positive pressure self-contained breathing apparatus (SCBA). Structural fire fighters' protective clothing provides limited protection in fire situations ONLY; it may not be effective in spill situations. Wear chemical protective clothing which is specifically recommended by the manufacturer. It may provide little or no thermal protection.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions:	Avoid contact with skin, eyes, and clothing. Keep people away from and upwind of spill/leak. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing (Section 8). Warn unnecessary personnel to move away. Stop leak if you can do it without risk. Ensure adequate ventilation. Isolate the hazard area and deny entry to unnecessary and unprotected personnel.
Personal protective equipment:	Wear eye protection (splash goggles) and face protection (full length face shield). Lab coat. Dust respirator. Be sure to use a MSHA/NIOSH approved respirator or equivalent. Wear protective gloves (nitrile).
Emergency procedures:	Prevent dust cloud. In case of a spill and/or a leak, always shut off any sources of ignition, ventilate the area, and excercise caution. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Warn personnel to move away. Prevent entry into sewers, basements or confined areas; dike if needed.

Methods and materials for containment and cleaning up:

ELIMINATE all ignition sources (no smoking, flares, sparks, or flames in immediate area). Stop leak if without risk. Absorb with an inert material and put the spilled material in an appropriate waste disposal container. Use clean non-sparking tools to collect absorbed material. Dike far ahead of spill; use dry sand to contain the flow of material. Ventilate the area.

Environmental precautions:

Environmental hazard. Do not let product enter drains. Prevent further leakage or spillage if safe to do so. Water runoff can cause environmental damage. Prevent entry into sewers, basements or confined areas; dike if needed.

Precautions for safe handling:	Avoid inhalation of vapor or mist. Avoid contact with skin and eyes. Good general ventilation should be sufficient to control airborne levels. Keep container dry. Handle and open container with care. Wear suitable protective clothing, gloves and eye/face protection. When using do not eat, drink, or smoke. Kee
Conditions for safe storage:	away from sources of ignition. Keep only in the original container in a cool well-ventilated place. Keep away from incompatibles. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Avoid
Storage incompatibilities:	prolonged storage periods. Store away from oxidizing agents

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure limits: No data available

Appropriate engineering controls:

Good general ventilation should be sufficient to control airborne levels. Ventilation is normally required when handling or using this product. Eyewash fountains should be provided in areas where there is any possibility that workers could be exposed to the substance. Follow safe industrial engineering/laboratory practices when handling any chemical.

Personal protective equipment	
Respiratory protection:	Dust respirator. Be sure to use a MSHA/NIOSH approved respirator or equivalent.
Hand protection:	Wear protective gloves.
Eye protection:	Safety glasses.
Skin and body protection:	Lab coat.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state (20°C): Form: Color: Odor: Odor threshold:	Solid Crystal - Powder White - Pale yellow No data available No data available		
Melting point/freezing point: Boiling point/range: Decomposition temperature: Relative density: Kinematic Viscosity:	130°C (266°F) No data available No data available No data available No data available No data available	pH: Vapor pressure: Vapor density: Dynamic Viscosity:	No data available No data available No data available No data available
Partition coefficient: n-octanol/water (log Pow)	5.10	Evaporation rate: (Butyl Acetate = 1)	No data available
Flash point: Flammability (solid, gas):	No data available No data available		

Solubility(ies):

10. STABILITY AND REACTIVITY

Reactivity: Chemical Stability: Possibility of Hazardous Reactions: Conditions to avoid: Incompatible materials: Hazardous Decomposition Products: Not Available. Stable under recommended storage conditions. (See Section 7) No hazardous reactivity has been reported. Avoid excessive heat and light. Strong oxidizing agents No data available

11. TOXICOLOGICAL INFORMATION

2-lodofluorene		TCI AM	ERICA		Page 4 of 5
Acute Toxicity: No data available					
Skin corrosion/irrit No data available	ation:				
Serious eye damag No data available	ge/irritation:				
Respiratory or skir No data available	sensitization:				
Germ cell mutagen No data available	icity:				
Carcinogenicity:					
No data available					
IARC: No da	ata available	NTP:	No data available	OSHA:	No data available
Reproductive toxic No data available	ity:				
Potential Health Ef	to exposure: sult in redness or pain. fects:		ntact, Ingestion, Skin contact. It in irriatation. May be harmful i	f inhaled or ingester	d.
12. ECOLOGICA	L INFORMATION				
Ecotoxicity Fish: Crustacea:		No data available No data available			
Algae:		No data available			
Persistence and de Bioaccumulative p Mobillity in soil: Partition coefficien n-octanol/water (lo Soil adsorption (Ko Henry's Law: constant (PaM ³ /mo	otential (BCF): nt: g Pow) oc):	No data available No data available No data available 5.10 No data available No data available			
	ONSIDERATIONS	Designation	Managatha It's design of the		wake with Facland Otation (1)
Disposal of produc	ner:	rules and regulatio chemical incinerato assistance but doe regulatory complia Waste are listed in water ways, or the Dispose of as unus	ns. You may be able to dissolve or equipped with an afterburner as not replace these laws, nor do nce according to the law. US EF 40 CFR Parts 261. The product soil. seed product. Do not re-use empt	e or mix material with and scrubber syster bes compliance in a PA guidelines for Ide t should not be allow ty containers.	mply with Federal, State and Local n a combustible solvent and burn in a m. This section is intended to provide ccordance with this section ensure entification and Listing of Hazardous ved to enter the environment, drains,
Other consideratio	ns:	Observe all federa	I, state and local regulations who	en disposing of the	substance.
14. TRANSPORT	INFORMATION				
DOT (US) UN number: UN3077	Proper Shipping Na Environmentally haza n.o.s.		Class or Division: lid, 9 Miscellaneous hazardous material	Packing Group	:
ΙΑΤΑ					

14. TRANSPOR	T INFORMATION		
UN number:	Proper Shipping Name:	Class or Division:	Packing Group:
UN3077	Environmentally hazardous substance, solid, n.o.s.	9 Miscellaneous hazardous material	111
IMDG		.	
UN number: UN3077	Proper Shipping Name: Environmentally hazardous substance, solid, n.o.s.	Class or Division: 9 Miscellaneous hazardous material	Packing Group: III
EmS number:	F-A, S-F		
15. REGULATO	RY INFORMATION		

Toxic Substance Control Act (TSCA 8b.):

This product is NOT on the EPA Toxic Substances Control Act (TSCA) inventory. The following notices are required by 40 CFR 720.36 (C) for those products not on the inventory list:

(i) These products are supplied solely for use in research and development by or under the supervision of a technically qualified individual as defined in 40 CFR 720.0 et sec.

(ii) The health risks of these products have not been fully determined. Any information that is or becomes available will be supplied on a SDS sheet.

US Federal Regulations

CERCLA Hazardous substance and Reportable Quantity:		
SARA 313:	Not Listed	
SARA 302:	Not Listed	

State Regulations

State Right-to-Know

Massachusetts	Not Listed
New Jersey	Not Listed
Pennsylvania	Not Listed
California Proposition 65:	Not Listed

Other Information

NFPA Rating:		HMIS Classification:
Health:	2	Health:
Flammability:	0	Flammability:
Instability:	0	Physical:

International Inventories

WHMIS hazard class:

D2B: Materials causing other toxic effects. (Toxic)

2 0 0

16. OTHER INFORMATION

Revision date: 10/06/2014

Revision number: 2

TCI chemicals are for research purposes only and are NOT intended for use as drugs, food additives, households, or pesticides. The information herein is believed to be correct, but does not claim to be all inclusive and should be used only as a guide. Neither the above named supplier nor any of its affiliates or subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All chemical reagents must be handled with the recognition that their chemical, physiological, toxicological, and hazardous properties have not been fully investigated or determined. All chemical reagents should be handled only by individuals who are familiar with their potential hazards and who have been fully trained in proper safety, laboratory, and chemical handling procedures. Although certain hazards are described herein, we can not guarantee that these are the only hazards which exist. Our SDS are based only on data available at the time of shipping and are subject to change without notice as new information is obtained. Avoid long storage periods since the product is subject to degradation with age and may become more dangerous or hazardous. It is the responsibility of the user to request updated SDS for products that are stored for extended periods. Disposal of unused product must be undertaken by qualified personnel who are knowledgeable in all applicable regulations and follow all pertinent safety precautions including the use of appropriate protective equipment (e.g. protective gogles, protective clothing, breathing equipment, face mask, fume hood). For proper handling and disposal, always comply with federal, state and local regulations.