

Revision number: 3 Revision date: 11/10/2015

#### **IDENTIFICATION** 1.

TCI	AMERICA
SAFE	TY DATA SHEET

Product name:	Acetaldehyde Ethyl cis-3-Hexenyl Acetal
Product code:	A0928
Product use:	For laboratory research purposes.
Restrictions on use:	Not for drug or household use.
<b>Company:</b> TCI America 9211 N. Harborgate Street Portland, OR 97203 U.S.A. Telephone: +1-800-423-8616 / +1-503-283-1681 Fax: +1-888-520-1075 / +1-503-283-1987 e-mail: sales-US@TCIchemicals.com www.TCIchemicals.com	Emergency telephone number: Chemical Emergencies: TCI America (8:00am - 5:00pm) PST +1-503-286-7624 Transportation Emergencies: Chemtrec 24-Hour +1-800-424-9300 (U.S.A.) +1-703-527-3887 (International) Responsible department: TCI America Environmental Health Safety and Security +1- 503-286-7624

# 2. HAZARD(S) IDENTIFICATION

OSHA Haz Com: CFR 1910.1200:	Flammable Liquids [Category 4] Aquatic Hazard (Acute) [Category 3]
Signal word:	Warning!
Hazard Statement(s):	Combustible liquid Harmful to aquatic life
Pictogram(s) or Symbol(s):	None
Precautionary Statement(s): [Prevention] [Response] [Storage] [Disposal]	Keep away from heat, sparks, open flames or other hot surfaces No smoking. Wear protective gloves, eye protection and face protection. In case of fire: Use dry chemical, CO2, water spray or alcohol-resistant foam to extinguish. Store in well-ventilated place. Keep cool. Dispose of contents and container in accordance with US EPA guidelines for the classification and determination of hazardous waste listed in 40 CFR 261.3. (See Section 13)

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance/Mixture:	Substance
Components:	Acetaldehyde Ethyl cis-3-Hexenyl Acetal
Percent:	>97.0%(GC)
CAS Number:	28069-74-1
Molecular Weight:	172.27
Chemical Formula:	$C_{10}H_{20}O_2$

# 4. FIRST-AID MEASURES

Inhalation:

Call emergency medical service. Move victim to fresh air. Give artificial respiration if victim is not breathing. Administer oxygen if breathing is difficult. Keep victim warm and quiet. Treat symptomatically and supportively. Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves.

4. FIRST-AID MEASURES		
Skin contact:	Call a poison center or doctor if you feel unwell. In case of contact with substance, immediately flush skir with running water for at least 20 minutes. Treat symptomatically and supportively. Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves.	
Eye contact:	In case of contact with substance, immediately flush eyes with running water for at least 20 minutes. If eye irritation persists get medical advice/attention. Move victim to fresh air. Check for and remove any contact lenses. Keep victim warm and quiet. Treat symptomatically and supportively. Effects of exposure to substance may be delayed. Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves.	
Ingestion:	If swallowed, seek medical advice immediately and show the container or label. Loosen tight clothing suc as a collar, tie, belt or waistband. If a person vomits place them in the recovery position so that vomit will not reenter the mouth and throat. Rinse mouth. Keep victim warm and quiet. Treat symptomatically and supportively. Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves.	
Symptoms/effects:		
Acute: Delayed:	No data available No data available	
Immediate medical attention:	If breathing has stopped, perform artificial respiration. Use first aid treatment according to the nature of th injury. Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves.	
5. FIRE-FIGHTING MEASURES		
Suitable extinguishing media:	Dry chemical, $CO_2$ , water spray, or alcohol-resistant foam. Consult with local fire authorities before attempting large scale fire fighting operations.	
Specific hazards arising from the che	nical	
Hazardous combustion products: Other specific hazards:	These products include: Carbon oxides Closed containers may explode from heat of a fire.	
Special precautions for fire-fighters:	w low flock point: Lloc of water aprovi when fighting fire may be inefficient. Lloc water aprovier for: do not use	

CAUTION: All these products have a very low flash point: Use of water spray when fighting fire may be inefficient. Use water spray or fog; do not use straight streams. Do not use straight streams. Runoff to sewer may create fire or explosion hazard. Dike fire-control water for later disposal; do not scatter the material. Containers may explode when heated. Move containers from fire area if you can do it without risk.

Special protective equipment for fire-fighters:

Wear positive pressure self-contained breathing apparatus (SCBA). Structural fire fighters' protective clothing provides limited protection in fire situations ONLY; it may not be effective in spill situations. Wear chemical protective clothing which is specifically recommended by the manufacturer. It may provide little or no thermal protection.

### 6. ACCIDENTAL RELEASE MEASURES

Personal precautions:	Use spark-proof tools and explosion-proof equipment. Remove all sources of ignition. Avoid contact with skin, eyes, and clothing. Keep people away from and upwind of spill/leak. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing (Section 8). Warn unnecessary personnel to move away. Stop leak if you can do it without risk. Ensure adequate ventilation. Isolate the hazard area and deny entry to unnecessary and unprotected personnel.
Personal protective equipment:	Splash goggles. Lab coat. Vapor respirator. Be sure to use a MSHA/NIOSH approved respirator or equivalent. Wear protective gloves (nitrile).
Emergency procedures:	Isolate area until gas has dispersed. In case of a spill and/or a leak, always shut off any sources of ignition, ventilate the area, and excercise caution. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Warn personnel to move away. Prevent entry into sewers, basements or confined areas; dike if needed.

#### Methods and materials for containment and cleaning up:

ELIMINATE all ignition sources (no smoking, flares, sparks, or flames in immediate area). All equipment used when handling the product must be grounded. Stop leak if without risk. Ventilate the area. Absorb with an inert material and put the spilled material in an appropriate waste disposal container. Use clean non-sparking tools to collect absorbed material. Dike far ahead of spill; use dry sand to contain the flow of material. **Environmental precautions:** 

Environmental hazard. Do not let product enter drains. Prevent further leakage or spillage if safe to do so. Water runoff can cause environmental damage. Prevent entry into sewers, basements or confined areas; dike if needed.

### 7. HANDLING AND STORAGE

7. HANDLING AND STORAGE	
Precautions for safe handling:	Do NOT breath gas, fumes, vapor, or spray. Avoid contact with skin and eyes. Keep away from heat and sources of ignition. Use explosion-proof equipment. Use only non-sparking hand tool when handling this product. Ground all equipment containing material. Take measures to prevent build up of electrostatic charge. Good general ventilation should be sufficient to control airborne levels. Keep container dry. Handle and open container with care. Wear suitable protective clothing, gloves and eye/face protection. When using do not eat, drink, or smoke. Keep away from sources of ignition.
Conditions for safe storage:	Keep only in the original container in a cool well-ventilated place. Keep away from sources of ignition. Store and use away from heat, sparks, open flame, or any other ignition source. Keep away from incompatibles. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Avoid prolonged storage periods.
Storage incompatibilities:	Combustible substances, Store away from oxidizing agents

### 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

### **Exposure limits:**

No data available

### Appropriate engineering controls:

Good general ventilation should be sufficient to control airborne levels. Ventilation is normally required when handling or using this product. Eyewash fountains should be provided in areas where there is any possibility that workers could be exposed to the substance. Follow safe industrial engineering/laboratory practices when handling any chemical.

### Personal protective equipment

Respiratory protection:Vapor respirator. Be sure to use a MSHA/NIOSH approved respirator or equivalent.Hand protection:Wear protective gloves.Eye protection:Splash goggles.Skin and body protection:Lab coat.

### 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state (20°C):	Liquid
Form:	Clear
Color:	Colorless - Almost colorless
Odor:	No data available
Odor threshold:	No data available

Melting point/freezing point:	No data available	pH:		No data available
Boiling point/range:	No data available	Vapor pressure:		No data available
Decomposition temperature:	No data available	Vapor density:		No data available
Relative density:	0.86	Dynamic Viscosity:		No data available
Kinematic Viscosity:	No data available			
Partition coefficient: n-octanol/water (log Pow)	No data available	Evaporation rate: (Butyl Acetate = 1)		No data available
Flash point:	70°C (158°F)	Autoignition temper	rature:	No data available
Flammability (solid, gas):	No data available	Flammability or explosive limits:		
		Lower:	No data availa	ble
		Upper:	No data availa	ble

#### Solubility(ies):

## 10. STABILITY AND REACTIVITY

Reactivity: Chemical Stability: Possibility of Hazardous Reactions: Conditions to avoid: Incompatible materials: Hazardous Decomposition Products: Not Available. Stable under recommended storage conditions. (See Section 7) In use, may form flammable/explosive vapor-air mixture. Avoid excessive heat and light. Oxidizing agents No data available

# 11. TOXICOLOGICAL INFORMATION

RTECS Number: MP6795000

Acetaldehyde Ethyl cis-3-Hexenyl Acetal	TCI AMERICA	Page 4 of 5	
Acute Toxicity: skn-rbt LD50:>5000 mg/kg	orl-rat LDLo:5000 mg/kg		
Skin corrosion/irritation: No data available			
Serious eye damage/irritation: No data available			
<b>Respiratory or skin sensitization:</b> No data available			
Germ cell mutagenicity: No data available			
Carcinogenicity:			
No data available			
IARC: No data available	NTP: No data available OSHA: No data available		
<b>Reproductive toxicity:</b> No data available			
Routes of Exposure: Inhalation, Eye contact, Ingestion.   Symptoms related to exposure: Inhalation, Eye contact, Ingestion.   No specific information is available in our data base regarding the toxic effects of this material for humans. However, exposure to any chemical should be kept to a minimum. Always follow safe industrial hygiene practices and wear proper protective equipment when handling this compound.   Potential Health Effects: No specific information available; skin and eye contact may result in irritation. May be harmful if inhaled or ingested.   Target organ(s): No data available			
12. ECOLOGICAL INFORMATION			
Fratericity			
Ecotoxicity Fish:	No data available		
Crustacea: Algae:	No data available No data available		
Persistence and degradability:	No data available		
Bioaccumulative potential (BCF): Mobillity in soil:	No data available No data available		
Partition coefficient: n-octanol/water (log Pow)	No data available		
Soil adsorption (Koc):	No data available		
Henry's Law: constant (PaM³/mol)	No data available		
13. DISPOSAL CONSIDERATIONS Disposal of product:	Recycle to process if possible. It is the generator's responsibility to comply with Federal, S	tate and Local	
	rules and regulations. You may be able to dissolve or mix material with a combustible solve chemical incinerator equipped with an afterburner and scrubber system. This section is interassistance but does not replace these laws, nor does compliance in accordance with this s regulatory compliance according to the law. US EPA guidelines for Identification and Listin Waste are listed in 40 CFR Parts 261. The product should not be allowed to enter the environment water ways, or the soil.	ent and burn in a ended to provide section ensure g of Hazardous	
Disposal of container: Other considerations:	Dispose of as unused product. Do not re-use empty containers. Observe all federal, state and local regulations when disposing of the substance.		
		1	
14. TRANSPORT INFORMATION			
DOT (US)			
ΙΑΤΑ			

IMDG

# 14. TRANSPORT INFORMATION

## 15. REGULATORY INFORMATION

#### Toxic Substance Control Act (TSCA 8b.):

This product is ON the EPA Toxic Substances Control Act (TSCA) inventory.

## **US Federal Regulations**

<b>CERCLA Hazardous substance</b>	e and Reportable Quantity:
SARA 313:	Not Listed
SARA 302:	Not Listed

### **State Regulations**

#### State Right-to-Know

Massachusetts	Not Listed
New Jersey	Listed
Pennsylvania	Not Listed
California Proposition 65:	Not Listed

#### **Other Information**

#### **NFPA Rating:**

(

Health:	1
Flammability:	2
Instability:	0

### International Inventories

WHMIS hazard class:

EC-No:

B3: Combustible Liquid. 248-817-3

### 16. OTHER INFORMATION

## Revision date: 11/10/2015

### Revision number: 3

TCI chemicals are for research purposes only and are NOT intended for use as drugs, food additives, households, or pesticides. The information herein is believed to be correct, but does not claim to be all inclusive and should be used only as a guide. Neither the above named supplier nor any of its affiliates or subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All chemical reagents must be handled with the recognition that their chemical, physiological, toxicological, and hazardous properties have not been fully investigated or determined. All chemical reagents should be handled only by individuals who are familiar with their potential hazards and who have been fully trained in proper safety, laboratory, and chemical handling procedures. Although certain hazards are described herein, we can not guarantee that these are the only hazards which exist. Our SDS are based only on data available at the time of shipping and are subject to change without notice as new information is obtained. Avoid long storage periods since the product is subject to degradation with age and may become more dangerous or hazardous. It is the responsibility of the user to request updated SDS for products that are stored for extended periods. Disposal of unused product must be undertaken by gualified personnel who are knowledgeable in all applicable regulations and follow all pertinent safety precautions including the use of appropriate protective equipment (e.g. protective goggles, protective clothing, breathing equipment, face mask, fume hood). For proper handling and disposal, always comply with federal, state and local regulations.

#### **HMIS Classification:**

Health:	1
Flammability:	2
Physical:	0

iannnaointy.	~
Physical:	0