

Revision number: 3 Revision date: 08/18/2015

#### **IDENTIFICATION** 1.

Product name: Product code:

(S)-(-)-Butylene Oxide B3833

#### Product use: Restrictions on use:

## Company:

TCI America 9211 N. Harborgate Street Portland, OR 97203 U.S.A. Telephone: +1-800-423-8616 / +1-503-283-1681 Fax: +1-888-520-1075 / +1-503-283-1987 e-mail: sales-US@TCIchemicals.com www.TCIchemicals.com

# 2 HAZARD(S) IDENTIFICATION

2. HAZARD(S) IDENTIFICATION		
OSHA Haz Com: CFR 1910.1200:	Acute Toxicity - Oral [Category 4] Acute Toxicity - Dermal [Category 4] Acute Toxicity - Inhalation [Category 4] Skin Corrosion/Irritation [Category 2] Eye Damage/Irritation [Category 2A] Carcinogenicity [Category 2] Toxic to Reproduction [Category 2] Specific Target Organ Toxicity (Single Exposure) [Category 3] Specific Target Organ Toxicity (Repeated Exposure) [Category 2] Flammable Liquids [Category 2] Aquatic Hazard (Acute) [Category 3]	
Signal word:	Danger!	
Hazard Statement(s):	Causes serious eye irritation Causes skin irritation Harmful if swallowed Harmful in contact with skin Harmful if inhaled Highly flammable liquid and vapor Suspected of causing cancer Suspected of damaging fertility or the unborn child Harmful to aquatic life May cause respiratory irritation. May cause damage to organs: Olfactory System Respiratory System Nervous System Kidney through prolonged or repeated exposure.	

Pictogram(s) or Symbol(s):



**Precautionary Statement(s):** 

#### For laboratory research purposes. Not for drug or household use.

**TCI AMERICA** 

**SAFETY DATA SHEET** 

# Emergency telephone number:

Chemical Emergencies: TCI America (8:00am - 5:00pm) PST +1-503-286-7624 Transportation Emergencies: Chemtrec 24-Hour +1-800-424-9300 (U.S.A.) +1-703-527-3887 (International) **Responsible department:** TCI America Environmental Health Safety and Security +1- 503-286-7624

. HAZARD(S) IDENTIFICATION	
[Prevention]	Do not eat, drink or smoke when using this product. Wash hands and face thoroughly after handling. Wear protective gloves and protective clothing. Avoid breathing fume, mist, vapors or spray. Use only outdoors or in a well-ventilated area. Wear protective gloves. Wear eye and face protection. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wear protective gloves, protective clothing, eye protection and face protection. Do not breathe fume, mist, vapors or spray. Keep away from heat, sparks, open flames or other hot surfaces No smoking. Keep container tightly closed. Ground or bond container and receiving equipment. Use explosion-proof electrical, ventilating, lighting, and equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Wear protective gloves, eye protection and face protection.
[Response]	If swallowed: Immediately call a poison center or doctor. Rinse mouth. If on skin: Wash with plenty of water. Call a poison center or doctor if you feel unwell. Take off contaminated clothing and wash it before reuse. If inhaled: Remove person to fresh air and keep comfortable for breathing. If skin irritation or rash occurs: Get medical advice/attention. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice or attention. If exposed or concerned: Get medical advice or attention. If exposed or concerned: Get medical advice or attention. If exposed is advice or attention if you feel unwell. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower. In case of fire: Use dry chemical, CO2, water spray or alcohol-resistant foam to extinguish.
[Storage]	Store locked up. Store in a well-ventilated place. Keep container tightly closed. Store in a well-ventilated place. Keep cool.
[Disposal]	Dispose of contents and container in accordance with US EPA guidelines for the classification and determination of hazardous waste listed in 40 CFR 261.3. (See Section 13)

Hazards not otherwise classified: [HNOC] May cause polimerization.

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance/Mixture: Components: Percent: CAS Number: Molecular Weight:	Substance (S)-(-)-Butylene Oxide >98.0%(GC) 30608-62-9 72.11
Chemical Formula: Synonyms:	C <sub>4</sub> H <sub>8</sub> O (S)-(-)-1,2-Epoxybutane , (S)-(-)-Ethylethylene Oxide , (S)-(-)-Ethyloxirane
4. FIRST-AID MEASURES	
Inhalation:	Call emergency medical service. Effects of exposure (inhalation) to substance may be delayed. Inhalation of vapors or contact with substance will result in contamination and potential harmful effects. Move victim to fresh air. Give artificial respiration if victim is not breathing. Administer oxygen if breathing is difficult. Keep victim warm and quiet. Treat symptomatically and supportively. Ensure that medical personnel are
Skin contact:	aware of the material(s) involved and take precautions to protect themselves. Call a poison center or doctor if you feel unwell. Effects of exposure (skin contact) to substance may be delayed. Remove and wash contaminated clothing before re-use. Remove and isolate contaminated clothing and shoes. In case of contact with substance, immediately flush skin with running water for at least 20 minutes. Treat symptomatically and supportively. Ensure that medical personnel are aware of the
Eye contact:	material(s) involved and take precautions to protect themselves. IMMEDIATELY flush eyes with running water for at least 15 minutes, keeping eyelids open. Contact with material may irritate or burn eyes. Call emergency medical service. Move victim to fresh air. Check for and remove any contact lenses. Keep victim warm and quiet. Treat symptomatically and supportively. Effects of exposure to substance may be delayed. Ensure that medical personnel are aware of the material(s)
Ingestion:	involved and take precautions to protect themselves. Harmful if swallowed. Do not induce vomiting with out medical advice. Effects of exposure (ingestion) to substance may be delayed. Call a physician or Poison Control Center immediately. Do not use mouth-to- mouth method if victim ingested the substance; give artificial respiration with the aid of a pocket mask

equipped with a one-way valve or other proper respiratory medical device. Loosen tight clothing such as a collar, tie, belt or waistband. If a person vomits place them in the recovery position so that vomit will not reenter the mouth and throat. Rinse mouth. Keep victim warm and quiet. Treat symptomatically and supportively. Ensure that medical personnel are aware of the material(s) involved and take precautions to

Symptoms/effects: Acute:

 Acute:
 Redness.

 Delayed:
 May have effects on the respiratory tract. Possibly carcinogenic to humans.

protect themselves.

(	S)	)-(	(-)	-Butylen	e Oxide
---	----	-----	-----	----------	---------

**TCI AMERICA** 

Immediate medical attention:	WARNING: It might be hazardous to the person providing aid to give mouth-to-mouth respiration, because the inhaled material is harmful. CAUTION: Victim may be a source of contamination. If breathing has stopped, perform artificial respiration. Use first aid treatment according to the nature of the injury. Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves.			
5. FIRE-FIGHTING MEASURES				
Suitable extinguishing media:	Dry chemical, $CO_2$ , water spray, or alcohol-resistant foam. Consult with local fire authorities before attempting large scale fire fighting operations.			
Specific hazards arising from the chemic lazardous combustion products: Other specific hazards:	cal These products include: Carbon oxides Closed containers may explode from heat of a fire.			
have a very low flash point: Use of water sp explosion hazard. Containers may explode	streams. Dike fire-control water for later disposal; do not scatter the material. CAUTION: All these products ray when fighting fire may be inefficient. Do not use straight streams. Runoff to sewer may create fire or when heated. Move containers from fire area if you can do it without risk.			
	hters: thing apparatus (SCBA). Structural fire fighters' protective clothing provides limited protection in fire situation ons. Wear chemical protective clothing which is specifically recommended by the manufacturer. It may			
6. ACCIDENTAL RELEASE MEASUR	RES			
	Avoid contact with skin, eyes, and clothing. Keep people away from and upwind of spill/leak. Use spark- proof tools and explosion-proof equipment. Remove all sources of ignition. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing (Section 8). Warn unnecessary personnel to move away. Stop leak if you can do it without risk. Ensure adequate ventilation Isolate the hazard area and deny entry to unnecessary and unprotected personnel.			

oment: vvear eye protection (splash goggles) and face protection (full length face shield). Wear protective clothing (chemical resistant suit and chemical resistant boots). Vapor respirator. Be sure to use a MSHA/NIOSH approved respirator or equivalent. Wear protective gloves (nitrile).

Isolate area until gas has dispersed. Do not clean-up or dispose except under supervision of a specialist. In case of a spill and/or a leak, always shut off any sources of ignition, ventilate the area, and excercise caution. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Warn personnel to move away. Prevent entry into sewers, basements or confined areas; dike if needed.

#### Methods and materials for containment and cleaning up:

Emergency procedures:

ELIMINATE all ignition sources (no smoking, flares, sparks, or flames in immediate area). All equipment used when handling the product must be grounded. Stop leak if without risk. Ventilate the area. Absorb with an inert material and put the spilled material in an appropriate waste disposal container. Use clean non-sparking tools to collect absorbed material. Dike far ahead of spill; use dry sand to contain the flow of material. **Environmental precautions:** 

Keep away from living quarters. Environmental hazard. Do not let product enter drains. Prevent further leakage or spillage if safe to do so. Water runoff can cause environmental damage. Prevent entry into sewers, basements or confined areas; dike if needed.

7. HANDLING AND STORAGE	
Precautions for safe handling:	Do NOT breath gas, fumes, vapor, or spray. Manipulate under an adequate fume hood. Do not ingest. Avoid contact with skin and eyes. Avoid contact with skin. Avoid exposure - obtain special instructions before use. Avoid prolonged or repeated exposure. Normal measures for preventive fire protection. Avoid contact - obtain special instructions before use. Keep away from heat and sources of ignition. Use explosion-proof equipment. Use only non-sparking hand tool when handling this product. Ground all equipment containing material. Take measures to prevent build up of electrostatic charge. Good general ventilation should be sufficient to control airborne levels. Keep container dry. Handle and open container with care. Wear suitable protective clothing, gloves and eye/face protection. When using do not eat, drink, or smoke. Keep away from sources of ignition.
Conditions for safe storage:	Store locked up. Keep containers tightly closed in a cool, well-ventilated place. Keep away from sources of ignition. Store and use away from heat, sparks, open flame, or any other ignition source. Keep away from incompatibles. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Avoid prolonged storage periods. Store under inert gas (e.g. Argon). Hygroscopic material, store in a tightly sealed container.
Storage incompatibilities:	Store away from oxidizing agents

## 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

**Exposure limits:** 

No data available

# 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

#### Appropriate engineering controls:

Handle only in a fully enclosed system and equipment. Good general ventilation should be sufficient to control airborne levels. Ventilation is normally required when handling or using this product. Eyewash fountains should be provided in areas where there is any possibility that workers could be exposed to the substance. Follow safe industrial engineering/laboratory practices when handling any chemical.

Personal protective equipment	
Respiratory protection:	Vapor respirator. Be sure to use a MSHA/NIOSH approved respirator or equivalent.
Hand protection:	Wear protective gloves.
Eye protection:	Splash goggles.
Skin and body protection:	Wear protective clothing (chemical resistant suit and chemical resistant boots).

### 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state (20°C): Form: Color: Odor: Odor threshold:	Liquid Clear Colorless - Almost colorless No data available No data available		
Melting point/freezing point: Boiling point/range: Decomposition temperature: Relative density: Kinematic Viscosity:	No data available 63°C (145°F) No data available 0.84 No data available	pH: Vapor pressure: Vapor density: Dynamic Viscosity:	No data available No data available No data available No data available
Partition coefficient: n-octanol/water (log Pow)	0.416	Evaporation rate: (Butyl Acetate = 1)	No data available
Flash point: Flammability (solid, gas):	-22°C (-8°F) No data available	Autoignition temperature: Flammability or explosive limits: Lower: 3.9%	No data available
		<b>Upper:</b> 20.6%	
Solubility(ies):			

# 10. STABILITY AND REACTIVITY

Reactivity: Chemical Stability: Possibility of Hazardous Reactions: Conditions to avoid: Incompatible materials: Hazardous Decomposition Products: Not Available. Stable under recommended storage conditions. (See Section 7) In use, may form flammable/explosive vapor-air mixture. Avoid excessive heat and light. Oxidizing agents No data available

#### 11. TOXICOLOGICAL INFORMATION

Acute Toxicity: No data available

Skin corrosion/irritation: No data available

Serious eye damage/irritation: No data available

Respiratory or skin sensitization: No data available

Germ cell mutagenicity: No data available

Carcinogenicity:

# **TCI AMERICA**

No data available

IARC:	Group 2B (Possibly carcinogenic	NTP:
	to humans).	

No data available

OSHA: No data available

Reproductive toxicity:

No data available

Routes of Exposure:

Inhalation, Eye contact, Ingestion, Skin contact.

### Symptoms related to exposure:

Overexposure may result in serious illness or death. Skin contact may result in inflammation; characterized by itching, scaling, reddening, or occasionally blistering. Skin contact may result in redness, pain or dry skin. Eye contact may result in redness or pain. Inhalation causes irritation of the lungs and respiratory system.

### Potential Health Effects:

Skin and eye contact may result in irritation. Inhalation causes irritation of the lungs and respiratory system.

#### Target organ(s):

May cause respiratory irritation.

May cause damage to organs: Olfactory System Respiratory System Nervous System Kidney through prolonged or repeated exposure.

## 12. ECOLOGICAL INFORMATION

Ecotoxicity Fish: Crustacea: Algae:	No data available No data available No data available
Persistence and degradability: Bioaccumulative potential (BCF): Mobillity in soil: Partition coefficient:	No data available No data available No data available 0.416
n-octanol/water (log P <sub>ow</sub> ) Soil adsorption (Koc): Henry's Law: constant (PaM <sup>3</sup> /mol)	No data available No data available

	CONSIDERATIONS	Recycle to proc	ess if possible. It is the generate	r's responsibility to comply with Federal. State and Local		
rules a chemi assista regula Waste water		rules and regula chemical incine assistance but or regulatory comp Waste are listed water ways, or t	Recycle to process if possible. It is the generator's responsibility to comply with Federal, State and Local ules and regulations. You may be able to dissolve or mix material with a combustible solvent and burn in a hemical incinerator equipped with an afterburner and scrubber system. This section is intended to provide assistance but does not replace these laws, nor does compliance in accordance with this section ensure egulatory compliance according to the law. US EPA guidelines for Identification and Listing of Hazardous Vaste are listed in 40 CFR Parts 261. The product should not be allowed to enter the environment, drains, vater ways, or the soil.			
		Dispose of as unused product. Do not re-use empty containers. Observe all federal, state and local regulations when disposing of the substance.				
Other considerati						
DOT (US)	Deserve Obligation New					
UN number: UN3022	Proper Shipping Nan 1,2-Butylene oxide, sta		Class or Division: 3 Flammable liquid	Packing Group:		
IATA				"		
UN number:	Proper Shipping Nan	ne.	Class or Division:	Packing Group:		
UN3022	1,2-Butylene oxide, st		3 Flammable liquid			
	1,2 Dutyiene ende, en		o ridininazio ilquia			
IMDG UN number:	Dreper Chinning New		Class or Division:	Deaking Crown		
UN number: UN3022	Proper Shipping Nan 1,2-Butylene oxide, sta		3 Flammable liquid	Packing Group: 		
0113022	1,2-Dutylene Oxide, St		5 Flammable liquid	11		
EmS number:		F-E, S-D				
15. REGULATC	ORY INFORMATION					

# 15. REGULATORY INFORMATION

Toxic Substance Control Act (TSCA 8b.): This product is NOT on the EPA Toxic Substances Control Act (TSCA) inventory. The following notices are required by 40 CFR 720.36 (C) for those products not on the inventory list:

(i) These products are supplied solely for use in research and development by or under the supervision of a technically qualified individual as defined in

40 CFR 720.0 et sec.

(ii) The health risks of these products have not been fully determined. Any information that is or becomes available will be supplied on a SDS sheet.

#### **US Federal Regulations**

<b>CERCLA Hazardous substance</b>	and Reportable Quantity:
SARA 313:	Not Listed
SARA 302:	Not Listed

#### **State Regulations**

State Right-to-Know

Massachusetts	Not Listed
New Jersey	Not Listed
Pennsylvania	Not Listed
California Proposition 65:	Not Listed

#### **Other Information**

N

IFPA Rating:	
Health:	2
Flammability:	3
Instability:	0

### International Inventories

WHMIS hazard class:

B2: Flammable Liquid. D2A: Materials causing other toxic effects. (Very Toxic) D2B: Materials causing other toxic effects. (Toxic)

HMIS Classification:

Flammability:

2

3

0

Health:

Physical:

### 16. OTHER INFORMATION

Revision date: 08/18/2015 Revision number: 3

Revision number: 3

TCI chemicals are for research purposes only and are NOT intended for use as drugs, food additives, households, or pesticides. The information herein is believed to be correct, but does not claim to be all inclusive and should be used only as a guide. Neither the above named supplier nor any of its affiliates or subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All chemical reagents must be handled with the recognition that their chemical, physiological, toxicological, and hazardous properties have not been fully investigated or determined. All chemical reagents should be handled only by individuals who are familiar with their potential hazards and who have been fully trained in proper safety, laboratory, and chemical handling procedures. Although certain hazards are described herein, we can not guarantee that these are the only hazards which exist. Our SDS are based only on data available at the time of shipping and are subject to change without notice as new information is obtained. Avoid long storage periods since the product is subject to degradation with age and may become more dangerous or hazardous. It is the responsibility of the user to request updated SDS for products that are stored for extended periods. Disposal of unused product must be undertaken by qualified personnel who are knowledgeable in all applicable regulations and follow all pertinent safety precautions including the use of appropriate protective equipment (e.g. protective goggles, protective clothing, breathing equipment, face mask, fume hood). For proper handling and disposal, always comply with federal, state and local regulations.