

Revision number: 2 Revision date: 08/18/2015

1. IDENTIFICATION

Product name: Product code: 4-(2-Chloroethyl)morpholine C3061

For laboratory research purposes.

Not for drug or household use.

TCI AMERICA

SAFETY DATA SHEET

Product use: Restrictions on use:

Company:

TCI America 9211 N. Harborgate Street Portland, OR 97203 U.S.A. Telephone: +1-800-423-8616 / +1-503-283-1681 Fax: +1-888-520-1075 / +1-503-283-1987 e-mail: sales-US@TCIchemicals.com www.TCIchemicals.com

2. HAZARD(S) IDENTIFICATION

OSHA Haz Com: CFR 1910.1200:

Acute Toxicity - Oral [Category 3] Eye Damage/Irritation [Category 1] Flammable Liquids [Category 4] Skin Corrosion/Irritation [Category 1C]

Signal word:

Danger!

Hazard Statement(s):

Causes serious eye damage Causes severe skin burns and eye damage Combustible liquid Toxic if swallowed

protective gloves, eye protection and face protection.

Pictogram(s) or Symbol(s):



Precautionary Statement(s): [Prevention]

[Response]

[Storage] [Disposal] Emergency telephone number: Chemical Emergencies: TCI America (8:00am - 5:00pm) PST +1-503-286-7624 Transportation Emergencies: Chemtrec 24-Hour +1-800-424-9300 (U.S.A.) +1-703-527-3887 (International) Responsible department: TCI America Environmental Health Safety and Security +1- 503-286-7624

If swallowed: Immediately call a poison center or doctor. Rinse mouth. If swallowed: Rinse mouth. Do NOT induce vomiting. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower. Wash contaminated clothing before reuse. If inhaled: Remove person to fresh air and keep comfortable for breathing. Immediately call a poison center or doctor. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. In case of fire: Use dry chemical, CO2, water spray or alcohol-resistant foam to extinguish.

Do not eat, drink or smoke when using this product. Wash hands and face thoroughly after handling. Do not breathe dusts or mists. Use only outdoors or in a well-ventilated area. Wear protective gloves, protective clothing, eye protection and face protection. Wear eye protection. Wear face protection (full length face shield). Keep away from heat, sparks, open flames or other hot surfaces. - No smoking. Wear

Store locked up. Store in well-ventilated place. Keep cool. Dispose of contents and container in accordance with US EPA guidelines for the classification and determination of hazardous waste listed in 40 CFR 261.3. (See Section 13)

TCI AMERICA

2. HAZARD(S) IDENTIFICATION

Supplementary Information:

While this material is not classified as hazardous under OSHA, this SDS contains valuable information critical to safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance/Mixture:	Substance			
Components: 4-(2-Chloroethyl)morpholine				
Percent:	>98.0%(GC)(T)			
CAS Number:	3240-94-6			
Molecular Weight:	149.62			
Chemical Formula:	C ₆ H ₁₂ CINO			
Synonyms:	2-Morpholinoethyl Chloride			
4. FIRST-AID MEASURES				
Inhalation:	Immediately call a poison center or doctor. Effects of exposure (inhalation) to substance may be delayed. Move victim to fresh air. Give artificial respiration if victim is not breathing. Administer oxygen if breathing is difficult. Keep victim warm and quiet. Treat symptomatically and supportively. Ensure that medical			
Skin contact:	personnel are aware of the material(s) involved and take precautions to protect themselves. For severe burns, immediate medical attention is required. Immediately call a poison center or doctor. Remove and wash contaminated clothing before re-use. In case of contact with substance, immediately flush skin with running water for at least 20 minutes. Treat symptomatically and supportively. Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves.			
Eye contact:	IMMEDIATELY flush eyes with running water for at least 15 minutes, keeping eyelids open. Eye contact with vapors or substance may cause severe injury, burns, or death. Call emergency medical service. Move victim to fresh air. Check for and remove any contact lenses. Keep victim warm and quiet. Treat symptomatically and supportively. Effects of exposure to substance may be delayed. Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves.			
Ingestion:	Toxic if swallowed. Do not induce vomiting with out medical advice. Call a physician or Poison Control Center immediately. Do not use mouth-to-mouth method if victim ingested the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Loosen tight clothing such as a collar, tie, belt or waistband. If a person vomits place them in the recovery position so that vomit will not reenter the mouth and throat. Rinse mouth. Keep victim warm and quiet. Treat symptomatically and supportively. Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves.			
Symptoms/effects:				
Acute: Delayed:	No data available No data available			
Immediate medical attention:	WARNING: It might be dangerous to the person providing aid to give mouth-to-mouth respiration, because the inhaled material is toxic. WARNING: It might be hazardous to the person providing aid to give mouth- to-mouth respiration, because the inhaled material is corrosive. For severe burns, immediate medical attention is required. If breathing has stopped, perform artificial respiration. Use first aid treatment according to the nature of the injury. Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves.			
5. FIRE-FIGHTING MEASURES				
Suitable extinguishing media:	Dry chemical, CO ₂ or water spray. Consult with local fire authorities before attempting large scale fire fighting operations.			
Specific hazards arising from the chemi	cal			
Hazardous combustion products:	These products include: Carbon oxides Nitrogen oxides Halogenated compounds			

Other specific hazards: WARN

These products include: Carbon oxides Nitrogen oxides Halogenated compound WARNING: Highly toxic HCl gas is produced during combustion.

Special precautions for fire-fighters:

Use water spray or fog; do not use straight streams. Dike fire-control water for later disposal; do not scatter the material. CAUTION: All these products have a very low flash point: Use of water spray when fighting fire may be inefficient. Do not use straight streams. Runoff to sewer may create fire or explosion hazard. Containers may explode when heated. Move containers from fire area if you can do it without risk. Special protective equipment for fire-fighters:

Wear positive pressure self-contained breathing apparatus (SCBA). Structural fire fighters' protective clothing provides limited protection in fire situations ONLY; it may not be effective in spill situations. Wear chemical protective clothing which is specifically recommended by the manufacturer. It may provide little or no thermal protection.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions:	Avoid contact with skin, eyes, and clothing. Keep people away from and upwind of spill/leak. Use spark- proof tools and explosion-proof equipment. Remove all sources of ignition. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing (Section 8). Warn unnecessary personnel to move away. Stop leak if you can do it without risk. Ensure adequate ventilation. Isolate the hazard area and deny entry to unnecessary and unprotected personnel.
Personal protective equipment:	Wear eye protection (splash goggles) and face protection (full length face shield). Lab coat. Vapor respirator. Be sure to use a MSHA/NIOSH approved respirator or equivalent. Wear protective gloves (nitrile).
Emergency procedures:	Isolate area until gas has dispersed. In case of a spill and/or a leak, always shut off any sources of ignition, ventilate the area, and excercise caution. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Warn personnel to move away. Prevent entry into sewers, basements or confined areas; dike if needed.

Methods and materials for containment and cleaning up:

ELIMINATE all ignition sources (no smoking, flares, sparks, or flames in immediate area). All equipment used when handling the product must be grounded. Stop leak if without risk. Ventilate the area. Absorb with an inert material and put the spilled material in an appropriate waste disposal container. Use clean non-sparking tools to collect absorbed material.

Environmental precautions:

Keep away from living quarters. Prevent further leakage or spillage if safe to do so. Water runoff can cause environmental damage. Prevent entry into sewers, basements or confined areas; dike if needed.

7. HANDLING AND STORAGE	
Precautions for safe handling:	Do NOT breath gas, fumes, vapor, or spray. Manipulate under an adequate fume hood. Do not ingest. Avoid contact with skin and eyes. Keep away from heat and sources of ignition. Use explosion-proof equipment. Use only non-sparking hand tool when handling this product. Ground all equipment containing material. Take measures to prevent build up of electrostatic charge. Good general ventilation should be sufficient to control airborne levels. Keep container dry. Handle and open container with care. Wear suitable protective clothing, gloves and eye/face protection. When using do not eat, drink, or smoke. Keep away from sources of ignition.
Conditions for safe storage:	Store locked up. Keep containers tightly closed in a cool, well-ventilated place. Keep away from sources of ignition. Store and use away from heat, sparks, open flame, or any other ignition source. Keep away from incompatibles. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Avoid prolonged storage periods. Store under inert gas (e.g. Argon). Store in refrigerator.
Storage incompatibilities:	Store away from oxidizing agents

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure limits:

No data available

Appropriate engineering controls:

Good general ventilation should be sufficient to control airborne levels. Ventilation is normally required when handling or using this product. Eyewash fountains should be provided in areas where there is any possibility that workers could be exposed to the substance. Follow safe industrial engineering/laboratory practices when handling any chemical.

Personal protective equipment

Respiratory protection:	Vapor respirator. Be sure to use a MSHA/NIOSH approved respirator or equivalent.
Hand protection: Eye protection:	Wear protective gloves. Splash goggles.
Skin and body protection:	Lab coat.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state (20°C):	Liquid
Form:	Clear
Color:	Colorless - Pale yellow
Odor:	No data available
Odor threshold:	No data available

4-(2-Chloroethyl)morpholine

TCI AMERICA

oiling point/ra	eezing point:	No data	RTIES available	n	H:		No data available	
			01°F)/1.6kPa	•	apor pressure:		No data available	
Decomposition temperature: No data a						No data available		
•	•		avallable					
elative density		1.11 No data	ta available		Dynamic Viscosity:		No data available	
· · · · · · · · · · · · · · · · · · ·			-	vaporation rate:		No data available		
	artition coefficient: No data available octanol/water (log Pow)			Butyl Acetate = 1)				
lash point: No data ava lammability (solid, gas): No data ava				Autoignition temper lammability or exp Lower:		No data available ole		
					Upper:	No data availal	ble	
olubility(ies):								
0. STABILIT	Y AND REACTIV	'ITY						
conditions to a acompatible m	azardous Reaction	ns: / (lammable/exp	rage conditions. (Se losive vapor-air mix			
1. TOXICOL	OGICAL INFORI	NATION						
TECS Number	r: QE0175000							
cute Toxicity: nl-mus LCLo:37	′0 mg/m³/10M							
kin corrosion/ lo data availabl								
erious eye da lo data availabl	mage/irritation: e							
espiratory or	skin sensitization: e							
lo data availabl								
lo data availabl ierm cell muta								
lo data availabl ierm cell muta ni-mus-ivg 1 pp	bh							
lo data availabl ierm cell muta ni-mus-ivg 1 pp carcinogenicity	y:							
lo data availabl ierm cell muta ni-mus-ivg 1 pp :arcinogenicity lo data availabl	y:		NTP:	No data ava	ailable	OSHA:	No data available	
lo data availabl ierm cell muta ni-mus-ivg 1 pp carcinogenicity lo data availabl IARC: N eproductive to	oh y: e lo data available oxicity:		NTP:	No data ava	ailable	OSHA:	No data available	
lo data availabl ierm cell muta ni-mus-ivg 1 pp iarcinogenicity lo data availabl IARC: N ieproductive to lo data availabl coutes of Expo	oh y: le lo data available oxicity: e osure:	I	NTP:			OSHA:	No data available	
o data availabl erm cell muta ni-mus-ivg 1 pp arcinogenicity o data availabl IARC: N eproductive to o data availabl outes of Expo ymptoms rela verexposure m caling, reddenin	oh y: lo data available oxicity: le osure: ted to exposure: nay result in serious ng, or occasionally	illness or a	Inhalation, Eye co death. Skin contac	ntact, Ingestic	on, Skin contact.	act may result in i	No data available nflammation; characterized by itchir	
lo data availabl ierm cell muta ni-mus-ivg 1 pp iarcinogenicity lo data availabl IARC: N eproductive to lo data availabl voutes of Expo ymptoms rela loverexposure m caling, reddenin otential Health	oh y: lo data available oxicity: le osure: ted to exposure: nay result in serious ng, or occasionally h Effects: mation available; sł	illness or o blistering. E kin and eye	Inhalation, Eye co death. Skin contac Eye contact can re	ntact, Ingestic st may produc ssult in cornea	on, Skin contact. e burrns. Skin conta	act may result in i	nflammation; characterized by itchir	

Ecotoxicity Fish: Crustacea:

No data available No data available **TCI AMERICA**

12. ECOLOGIC	AL INFORMATION						
Algae:		No data availat	ble				
Persistence and degradability: No da Bioaccumulative potential (BCF): No da Mobillity in soil: No da Partition coefficient: No da n-octanol/water (log Pow) Soil adsorption (Koc): No da		No data availat No data availat No data availat No data availat	No data available No data available No data available No data available No data available No data available				
	CONSIDERATIONS						
Disposal of produ Disposal of conta Other considerati	iner:	rules and regul chemical incine assistance but regulatory com Waste are liste water ways, or Dispose of as u	cess if possible. It is the generato ations. You may be able to dissol erator equipped with an afterburned does not replace these laws, nor pliance according to the law. US d in 40 CFR Parts 261. The product the soil. unused product. Do not re-use err leral, state and local regulations v	ve or mix material with a comb er and scrubber system. This s does compliance in accordance EPA guidelines for Identification uct should not be allowed to en apty containers.	bustible solvent and burn in a section is intended to provide ce with this section ensure on and Listing of Hazardous inter the environment, drains,		
DOT (US) UN number: UN2922	Proper Shipping N Corrosive liquids, to		Class or Division: 8 Corrosive material	Subrisk(s): 6.1 Toxic material.	Packing Group:		
IATA UN number: UN2922	Proper Shipping Name: Corrosive liquid, toxic, n.o.s.		Class or Division: 8 Corrosive material	Subrisk(s): 6.1 Toxic material.	Packing Group:		
IMDG UN number: UN2922	Proper Shipping Name: Corrosive liquid, toxic, n.o.s.		Class or Division: 8 Corrosive material	Subrisk(s): 6.1 Toxic material.	Packing Group:		
EmS number:	F-A, S-B						
15 REGULATO							

15. REGULATORY INFORMATION

Toxic Substance Control Act (TSCA 8b.): This product is ON the EPA Toxic Substances Control Act (TSCA) inventory.

US Federal Regulations

CERCLA Hazardous substance	and Reportable Quantity:
SARA 313:	Not Listed
SARA 302:	Not Listed

State Regulations

State Right-to-Know

Massachusetts	Not Listed
New Jersey	Not Listed
Pennsylvania	Not Listed
California Proposition 65:	Not Listed

Other Information

NFPA Rating:

Health:	3	He
Flammability:	2	Fla
Instability:	0	Pr

International Inventories

Canada: NDSL

On NDSL

HMIS Classification:

lealth:	3
lammability:	2
hysical:	0

TCI AMERICA

15. REGULATORY INFORMATION

EC-No:

221-810-2

16. OTHER INFORMATION

Revision date: 08/18/2015

Revision number: 2

TCI chemicals are for research purposes only and are NOT intended for use as drugs, food additives, households, or pesticides. The information herein is believed to be correct, but does not claim to be all inclusive and should be used only as a guide. Neither the above named supplier nor any of its affiliates or subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All chemical reagents must be handled with the recognition that their chemical, physiological, toxicological, and hazardous properties have not been fully investigated or determined. All chemical reagents should be handled only by individuals who are familiar with their potential hazards and who have been fully trained in proper safety, laboratory, and chemical handling procedures. Although certain hazards are described herein, we can not guarantee that these are the only hazards which exist. Our SDS are based only on data available at the time of shipping and are subject to change without notice as new information is obtained. Avoid long storage periods since the product is subject to degradation with age and may become more dangerous or hazardous. It is the responsibility of the user to request updated SDS for products that are stored for extended periods. Disposal of unused product must be undertaken by qualified personnel who are knowledgeable in all applicable regulations and follow all pertinent safety precautions including the use of appropriate protective equipment (e.g. protective gogles, protective clothing, breathing equipment, face mask, fume hood). For proper handling and disposal, always comply with federal, state and local regulations.